

costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.

(Page 2 of 5)

Front-Lit Channel Letters w/ LED Illumination * Raceway Mounted

42 SQ FT TOTAL (ENVELOPE METHOD)

White Trimcaps / White returns

Specifications: LED Channel Letters

- 1 Existing Facade Concrete Block/ Brick
- 2 0 040 Aluminum letter returns painted to match Black
- 3 0 125 x 1 White Jewelite trimcap
- 4 040 White Aluminum backing

- 5 Interone UL approved red LED s
- 6 UL approved flexible conduit connectors
- 7 1/8 Red Acrylite #2283
- 8 UL approved LED transformer (Mean well)
- 9 UL approved waterproof disconnect switch per NEC 600 6
- 10 Aluminum Raceway to match fascia color
- 11 1/4 x2 x 11 Aluminum Bracket
- 12 UL approved Liquid tight metallic conduit

- 13 Mounting hardware to suit (Non Corrosive)

(interior of sign can will be white for maximum illumination)

(All penetration will be caulked w/ high grade silicone)

Electrical Detail: Channel Letters

Mean well CLG 60 12
(1) 60w Transformers @ 0 80
Total Amps 0 80 (1) Minimum of 20 amp 120V Circuit Req (S^,

General Notes:

This sign is to be installed in accordance with the requirements of Article 600 of the National Electrical Code

- 1) Grounded and bonded per NEC 600 7/NEC 250
 - 2) Existing branch circuit in compliance with NEC 600 5 not to exceed 20 amps
 - 3) Sign is to be UL listed per NEC 600 3
 - 4) UL disconnect switch per NEC 600 6 required per sign component before leaving manufacturer" "For multiple signs a disconnect is permitted but not required for each section
- 24 Sq Ft
20 0 ft

Pr#p*sed Squire Ftotaje »f this sign:
1 Lineal feet of store front
Actual Square Ftttage Allowed by village:

CHANNEL LETTER - TYPICAL SECTION - FRONT-LIT PLASTI6 FACE

Y, Drain holes at bottom of letter cans (2) per letter

Section (a) LED Channel Letter

Raceway mount installation Scale NTS

LISTED

ELECTRICAL NOTES /

^ Sign Company DOES NOT provide primary electrical to signs. Power to the sign must be done by a licensed electrical contractor or licensed electrician. Each sign must have: 1. A minimum of one dedicated 120V 20A circuit

2. Junction box installed within 6 feet of sign
3. Three wires: Line, Ground, Neutral

signs

5500 N. Kedzie Ave Chicago, IL 60630 773-257-5007 [sales@tfasigns.com]

Client MetroPCS Landlord Start Date 00/00/0000 Last
Revision 00/00/0000 Job#
00000 Drawing* 00000a v1
s1 / e1 Page 1 of 2 • Client Approval Landlord Sales Rep Seung
Approval Park Designer

Address 4326 S Ashland Address
Chicago IL

Tel Tel

Email Email E322358 ^
USTEO

OPyright 2013 BY TFA Signs THIS RENDERING IS THE PROPERTY OF TFA S.GNS INC AND THE PARTY WHICH REQUESTED THE RENDERING IT IS AN UNPUBLISHED ORIGINAL DRAWING
NOT TO BE REPRODUCED OR EXHIBITED WITHOUT THE CONSENT OF TFA SIGNS INC

' Department of Business Affairs and Consumer Protection
Small Business Center - Public Way Use Unit City Hall - 121 N. LaSalle Street, Room 800 • Chicago, IL 60602 312-74-GOB1Z/312-744-6249 • (312) 744-1944
(TTY) <http://www.cirvofcliicago.org/bacp> <<http://www.cirvofcliicago.org/bacp>>

05/18/2016

Alderman Raymond A. Lopez Ward # 15 City of
Chicago City Hall, Room 300 121 North LaSalle
Street Chicago, Illinois 60602

**Re: An ordinance to use and maintain a portion of the public right-of-way for one (1) sign(s) for
metroPCS Authorized Dealer, adjacent to the premises known as 4326 S. Ashland Ave..**

Dear Alderman Raymond A. Lopez:

The applicant referenced above has requested the use of the public right-of-way for a sign(s). An ordinance has been prepared by the Department of Business Affairs and Consumer Protection - Small Business Center -Public Way Use Unit for presentation to the City Council. Because this request was made for properties located in your ward, as approved by you as per the attached, I respectfully request that you introduce the attached ordinance at the next City Council meeting.

If you have any questions regarding this ordinance, please contact Anthony Bertuca at (312) 744-5506.

Department of Business Affairs and Consumer Protection

>