

(Page 4 of 9)

PROPOSED BOLLARD FOR ECC CROSSWALK

REFLECTIVE PAINT AT RECESS

Specifications:

nterpris e s

Custom Length

Specification Sheet B0C12R: 12" Concrete Bollard

- Dimensions: 12" diameter x custom length (6ft max), with 1" tall x 1/2" deep reveal 5" down from top
- . Weight: 1201bs per 1' length
- Materials: 3/8" steel rebar, Type 3 Portland cement conforming to ASTM C31 specifications
- . Stress Load: 4000 PSI at 28 days

- Finish options: Natural, Con-TEX, Light Sandblast or Heavy Sandblast (please reference color/finish sheet)
- Color Options: Natural, Charcoal #920, Brown #238, Terra Cotta/Cocoa, Green or custom (please reference color/finish sheet)
- Warranty: One year warranty against manufacturer's defects

275 Progress Drive, Suite B, Manchester, CT 06042

Department of Business Affairs and Consumer Protection
Business Assistance Center - Public Way Use Unit City Hall - 121 N. LaSalle Street, Room 800 • Chicago, IL 60602 (312)-74-GOB17. (312-744-6249) • (312) 744-1944 (TIT) <<http://www.cityofchicago.org/bacp>>

04/10/2013

Alderman Leslie Hairston

Ward # 05 City of Chicago City Hall,
Room 300 121 North LaSalle Street
Chicago, Illinois 60602

Re: An ordinance to use and maintain a portion of the public right-of-way for twenty-two (22) bollard(s) for THE UNIVERSITY OF CHICAGO, adjacent to the premises known as 5800 S. Stony Island Ave..

Dear Alderman Leslie Hairston:

The applicant referenced above has requested the use of the public right-of-way for a bollard(s). An ordinance has been prepared by the Department of Business Affairs and Consumer Protection - Business Assistance Center - Public Way Use Unit for presentation to the City Council. Because this request was made for properties located in your ward, as approved by you as per the attached, I respectfully request that you introduce the attached ordinance at the next City Council meeting.

If you have any questions regarding this ordinance, please contact Anthony Bertuca at (312) 744-5506.

Department of Business Affairs and Consumer Protection