

Office of the Chicago City Clerk

Office of the City Clerk



O2012-1097

City Council Document Tracking Sheet

Meeting Date:

Sponsor(s):

Type:

Title:

Committee(s) Assignment:

2/15/2012

Reilly, Brendan (42) Ordinance Sidewalk cafe(s) for Med Kitchen Committee on Transportation and Public Way ORDINANCE MED KITCHEN Acct. No. 356373 - 1 Permit No. 1099642

Be It Ordained by the City Council of the City of Chicago:

Permission and authority are hereby given and granted to MED KITCHEN upon the terms and subject to the conditions of this ordinance, to maintain and use a portion of the public right of way for a sidewalk cafe adjacent to its premises located at 219 W. Washington St.. Said sidewalk cafe area #1 shall be twenty point five (20.5) feet in length and seven point six seven (7.67) feet in width for a total of one hundred fifty-seven point two four (157.24) square feet and shall allow six (6) feet of clear space from the face of the curb/building line along W. WASHINGTON. The compensation for said space and the days and hours of operation for the sidewalk cafe shall be as follows:

MONDAY THROUGH FRIDAY 11:00AM UNTIL 7:00PM SATURDAY 11:00AM UNTIL 3:00PM Compensation: \$707.56 SEATING CAPACITY: 16

Sidewalk Cafe Permit and approved plan must be posted at all times.

This grant of privilege #1099642 for a sidewalk cafe shall be subject to the provisions of Section 10-28-900 though 10-28-995 of the Municipal Code of Chicago and the directions of the Commissioner of Department of Business Affairs and Consumer Protection, the Commissioner of Streets and Sanitation, and the Commissioner of Transportation.

The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.

Authority for the above named privilege is herein given and granted from and after March 1, 2012 through and including December 1, 2012.

Alderman

Brendan Reilly 42nd Ward