



City of Chicago



O2019-5034

Office of the City Clerk

Document Tracking Sheet

Meeting Date:	6/12/2019
Sponsor(s):	Reilly (42)
Type:	Ordinance
Title:	Grant(s) of privilege in public way for Escapehouse Chicago
Committee(s) Assignment:	Committee on Transportation and Public Way

ORDINANCE
ESCAPEHOUSE CHICAGO
Acct. No. 409062 - 1
Permit No 1139858

Be It Ordained by the City Council of the City of Chicago.

SECTION 1. Permission and authority are hereby given and granted to ESCAPEHOUSE CHICAGO, upon the terms and subject to the conditions of this ordinance to maintain and use, as now constructed, two (2) Light Fixture(s) projecting over the public right-of-way adjacent to its premises known as 54 E. Ontario St..

Said Light Fixture(s) at E Ontario St measure(s):

Two (2) at point five (5) feet in length, one point six seven (1 67) foot in width and twelve (12) feet above grade level.

The location of said privilege shall be as shown on prints kept on file with the Department of Business Affairs and Consumer Protection and the Office of the City Clerk.

Said privilege shall be constructed in accordance with plans and specifications approved by the Department of Transportation (Division of Project Development).

This grant of privilege in the public way shall be subject to the provisions of Section 10-28-015 and all other required provisions of the Municipal Code of Chicago.

The grantee shall pay to the City of Chicago as compensation for the privilege #1139858 herein granted the sum of eighty (\$80.00) per annum in advance.

A 25% penalty will be added for payments received after due date.


The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.

Authority herein given and granted for a period of five (5) years from and after Date of Passage.

Alderman 

Brendan Reilly 42nd Ward

Sign 1 Quickship



Features

- Asymmetrical reflector provides uniform coverage even at close range
- Surge suppressor protects the internal components
- Approved for indoor and outdoor applications
- Versatile with several lamp types and finishes
- Maintenance is simple easy to clean and re-lamp
- Optional globe for wider diffusion
- Optional wire guard serves as a vandal deterrent
- Quality components for extended lamp and component life

Applications

The Sign 1 floodlight is ideal for illuminating signage at close range or medium range. It also provides adequate night time security lighting.

TMSLIGHTING

ESTABLISHED 1923

Construction

High grade aluminum reflector and mounting arm with stainless steel hardware

Lamp

Sign 1 operates with Cree™ (19W max) LED compact fluorescent (42W max) metal halide (100W max) and incandescent (100W max) light sources

Specify 3000K 3500K or 4000K CCT for LED systems

Incandescent and metal halide systems use a medium base socket (E26)

LED Driver

The LED source is controlled by an advanced electronic driver that delivers consistent power (120V to 277V line voltage)

Ballast

Ballasts can be integral or remote and electronic efficient with a high power factor greater than 90% and quiet with an A sound rating

Surge Suppressor

All 120V 277V and universal voltage LED luminaires are equipped with an integral 6kV surge suppressor

Options

Globes clear and prismatic glass globes are available for greater diffusion and lamp protection

Wire Guard a chrome plated wire guard is available for lamp protection

Aiming Knuckle a universal swivel-head is available for vertical aiming

Mounting

Mount on a flat surface directly over a standard 4 electrical junction box with holes 3.5 c/c

Follow the installation instructions and adhere to your local electrical code

Finish

Available in brushed aluminum or choose from several TMS standard powder-coated finishes see the Finishes and Diffusers chart

Compliances

QPS-C/US or UL-C/US certified to UL1598 standards Rated IP23 for use in dry to wet indoor and outdoor locations The Consultants Europe (CE) listing is available upon request

cUL US cPS US **CE** IP23