



City of Chicago

Office of the City Clerk



Or2020-253

Document Tracking Sheet

Meeting Date: 10/7/2020

Sponsor(s): La Spata (1)

Type: Order

Title: Issuance of permits for sign(s)/signboard(s) at 2048 N Milwaukee Ave

Committee(s) Assignment: Committee on Zoning, Landmarks and Building Standards

CITY COUNCIL
COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

RE: Approval of sign over 100 square feet in area or over 24 feet above grade

ORDERED, that the City Council hereby approves the following sign application submitted by:

Applicant*: 24/7 CHICAGO LOCKSMITH

(* The Applicant is the owner of the real property or the business tenant of the real property. Do not list the sign contractor, sign erector, sign company or advertising entity in the above space.)

This Order approves the following sign in accordance with Municipal Code of Chicago Section 13-20-680:

Address of Sign: 2048 N. Milwaukee Ave. Chicago, IL 606 47

Zoning District: B3-1

DOB Sign Permit Application #: 100849306

Sign Details:

1. On-premise Yes OR Off-premise

2. Static sign Yes OR Dynamic-image display sign NO

3. Number of sign faces 1

4. Projecting over the public way Yes (Yes or No) If yes, Public Way Use #: 1142546

5. Dimensions: Length 45 feet inches Height 4 feet inches

Total square feet in area: 180 feet inches

6. Height above grade: 8 feet inches

7. Elevation (side of building or lot where the sign will be erected): North

8. Name of Sign Contractor/Erector: Sign Studio USA Limited

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.




Alderman

1st

Ward


SIGN TYPE: Awning
BUSINESS NAME: 24/7 Chicago Locksmith, LLC
LOCATION: 2048 N. Milwaukee Ave. Chicago IL 60647

AWNING



FRONT VIEW

SIDE VIEW



Awning frames can easily be mounted with these brackets.
Made from 3/16 in hot rolled steel.
Two holes spaced equidistant for lagging into mortar are
Provided to secure bracket to wall. There is also a 3/16 in. lag screw
Dane a tek screw for fastening the frame. Will accommodate a 3/8 in. lag screw

