

City of Chicago



Office of the City Clerk

Document Tracking Sheet

Meeting Date: 9/6/2017

Sponsor(s): Smith (43)

Type: Ordinance

Title: Grant(s) of privilege in public way for Convexity Properties

LLC

Committee(s) Assignment: Committee on Transportation and Public Way

ORDINANCE
CONVEXITY PRPERTIES LLC
Acct. No. 369492 - 7
Permit No. 1129205

Be It Ordained by the City Council of the City of Chicago:

SECTION 1. Permission and authority are hereby given and granted to CONVEXITY PRPERTIES LLC, upon the terms and subject to the conditions of this ordinance to construct, install, maintain and use two (2) Bicycle Rack(s) on the public right-of-way adjacent to its premises known as 1141 W. Armitage Ave..

Said Bicycle Rack(s) at W. Armitage Avenue measure(s):
Two (2) at two (2) feet in length, and point five (.5) feet in width for a total of two (2) square feet.

The location of said privilege shall be as shown on prints kept on file with the Department of Business Affairs and Consumer Protection and the Office of the City Clerk

Said privilege shall be constructed in accordance with plans and specifications approved by the Department of Planning and Development and Department of Transportation (Division of Project Development).

This grant of privilege in the public way shall be subject to the provisions of Section 10-28-015 and all other required provisions of the Municipal Code of Chicago.

The grantee shall pay to the City of Chicago as compensation for the privilege #1129205 herein granted the sum of zero (\$.00) per annum in advance.

A 25% penalty will be added for payments received after due date.

The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.


Authority herein given and granted for a period of five (5) years from and after Date of Passage.


Alderman

Michele Smith 43rd Ward

Hoop Rack











Rail (freestanding)



Example of rack in use



Product

Hoop Rack

Capacity

2 Bikes

Materials Finishes 1 5 Schedule 40 pipe (1 9 OD)

Standard options Galvanized

or .

Powder Coated

		-	THE WE		
RAL 9005	Flat Black	RAL 9003	RAL 2004	RAL 1023	Bright Yellow
RAL 6016		RAL 6005	RAL 5005	RAL 5015	Purple
RAL 7011	RAL 7042		QCL 1001	RAL 8014	Fronze
RAL 3003	RAL 3005				

Also available in PVC Thermoplastic or Stainless steel

Installation Methods

In ground mount is embedded into concrete base. Specify in ground mount for this option.

5. cana mount for this opiner.

Foot Mount has two 2 5 x6 x 25 feet with two anchors per foot. Specify foot mount for this option

Rail Mounted Hoops are bolted to two parallel rails which can be left freestanding or anchored to the ground Rails are heavy duty 3 \times 1 4 \times 3/16 thick galvanized mounting rails Specify rail mount for this option

Space Use & Setbacks Wall Setbacks

tbacks For racks set parallel to a wall

Minimum 24

Recommended 36

For racks set perpendicular to a wall


Minimum 28 Recommended 42

Distance Between Racks

Minimum 24 Recommended 36

Street Setbacks

Minimum 24 Recommended 36



American Bicycle Security Company

P O Box 7359 Ventura, CA 93006 Ph (800) 245-3723 or (805) 933-3688 Fax (805) 933-1865

Page 1 of 4

www ameribike com Email turtle@ameribike com