



# City of Chicago



O2016-5399

Office of the City Clerk

## Document Tracking Sheet

<b>Meeting Date:</b>	6/22/2016
<b>Sponsor(s):</b>	Reilly (42)
<b>Type:</b>	Ordinance
<b>Title:</b>	Grant(s) of privilege in public way for WLS Television, Inc.
<b>Committee(s) Assignment:</b>	Committee on Transportation and Public Way

ORDINANCE  
WLS TELEVISION INC  
Acct. No. 1589 - 2  
Permit No. 1123358

*Be It Ordained by the City Council of the City of Chicago:*

SECTION 1. Permission and authority are hereby given and granted to WLS TELEVISION INC, upon the terms and subject to the conditions of this ordinance to maintain and use, as now constructed, one (1) Fiber Conduit(s) under the public right-of-way adjacent to its premises known as 190 N. State St..

Said Fiber Conduit(s) at State St. measure(s):

One (1) at eighty (80) feet in length, and four (4) feet in width for a total of three hundred twenty (320) square feet.

The location of said privilege shall be as shown on prints kept on file with the Department of Business Affairs and Consumer Protection and the Office of the City Clerk.

Said privilege shall be constructed in accordance with plans and specifications approved by the Department of Transportation (Office of Underground Coordination).

This grant of privilege in the public way shall be subject to the provisions of Section 10-28-015 and all other required provisions of the Municipal Code of Chicago.

The grantee shall pay to the City of Chicago as compensation for the privilege #1123358 herein granted the sum of four hundred eighty (\$480.00) per annum in advance.


A 25% penalty will be added for payments received after due date.

The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.



Authority herein given and granted for a period of five (5) years from and after 02/06/2016.

Alderman \_\_\_\_\_


Brendan Reilly 42nd Ward

A handwritten signature in black ink, appearing to read 'B. Reilly', is written over a horizontal line. The signature is stylized and includes a large loop at the end.

Handwritten scribbles or marks, possibly initials or a signature, located in the lower-left quadrant of the page.



- a 3 X 6 SLOT IN FLOOR FOR ELECTRIC SERVICE ENTRANCE TO C.B. PANEL ABOVE
- b 3 X 3 X 1/4 MIN ANCHOR CLIP WITH 1 ANCHOR BOLT HOLE 4-REG'D ONE EACH CORNER ANCHOR BOOTH AFTER FINAL LOCATION ANCHOR BOLTS NOT INCLUDED
- c OUTER EDGE OF BASE



NOTE PROVIDE 120/240V 1Ø-3 WIRE SERVICE WITH GROUND SERVICE ENTRANCE/ANCHOR BOLT LAYOUT

- 1 COUNTER- 14 DEEP PAINTED GALVANIZED STEEL
- 2 PAINTED STORAGE DRAWER BENEATH COUNTER
- 3 DOOR- 24 WIDE BR SWINGING STEEL WITH WEATHER-STRIPPING CONTINUOUS HINGE BR SAFETY GLAZING HYDRAULIC CLOSER LEVER HANDLE LOCK AND PANIC EXIT HARDWARE & HARDWARE
- 4 1-1/4 HOLE IN COUNTER FOR DROP CORDS TO OUTLET
- 5 DUPLEX OUTLET- MOUNTED BELOW COUNTER
- 6 LIGHT- 34 WATT LAMP FLUORESCENT LIGHT FIXTURE WITH SWITCH ATTACHED
- 7 SWITCH FOR EXTERIOR FLOOD LIGHTS MOUNTED IN SOFFIT
- 8 SINGLE FLOOR LIGHT MOUNTED TO SOFFIT WITH 75 WATT LIGHT
- 9 HEATER- 120V /1 500 WATT FAN FORCED WITH INTEGRAL THERMOSTAT CONTROL
- 10 AIR CONDITIONER 120V/13 500 BTU ROOF MOUNTED WITH INTEGRAL THERMOSTAT CONTROL
- 11 C.B. PANEL- 120/208V 1Ø-3 WIRE WITH GROUND BAR MAIN BREAKER NOT INCLUDED
- 12 ANCHOR CLIP- 3 X 3 STEEL WELDED TO BASE AT GRADE WITH 1 ANCHOR BOLT HOLE 4-REG'D ANCHOR BOOTH AFTER FINAL LOCATION ANCHOR BOLTS NOT INCLUDED

APPROVED FOR FABRICATION


BY \_\_\_\_\_

PRINT LAST NAME \_\_\_\_\_

DATE \_\_\_\_\_

NOTE: PAR-KUT BOOTHS ARE OF SINGLE UNIT WELDED GALVANIZED STEEL CONSTRUCTION FACTORY ASSEMBLED AND DELIVERED SET UP FAILURE TO SECURELY ANCHOR BOOTH MAY RESULT IN OVERTURNING OF UNIT AND SERIOUS INJURY TO OCCUPANT

- A GLAZING TO BE CLEAR BULLET RESISTING SAFETY GLAZING TYPICAL EXTERIOR WINDOW FRAMES TO BE PAINTED BULLET RESISTING STEEL AND 3/4" SOLID STEEL INTERIOR GLAZING STOPS
- B PAINT- A RUST INHIBITIVE EPOXY PRIMER WITH AN INDUSTRIAL FINISH
- C ELECTRICAL- ALL WIRING BY PAR-KUT TO BE #12(MIN) STRANDED COPPER THHN ENCLOSED IN 1/2 (MIN) RIGID PER NATIONAL ELECTRIC CODE FITTINGS FIXTURES & DEVICES ARE UL LABELED ALL WIRING TO TERMINATE AT C.B. PANEL ALL CIRCUITS HAVE GREEN GROUND WIRE
- D BOOTH WILL HAVE A 6" CANOPY OVERHANG ON ALL SIDES
- E LIFTING RING(S) ARE PROVIDED IN ROOF
- F NO ON SITE WORK BY PAR-KUT
- G EXTERIOR PLATE AND GLAZING SHALL MEET UL 752 BULLET RESISTING LEVEL 3 CLASSIFICATION



NOTE FLOOR ROOF FASCIA SOFFIT DRAIN AND AIR CONDITIONER ARE NOT BULLET RESISTING

THIS DRAWING AND ALL INFORMATION HEREON ARE THE PROPERTY OF SECURE USA, INC. IT IS TO BE USED ONLY FOR THE PROJECT AND SITE SPECIFICALLY IDENTIFIED HEREON. ANY REUSE OR MODIFICATION OF THIS DRAWING WITHOUT THE WRITTEN PERMISSION OF SECURE USA, INC. IS STRICTLY PROHIBITED. THE USER SHALL BE RESPONSIBLE FOR VERIFYING THE ACCURACY OF ALL DIMENSIONS AND CONDITIONS SHOWN ON THIS DRAWING. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERMITS AND APPROVALS FROM THE APPROPRIATE AUTHORITIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY MATERIALS AND SUPPLIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY LABOR AND SERVICES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRANSPORTATION AND LOGISTICS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INSURANCE AND LIABILITY COVERAGE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SAFETY AND HEALTH PROTECTION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMMUNICATIONS AND RECORDS MANAGEMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COMPLIANCE AND REGULATORY REQUIREMENTS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRAINING AND EDUCATION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SUPPORT AND MAINTENANCE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY CONTINGENCY AND RISK MANAGEMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY ETHICAL AND LEGAL CONSIDERATIONS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SOCIAL AND ENVIRONMENTAL RESPONSIBILITIES. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY GOVERNANCE AND COMPLIANCE. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY STAKEHOLDER ENGAGEMENT AND COMMUNICATION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY TRANSPARENCY AND ACCOUNTABILITY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY INTEGRITY AND ETHICS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY RESPECT AND DIGNITY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY FAIRNESS AND EQUITY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY HONESTY AND TRUTHFULNESS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COURTESY AND POLITENESS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY GRACIOUSNESS AND KINDNESS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PATIENCE AND FORGIVENESS. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY HUMILITY AND MODESTY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SELF-CONTROL AND RESTRAINT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY WISDOM AND SOUND JUDGMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COURAGE AND BRAVERY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERSEVERANCE AND DETERMINATION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY OPTIMISM AND POSITIVITY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY GRATITUDE AND APPRECIATION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY HUMILITY AND MODESTY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY SELF-CONTROL AND RESTRAINT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY WISDOM AND SOUND JUDGMENT. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY COURAGE AND BRAVERY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY PERSEVERANCE AND DETERMINATION. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY OPTIMISM AND POSITIVITY. THE USER SHALL BE RESPONSIBLE FOR OBTAINING ALL NECESSARY GRATITUDE AND APPRECIATION.

SCALE BAR  
NOTE ELEVATIONS ±1

A/E NOTES

PAINT COLOR (PLEASE SPECIFY COLOR)

RIGID CONDUIT

SECURE USA, INC.  
12000 N. 19th Ave.  
Phoenix, AZ 85021  
TEL: (602) 960-7947

SCALE: 1/8" = 1'-0"

DATE: 10/20/2017

DRAWN BY: J. B. BROWN

CHECKED BY: J. B. BROWN

DATE: 10/20/2017

SCALE: 1/8" = 1'-0"

DATE: 10/20/2017