



Office of the Chicago City
Clerk



Or2012-351

Office of the City Clerk

City Council Document Tracking Sheet

| | |
|---------------------------------|--|
| Meeting Date: | 6/27/2012 |
| Sponsor(s): | Quinn, Marty (13) |
| Type: | Order |
| Title: | Issuance of permits for sign(s)/signboard(s) at 8141 S Cicero Ave |
| Committee(s) Assignment: | Committee on Zoning, Landmarks and Building Standards |

Committee on Buildings

(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:

d/b/a Signs of Distinction
165 S. Wheeling Road
Wheeling, IL 60090

For the erection of a sign/signboard over 100 square feet (in area of one face) at:

8141 S. Cicero Avenue
Chicago, IL 60652


Dimensions: length 28 feet . height 6 feet 9 inches

Height above grade/roof to top of sign 12 feet

Total Square Foot Area 189 square feet

Elevation West

Such sign shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.



Marty Quinn
Alderman, 13th Ward




BEFORE



AFTER



SQ. FT: 189.28



SIDE VIEW


E004754B - PARTY CITY - LED
 E004756B - INLINE TAGLINE - RED LETTERS - LED

DISCLAIMER: Renderings are for graphic purposes only and not intended for actual construction dimensions. For windload requirements, actual dimensions and mounting detail, please refer to engineering specifications and install drawings.


These drawings and designs are the exclusive property of Everbite, LLC. Use of, or duplication in any manner without express written permission of Everbite, LLC is prohibited.




| | | | |
|--|-----------------|---|--|
| Customer: PARTY CITY | | Description: 54" Halo, Pin-Mount Letter Set 13.75" Inline Tagline-Flush Mount | Customer Approval: NOTE: Unless specified by customer, all depth of embossing will be determined by Everbite Engineering or existing customer specifications on file. Colors and graphics on file will be used unless otherwise specified by customer. |
| Project No: 282053-4 | Scale: AS NOTED | | |
| Date: 5/14/12 | Drawn By: BD | Revised: | Please read carefully, check appropriate box and fax back to Everbite: <input type="checkbox"/> Sketch OK as is <input type="checkbox"/> New sketch required |
| Location & Site No: 8141 SOUTH CICERO CHICAGO, IL 60652 | | Revised: | |
| | | Revised: | |
| | | SIGNATURE | DATE |



FRONT ELEVATION (LESS FACE)
SCALE: 1X



WIRING SCHEMATIC




LOGO SECTION VIEW
SCALE: 2X

- SIGN SPECIFICATIONS**
- OVERALL DIMENSIONS OF SIGN:
HEIGHT: 4'-6"
WIDTH: 28'-0 1/2"
DEPTH: 5"
 - AREA OF SIGN: -- SQ.FT. SQUARED: 148.98 SQ.FT.
LUMENS: ---- LUMENS PER SQ. FT.: ----
 - LAMPS: LED MODULES (373 TOTAL)
 - POWER SUPPLY: (7) VLP200-120
 - TOTAL LINE LOAD: 4.55 AMPS TOTAL
 - (1) 20 AMP CIRCUITS, 60Hz: UL 48 @ NEC COMPLIANT
 - SIGN IS TO BE MANUFACTURED TO UL 48
 - FINISH SPECIFICATIONS: (SIGN)
INTERIOR: CLEAR POLY BACK
EXTERIOR: 1ST SURFACE VINYL
 - MAXIMUM DESIGN WIND LOAD: 35 PSF 110 MPH WIND
SPEED 3-SECOND GUST-EXPOSURE C.
 - SIGN WILL BE SERVICEABLE BY: REMOVABLE FACES

- INSTALLATION INSTRUCTIONS**
- OPEN PACKAGING CAREFULLY AND INSPECT FOR DAMAGE. IF DAMAGE IS FOUND, CLAIM MUST BE FILED WITHIN 15-DAYS WITH SHIPPING AGENT.
 - DETERMINE SIGN LOCATION AND TAPE UP THE PROVIDED TEMPLATE ON THE SURFACE TO WHICH IT WILL BE INSTALLED, RECEIVE CONFIRMATION FROM CLIENT OR CONTRACTOR.
 - LAYOUT AND PRE-DRILL ALL MOUNTING AND ELECTRICAL HOLES REQUIRED FOR MOUNTING THE SIGN ON THE WALL IT IS TO BE INSTALLED.
 - FILL ALL HOLES WITH SILICONE PRIOR TO MOUNTING THE SIGN. CUT ALUMINUM SLEEVES TO THE DEPTH INDICATED ON THE PLAN AND ALIGN THEM OVER TOP OF THE PRE-DRILLED MOUNTING HOLES. THE SILICONE SHOULD BE SUFFICIENT TO HOLD THEM IN PLACE LONG ENOUGH TO ATTACH THE SIGN BACKER.
 - DISASSEMBLE THE SIGN FACE FROM THE SIGN BACKER BY REMOVING THE CAP SCREWS LOCATED AT THE TOP AND BOTTOM OF THE LETTERS TOWARDS THE REAR OF THE SIGN.
 - MOUNT EACH SIGN BACKER ONE AT A TIME ON THE SURFACE TO BE INSTALLED BY ALIGNING THE MOUNTING HOLES IN THE SIGN BACKER WITH THE HOLES THAT WERE PRE-DRILLED FROM THE TEMPLATE. INSTALLER IS RESPONSIBLE FOR DETERMINING PROPER WALL ANCHORS REQUIRED. THEY MUST BE SUITABLE FOR THE WALL STRUCTURE THE SIGN WILL BE MOUNTED TO.
 - MAKE FINAL ELECTRICAL HOOK UP TO PRIMARY WIRING INTO WEATHER PROOF BOX, SUPPLIED BY INSTALLER.
 - ELECTRICAL NOTE: ALL WIRING AND ELECTRICAL CONNECTIONS ON THIS SIGN MUST BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODES AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.
 - TEST LIGHT THE SIGN TO ENSURE THE SIGN IS LIGHTED AND FUNCTIONING PROPERLY.
 - INSTALL SIGN FACE ON SIGN BACKER BY USING THE PROVIDED SCREWS, HOLES TYPICALLY LOCATED ON THE TOP AND BOTTOM OF SIGN.
 - PERFORM TOUCH UP AS REQUIRED
 - CLEAN UP: CLEAN INSTALLATION WORK SITE OF ALL EXCESS MATERIALS AND DEBRIS.
CLEAN UP NOTE: DO NOT DISCARD ANY MATERIAL OR DEBRIS INTO ON SITE DUMPSTERS.

| ROW# | LED MODULE | LETTER | MODULES/ROW | MODULE/LTR | STRING FT. | LED DRIVER |
|------|-------------------------|--------|-------------|------------|------------|----------------|
| 1 | VENTEX VEMBRITE VL-W200 | P | 57 | 57 | 28.5 | (1) VLP200-120 |
| 2 | VENTEX VEMBRITE VL-W200 | A | 54 | 54 | 27 | (1) VLP200-120 |
| 3 | VENTEX VEMBRITE VL-W200 | R | 32 | 32 | 16 | (1) VLP200-120 |
| 4 | VENTEX VEMBRITE VL-W200 | T | 38 | 38 | 19 | (1) VLP200-120 |
| 5 | VENTEX VEMBRITE VL-W200 | Y | 39 | 39 | 19.5 | (1) VLP200-120 |
| 6 | VENTEX VEMBRITE VL-W200 | C | 48 | 48 | 24 | (1) VLP200-120 |
| 7 | VENTEX VEMBRITE VL-W200 | I | 27 | 27 | 13.5 | (1) VLP200-120 |
| 8 | VENTEX VEMBRITE VL-W200 | T | 38 | 38 | 19 | (1) VLP200-120 |
| 9 | VENTEX VEMBRITE VL-W200 | Y | 39 | 39 | 19.5 | (1) VLP200-120 |
| | | | TOTALS | 372 | 186 | (7) VLP200-120 |

TOTAL 4.55 AMPS @ 120 V. (1) 20 AMP CIRCUIT



THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN

| SY# | DESCRIPTION | DATE | CHK | ECN |
|-----|-------------|----------|-----|-----|
| A | RELEASED | 10-13-11 | | |

REVISION RECORD



These drawings are the exclusive property of Everbrite, LLC. Use of, or duplication in any manner without express written permission of Everbrite, Inc. is prohibited.

| | | | | |
|---|-----|----|----------|-------|
| TITLE PARTY CITY 54" PIN MOUNT HALO LED | | | | |
| DWN | JAG | DT | 10-13-11 | SCALE |
| CXD | DT | | | 1:30 |
| DRWG NR | | | IN03013B | |
| REV | | | A | |