



City of Chicago



Or2018-533

Office of the City Clerk

Document Tracking Sheet

Meeting Date:	10/31/2018
Sponsor(s):	Napolitano (41)
Type:	Order
Title:	Issuance of permits for sign(s)/signboard(s) at 8750 W Bryn Mawr Ave
Committee(s) Assignment:	Committee on Zoning, Landmarks and Building Standards

CITY COUNCIL
COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

RE: Approval of sign over 100 square feet in area or over 24 feet above grade

ORDERED, that the City Council hereby approves the following sign application submitted by:

Applicant*: Method Electronics, Inc.

(* The Applicant is the owner of the real property or the business tenant of the real property. Do not list the sign contractor, sign erector, sign company or advertising entity in the above space.)


This Order approves the following sign in accordance with Municipal Code of Chicago Section 13-20-680:

Address of Sign: 8750 W. Bryn Mawr Ave. Chicago, IL 60631


Zoning District: PD258

DOB Sign Permit Application #: N/A


Sign Details:

1. On-premise OR Off-premise
2. Static sign OR Dynamic-image display sign 
3. Number of sign faces 1
4. Projecting over the public way No (Yes or No) If yes, Public Way Use #: _____
5. Dimensions: Length 20 feet 00 inches Height 4 feet 9 3/4 inches
Total square feet in area: 96 feet _____ inches
6. Height above grade: 165 feet _____ inches
7. Elevation (side of building or lot where the sign will be erected): East
8. Name of Sign Contractor/Erector: Poblocki Sign Company, LLC

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.



Alderman

4/1 51
Ward




**FIELD SURVEY REQUIRED FOR
FINAL MOUNTING DETAILS AND**

SECTION THRU PANELS
TYP



**FIELD SURVEY REQUIRED FOR
FINAL MOUNTING DETAILS AND
POWER CONNECTIONS AND
ACCESS BEHIND LETTERS**



WEEP HOLES
U.L. STANDARDS

1/4" DIA. S.S. THREADED ROD W/
NUTSERT AND/OR JAM NUT

LOW VOLTAGE CONNECTIONS

WIRE NUTS AT ALL
LOW VOLTAGE CONNECTIONS

18 AWG PLTC SUPPLY WIRE

LED SYSTEM

.063" THK. ALUMINUM BACK

3/16" THK. ACRYLIC FACE

040 THK. ALUMINUM RETURN

1" TRIM CAP

5"

1'-11"

3"

2 1/4"

9/16"

7 13/16"

1 1/4"

2" TRIM CAP

5"

ELEVATION 181'-0"

EXISTING 1/8" ANODIZED
ALUMINUM PANELS

2" TRIM CAP

7 3/8"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

ATT
EXT
(SE)

CONTINUOUS L
2"x2"x1/4" ALUMINUM
ANGLE

32" MAX SPACING

BY INSTALLERS

COMPRESSION SPAC

BOLT AND

THREADED ROD THRU

2 1/2" RIDGID
INSULATION

3"

2 1/4"

9/16"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

1 1/4"

7 13/16"

SIGN SPECIFICATIONS

[A] - ILLUMINATED LETTERS

Lighting: LED

Voltage: 4.4 amps @ 120 volts

Description: Face-Lit [Acrylic]

Depth: 5"

Face Color: White Acrylic with Perforated

Vinyl Painted to match PMS 7698c Blue


Return Color: Paint to match PMS 7698c Blue

Trimcap Color: Paint to match PMS 7698c

Blue

Installation: Letters and logo to be mounted onto a rail system of 2" aluminum angle and painted to match building (TBD).

See engineering for details



Proposed Day View [NTS]

Pr

20'-0"

6 1/8"

