

City of Chicago

Office of the City Clerk

Document Tracking Sheet



Or2023-147

Meeting Date:

Sponsor(s):

Type:

Title:

Committee(s) Assignment:

4/19/2023

Ervin (28)

Order

Issuance of permits for sign(s)/signboard(s) at 611 W. Roosevelt Rd. -- Permit No. 100998189 Committee on Zoning, Landmarks and Building Standards

CITY COUNCIL COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

Applicant*: DollAR TREE	
(* The Applicant is the owner of the real property or the business tenar the sign contractor, sign erector, sign company or advertising entity in t	
This Order approves the following sign in accordance with Municipal Co	de of Chicago Section 13-20-680:
Address of Sign: CII w Rousevelt 2d.	Chicago, IL 606
Zoning District: <u>35 - 3</u>	
DOB Sign Permit Application #: 100 998187	
Sign Details: 1. On-premise OR Off-premise	
2. Static sign OR Dynamic-image display sign	
3. Number of sign faces	
4. Projecting over the public way $\underline{\mathcal{N}^{\mathcal{D}}}$ (Yes or $\overline{\mathcal{N}^{\mathcal{O}}}$) If yes, Public Wa	y Use #:
5. Dimensions: Length <u>12</u> feet <u>3</u> inches Height <u>4</u> fe	eet <u>8</u> inches
Total square feet in area: $\frac{57}{2}$ feet inches	
5. Height above grade: 36 feet inches	
7. Elevation (side of building or lot where the sign will be erected): <u>L</u>	Fast Eleveture of Turca
8. Name of Sign Contractor/Erector:	

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.

derman

2B Ward ·)

			Contract (2) per le teter Section @ LED Channel Letter Section @ LED Channel Letter	The second secon
		Sign Layout Detail Scale: 3/8° = 1-0°	 Specificationss Channel Leuters Existing Facade. 2" Wood Cladding Z-Clips Brick 0.0407 Auminum letter returns (pre-finished bronze) 1.1-sweite trimcap (pre-finished bronze) bonded to face and #8 pan head screws to returns 3.1-sweite trimcap (pre-finished bronze) bonded to face and #8 pan head screws to returns 3.1-sweite trimcap (pre-finished bronze) bonded to face and #8 pan head screws to returns 3.1-sweite trimcap (pre-finished bronze) bonded to face and #8 pan head screws to returns 3.1-sweite trimcap (pre-finished bronze) bonded to face and #8 pan head screws to returns 5.3-and N/OC compliant 360 white letter caulus to prevent mosture penetration. 6.15 Clear lexan faces w/ second surface winy 5.3-350-156 Vrid Green (Translucent) 5.3-353-01 diffuser 1.355-01 diffuser 2.355-01 diffuser 3.10 fistormed swith UL Outdoor rated toggle type w/ neoprene boot per NEC 600-6 8. Primary electrical feed in UL conduit / customer supplied UL junction box 9. Transformers within UL enclosure [removable [0], 14" x 1" min screws 1.0. Montion hardware 	Client. Dollar Tree Size #: DL-9190 Size #: DL-9190 Chicago: I. 60607 Chicago: I. 60607
ţ	SIGN C 24 ^o Dollar Tree [Stacked] Type Individual Channel Laters Illummoricin Internally illuminated LED Strutte Footage 57.36 To Grades 57.36 To Grades 57.36	Electrical Details P-LED Green LEDs	 (2) 60w Transformers @ 1.1 amps each (1) 20 amp 120V Circuit Req. (1) 20 amp 120V Circuit Req. General Notes: General Notes: This sign is to be installed in accordance with the requirements of Artida 600 of the National Electrical Code. (1) Grounded and bonded per NEC 600.3/INEC 250 (2) Existing branch circuit in compliance with net compliance with the requirements of Artida 600 of the National Electrical Code. (3) Sign is to be UL listed per NEC 600.3 (4) UL disconnent Switch per NEC 600.3 (5) Sign component before leaving manufacturer for more required but not required for each section 	DOLLAR TREE Clert Dollar Tree Ster 0.4960 Ster 0.4960 Ster 0.4960 IL


7

~

 \sim

1

.-



,

•

-

.

