

Office of Chicago City Clerk



Or2011-582

Office of the City Clerk

City Council Document Tracking Sheet

Meeting Date:

6/8/2011

Sponsor(s):

Thomas, Latasha (17)

Type:

Order

Title:

Issuance of Permit(s) for Sign(s)/Signboard(s) at 122 W

79th St (221 sq. ft.)

Committee(s) Assignment:

Committee on Zoning, Landmarks and Building Standards

City Council
Meeting Date: 4.9.1/
Committee on Buildings

(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to
issue a sign permit to: (Contractor's name and address)
MODERN Signs INC
1727 W. Armitage CT. Addison IL. Gold
for the erection of a sign / signboard over 24 feet in height and / or over 100
square feet (in area of one face) at: (Business NAME & ADDRESS)
FORMAN MILLS #100389824
122 W. 79# ST
Chicago IL. 60620
Dimensions: Length 35'11" Height 6'2"
Height above grade / roof to top of sign 2/2"
TOTAL SQUARE FOOT AREA
Such sign(s) shall comply with all applicable provisions of TITLE 17 of the
Chicago Zoning Ordinance and all other applicable provisions of the Municipal
Code of the City of Chicago governing the construction and maintenance of
outdoor signs, signboards and structures. Alderman, 17 Ward



DEPARTMENT OF BUILDINGS

	Si	gn Permit /	Applicati	on				
APPROVAL NUMBER B-40197	APPLICATION NUMBER 100389824	ANNUAL FEE	WORK CODE			DRAWINGS YES ATTACHED NO		
DATE OF APPLICATION	04/13/2011		TYPE OF SIGN	FLAT OR	R BOX			
ADDRESS OF SIGN 122 W 79TH ST, 600	520-		LENGTH	FT. 35	ın. 11	неібнт	ғт. 6	IN. 2
MALDING	ORIGINAL PEKMIT NUMBER		AREA	so. ft. 221		WEIGHT		LBS. 200
TYPE OF PERMIT NEW COM	NSTRUCTION (SIGN)		SIGN HEICHT ABOV	/E GRAOE/ROOF				FT. 15
PAYEROF ANNUAL INSPECTION STREAHLE, CHRISTO 1450 N CICERO AVE.	PHER .		SHAPE OF SIGN R	EGULAR			L	
CHICAGO, IL 60651 (856)910-7122		1 1	SKIN WILL READ CLOTHING FA	.CTORY WA	REHOUS	E		
SIGN MANUFACTURER PHILADELPHLA SIGN	co		NO. OF LAMPS	20		TOTAL WATTAG	Œ	
ADDRESS WHERE SIGN CAN BE SEE	N PRIOR TO ERECTION	in management	TYPE OF LAMP	OTHER				
TICKET NUMBER REINSPECTION CONTROL NUMBER			NO. OF BALLAST/TRANSPORMERS INPUT OF TRAN 2 120V			ransformers) V	5	
O TYPE OF SUPPORT BOR SIGN	BUILDING		CONTRIACTOR WILL INSTALL N FEEDERS Y CUSTOMER LEADS					
SIGN BOARD SUPPORT MEMBERS	STEEL		TYPE OF SWITCH	KNIFE				
ANNUAL FEE	200.00		LOCATION OF SWITCH	LISTED	FLUSH TO)GGLE		
CONSTRUCTION FEE 1017 B FEE TOTAL FEE		k # for Zoning	SKEN LOCATION TO INSTALL CLOTHING FACTORY WAREHOUSE LETTERS ON WALL					
AMOUNT PAID BALANCE DUE		k # for DCAP	LETTERSON	WALL				

	REG NO.	E12960	BOND NO.	REG. NO	N93883
ELECT CONTK LEROY ELECTRIC, INC.		ELECTR	SIGN ERECTOR MODERN SIGNS INC		SIGNER
ADDRESS			ADDRESS		
P.O. BOX 553			1727 ARMITAGE CT		
MEDINAH. IL 60157-0553			ADDISON IL. 60101-		
SUPERVISOR SKINATURE			SIGNATURE		

City of Chicago Richard M. Daley, Mayor



Department of Buildings Richard Monocchio, Commissioner

EYPE OF BUSINESS OWNERS OF THE CLOTHING BETAIL	SIGN BOND REQUIRED? X YES	
OTHER Other: CLOTHING RETAIL Name: FORMAN MILLS	COUNCIL ORDER REQUIRED YES	
LIC #:	IS SECULAR DEPARTMENT OF THE PROPERTY OF THE P	EL ECTRICAL
Renewal Date:	IS SPECIAL PERMISSION REQUIRED FROM CHIEF	ELECTRICAL
Projects Over:	VES	
Y Private Property N Public Way Gram Permit #:	IF YES, ATTACH LETTER OF REQUEST	
Planned Development/Manufacturing PMD/PD#: Zoning District: OTHER Other: PD338	TIME STAMP	
TYPE OF SIGN:		
ADVERTISING X ILLUMINATE MOVEABLE		
X BUSINESS FLASHING	1 -	
TOTAL STREET FRONTAGE OF LOT (IN FEET) 493		
TOTAL AREA OF NEW SIGN (SQ.FT.) 221		
TOTAL AREA OF ALL SIGNS ON LOT (SQ.Ff.) 261		
HEIGHT OF SIGN ABOVE GRADE (10 TOP) 21ft 2in		
DISTANCE OF CURB LINE OUTER EDGE (ft) 199	SIGN CLERK	APPROVED FOR PERMIT
DISTANCE OF STRUCTURE INNER EDGE (ft) 200		
DISTANCE FROM (ft):	REMARKS	<u> </u>
A. PUBLIC PARK (OVER 10 ACRES)		
B. EXPRESSWAY (IF LESS THAN 1,000 FT.)		
C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)		
IF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ?		
	`	
Original Payee:		
Landmark Hold: Status:		
ZONING (OFFICE USE ONLY)		•
•		

CITY OF CHICAGO

DEPARTMENT OF ZONING AND LAND USE FLANNING

SIGN SITE PLAN

(ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

). 79 TH STIRE		<u>3</u> of <u>4</u> app	ications
Sign Company: Moo	ler.	N SIGNS ZNC	Rep Name:_	Bill LEALY	
		•		nd location of sign on lot or stru	cture)
Bulble and		SAUE ALOT	Forn	NAN MILLS	
			CFW) (R	rman Mills (MLK)	÷ · · ·
West Parking			, 70	whing.	East
) + 1	1		
			STEET	<u> </u>	
		South			
SIGN USE:	5 3	TYPE OF SIGN:	CT:	SIGN CHARACTERISTIC	CS:
Bus. ID (On-premise) Business Lice. #	X	Flat Wall	ZX	Non- Illuminated U	
Business Lice. #		Freestanding Awning		Illuminated	
Advertising (Off-premise)		Marquee		Video Display	
mavername (on premise)		High Rise Building		Flashing	
•	<i>'</i> -	Projecting Private		G	
PERMIT TYPE:		Projecting Public Way			
New Construction	X	Public Way Use -Permit #		DISTANCE FROM:	
Change of Face	\Box			Curb Line: 200	
Previous Permit #	Ŭ		,	Expressway, Toll Roads	
				or Major Route (n/a if over 1000 ft)	
TOTAL SQUARE FOOT	AGE:			Park (over 10 acres)	
Square footage of this prop		1 221		Residential Zone	
Gross area of all proposed				Existing Off-premise on	•
Area of all existing signs	-			same side of street:	-
(not including proposed) or	n Zoning	Lot de/			
•		<u>.</u>			
		<i>a</i> //		•	
Signature: W	lain	To Leaky		Date: 4-18-2	011

(Revised 4/10)

ENGINEERING SHOP VINYL/LAYOUT ROUTING / KHIFE

> Face: 3/16" thk White #7328 Acrylic Face w/ #3630 - 53 Cardinal Red Vinyl Overlay

3/4" Offset From Edge Of Acrylic For White Border.

.040 Hunter Red Returns (Stapled Construction)

35'-11 3/8"

THING FACTORY

WAREHOUSE

FRONT ELEVATION SECONDARY COPY SCALE: 1/4"= 1'-0"

Face: 3/16" thk White #7323 Acrylic Face w/ #3630 - 53 Cardinal Red Vinyl Overlay

3/4" Offsel From Edge O1 Acrylic For White Border.

.040 Hunter Red Returns (Stapled Construction)

Wens · Ladies

Kids

FRONT ELEVATION SECONDARY COPY SCALE: 1/4"= 1'-0"

SECONDARY COPY ELECTRICAL LOAD (2.0) Amps @ 120 Volts **ELECTRICAL REQ'MTS** (1) 20 Amp/120 Volt Circuits

SECONDARY COPY

ELECTRICAL LOAD

(4.0) Amps @ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Voft Circuits

Philadelphia Sign COMPANY

707 West Spring Gurden Street Palmiga, New Jersey 08067

Phone: No 820 2 22 Favor Son (10 5 50) French moder labet leteracy come

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 79th St Chicago, IL

DATE:

03/16/2011

DRAWN BY:

JLTH

REVISION:

SHEET:

FNG DEPT

2 OF 5

DWG NUMBER:

B-40197

ENGINEER SEAL:

PERMIS

STANDARD LETTER NOTES:

- 1. Sufficient Primary Circuit In Vicinity Of Sign
- 2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer,
- 5. Full Size Drilling Template Furnished With Sign.

MAX DESIGN WIND SPEED SO MPH MAX DESIGN WIND LOAD 30 LDS/SQ FT EXPOSURE C

THIS IS AN ORIGINAL UNPUBLISHED DRAWNED CREATER BY FECO IT IS SUPPORTED FOR YOUR PERSONAL USE IN COMMENCED IN WITH A FEOFICE BEING PLANTED FOR YOU BY 1500 IT IS NOT TO BE SHOWN TO ANYOUS OUTSIDE YOUR desirably the consists of We considerable to the

Note: This sign is intended to be installed in accordance with the requirements of Article 500 of the National Electrical Code and/or other applicable local codes. This inclintes proper groupsing and bonding of the aign.

ENGINEERING SHOP VINYL / LAYOUT ROUTING/KINTE

35'-11 3/8"

10'-0 "

56'-0 " 40'-0 * 10'-0 "

24"-7 3/4"

CLOTHING FACTORY WAREHOUSE

Mens . Ladies Klds

BUILDING ELEVATION SCALE 1/16'= 1-0'

34'-9"



FRONT ELEVATION

SCALE: 1/47= 1-07

Face, 3/16" lhk White #7328 Acrylic Face w/#3630 - 53 Cardinal Red Vinyl Overlay

.963 Hunter Red Returns (Stapled Construction)

Philadelphia Sign C O M D A M V

707 West spring Carden Street Palouna New Jorgan ashes.

Property of Control of

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION: 122 West 79th St

Chicago, IL

DATE.

03/16/2011

DRAWN BY:

JLTH

REVISION

Samble

esa crea

SHEET

1 OF 5

DWO NUMBER

B-40197

INGMEER SHAL

PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

FORMAN LETTERS ELECTRICAL LOAD

(5.0) Amps @ 120 Volts **ELECTRICAL FIEO'MTS** (1) 20 Amp/12(I Volt Circuits

3-5

MILLS WALL SIGN ELECTRICAL LOAD (13.64) Anips @ 120 Volts ELECTRICAL REQ'MTS (1) 20 Amp/120 Volt Circuits

STANOARD LETTER NOTES:

- 1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes,
- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Dolling Template Furnished With Sign.

MAX DESIGN WIND SPESTI 90 MPH MAX DESIGN WIND LOAD 30 LBS SQ. FT EXPOSURE C

The control of the co

Make. This arm is interned to be installed in accordance with the requirements of Ame to 600 or the National Electrical Code and/or other applicable Lical codes. ting fact due proper promoting and banding of the sign

Designated Primary Power Run To Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter 'tiim Cap to Be Jewelite 1'. Red

Letter Returns to Be .040 Alum. Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs

Face: 3/16" thk While #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Mindular 60 Priver Supply 12VDC

7/8" Dia 2" Lg Cnupling

7/8" Chase Nipple

Sloan Value Line While Long Modules

Letter Backs to Be .050 Precoar White Alum. Interior to Be Painted Spray-Lat Starhrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk Nylon Spacer, 3/8" Dia Fender Washer And Nul Secured on Backside Of Fascia

3/R" Dia Nutsert

Drain Holes In Back Of Letters As Regid

energis mentina mentin

SECONDARY COPY SECTION SCALE: 1-1/2" -1" 0"

#8 x 1/2" Pan Iread Screws Painted To Match Returns

Letter Trim Cap to Be Jewelite 11. Letter Ralurns to Be ,063 Alum. Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs

Designated Primary Power Run To Vicinity O1 Sign w/n Lockable Disconnect Switch For Service - (By Others)

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC

7/8" Dia 2" Lg Coupling

7/8" Chase Nipple

.063" Thk While Precoal Aluminium Insert Panel

Sloan Value Line White Long Modules

Fabricated "Z" Bracket

Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lai Starbrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk Nylon Spncor. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia

3/8" Din Nutsert

Drain Holes In Back Of Letters As Regid

9 " Lit. Relarn

Philadelphia Sign

707 West Spring Canden Street Paliana, New Jersey 08065

Anna de la companya del companya de la companya del companya de la companya de la

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION

122 West 79th St

Chicago, 11.

DATE:

03/16/2011

DRAWN BY.

JLTH

REVISION:

SHEET:

CNG DEPT

4 OF 5

NWO NUMBER:

B-40197

EMGINEER SEAL:

Mens - Ladles - Kids

SECONDARY COPY ELECTRICAL LOAD (2.0) Amps @ 120 Volts ELECTRICAL REQ'MTS (1) 20 Anip/120 Vall Circuits

Note: This sign is intended to be instalked in accordance with the requirements of Arbeir 600 of the National Electrical Code and/or other applicable local codes. This includes proper grounding and banding of the sign.

PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

STANDARD LETTER NOTES: **FORMAN LETTERS**

FORMAN LETTERS SECTION SCALE 1-1/2" + 1" 9"

ELECTRICAL LOAD

(5.0) Amps @ 120 Volts

ELECTRICAL REGIMTS

(1) 20 Amp/120 Volt Circuits

Sufficient Primary Circuit In Vicinity Cit Skin

Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Cortes

Sign Shall Be U.L. Lislad. 4. Mounting Hardware By Sign Installer,

5. Full Size Dniling Template Formished With Sign.

MAX DESIGN WIND SPEED 90 MPH MAX DESIGN WIND LOAD 30 I BS/SQ 1.1 EXPOSURE C

the standard personal resolution bears. Strike has the cryang transparent visit to be
a fact thank order to the content of the contion transparent partners and the content of the co