



Office of the Chicago City  
Clerk



O2011-7212

Office of the City Clerk

City Council Document Tracking Sheet

**Meeting Date:** 9/8/2011

**Sponsor(s):** Tunney, Thomas (44)  
And Others

**Type:** Ordinance

**Title:** Amendment of Section 13-196-209 by changing effective date from 2012 to 2015 for compliance of all existing residential buildings to conform to fire resistance rating of one hour

**Committee(s) Assignment:** Committee on Zoning, Landmarks and Building Standards

*Blatz*

**Be It Ordained by the City Council of the City of Chicago:**

SECTION 1. Section 13-196-209 of the Municipal Code of the City of Chicago is hereby amended by deleting the language stricken through, and by inserting the language underscored, as follows:

**13-196-209 High-rise buildings – Stairways – Doors – Frames**

No later than **January 1, ~~2012~~, 2015**, doors and frames in stairways in all existing residential buildings and buildings of mixed residential occupancy exceeding 80 feet in height above grade shall have a fire resistance rating of at least one hour.

SECTION 2. This ordinance shall take full force and effect upon its passage and publication.

*3*  
*42<sup>nd</sup>*  
*Ledger V. Houston 5<sup>th</sup>*  
*David A. Meyer 49*  
*Lynn Lane 18<sup>th</sup>*

*Thomas M. Tunney*  
Thomas M. Tunney  
Alderman, 44<sup>th</sup> Ward

*Nichelle S. Hill*  
43<sup>rd</sup>