

City of Chicago



Or2013-315

Office of the City Clerk Document Tracking Sheet

Meeting Date:

6/5/2013

Sponsor(s):

Fioretti, Bob (2)

Type:

Order

Title:

Issuance of permits for sign(s)/signboard(s) at 605 W

Roosevelt Rd - east elevation


Committee(s) Assignment:

Committee on Zoning, Landmarks and Building Standards

City Council, meeting date: 6-5-13 Committee on Zoning, Landmarks, & Building Standards

ORDERED, That the Commissioner of the Building Department is hereby

directed to issue a sign per	mit to: (Contractor's name and address)
Signio	INC
1327 315°	AUP
MelRosE PK	JNC AUP - JC 60160
For the erection of a sign /	signboard over twenty-four (24) feet in height and / or uare feet (in area of one face) at:
Off-Premise / Advertising s	signs: indicate Business Name and Address ings: must indicate that it is for Advertising
(005 W)	Rooserelt Rd
Chicago JC	waserelf Rd 601600
Dimensions:	23'-7"+30"
Height above grade:	40'
	th all provisions of Title 17 of the Chicago Zoning
	olicable provisions of the Municipal Code of the City of
	struction and maintenance of outdoor signs, sign
boards, and structures.	Alderman, Ward



SIGN C

30" Sleepy's

Internally Illuminated LED

Individual Channel Letters on a Raceway

30" Sleepy's
Individual Channel Letters on a Raceway
Illumination: Internally Illuminated LED
Square Footage: 59.04
To Grade: Top of sign to grade = 38'-7 3/4"
Bottom of sign to grade = 36'-1 3/4"
1 2 0 1 20 1 2 1 2 1 2

SIGN D	30" Sleepy's
Type:	Type: Individual Channel Letters on a Raceway
Hlumination:	Illumination: Internally Illuminated LED
Square Footage: 59.04	59.04
To Grade:	To Grade: Top of sign to grade = 38:-7 3/4" Bottom of sign to grade = 36:-1 3/4

30°

23-7 3/8
283 3/8

Sign Layout Detail

Building

the depth of specification #10 to match the other tenants in the

Landlord reserves the right to adjust

Scale: 1/4" = 1'-0"

Electrical Detail: Channel Letters

White Stoan Value Line Plus
(2) 60w Transformer
Total Amps: 1.70
(1) 20 amp 120V Circuit Req.



General Notes:

Electrical Code. This sign is to be installed in accordance with the requirements of Article 600 of the National

- 1) Grounded and bonded per NEC 600.7/NEC 250
 2) Existing branch circuit in compliance with
 NEC 600.5, not to exceed 20 amps
 3) Sign is to be UL listed per NEC 600.3
- UL disconnect switch per NEC 600.6- required per sign component before leaving manufacturer* not required for each section For multiple signs, a disconnect is permitted but

The Mattress Professionals

> Address: 605 West Roosevelt Site #: SY-A17223 Client

Sleepy's

Specifications: LED Channel Letters / "Star"

- Existing Facade: TBD
- 0.040" Aluminum letter returns painted to match Black 0.125" x 1" Black Jewelite trimcap
- 3mm Signabond Lite composite backs (interior of sign can painted ultra white for maximum illumination)
- Ċ٦ LEDs - Letters- Sloan Value Line Plus Long White LED modules
- Stars- Sloan Value Line Plus Short White LEDs Faces Letters- 3/16" 2447 White LD acrylic
- Stars- 3/16" 2447 White LD acrylic w/ Vinyl 3M#3630-125
 Golden Yellow vinyl with 3M#7125-22 Matte Black vinyl outline
 Waterproof disconnect switch per NEC 600-6
 Primary electrical feed
- Transformers
- 10. 0.080" Raceway (5 1/2" tall x 3 1/2" deep fabricated aluminum). Painted to match facade
- <u>=</u> 9" x 2" x 0.1875" Aluminum mounting tabs welded to raceway - Maximum 6" from each end and every 48" o.c. #12 x 1" TEC screws with 11/4" fender washers
- 3 2 Mounting hardware to suit

% Drain holes at bottom of letter cans (2) per letter	

Raceway (Upper) Section @ LED Channel Letter Raceway (Upper) Scale: N.T.S.

	ı		
	0	03/08/2013	Onginal Rendering
	NF.	03/14/2013	Revised Rear Sign to 24 CL: Updated Allowable SF
	Ш	03/21/2013	Revised All Signs
Road	O	04/01/2013	Revised Sign A- 2 Options
	S	04/08/2013	Revised All Signs (Except Sign E); Added Vindow Vinvi
	Y	04/09/2013	Added Raceway to Sign E
	RE	04/10/2013	Updated Sign A. Option 1 Trim Cap/Return Color



Sign of 18 to 19 t