

# City of Chicago



O2016-8422

# Office of the City Clerk Document Tracking Sheet

**Meeting Date:** 

11/16/2016

Sponsor(s):

Hopkins (2)

Type:

Ordinance

Title:

Amendment of Municipal Code Section 17-17-0311-B(5) concerning limitations on rooftop features in Residential

**Zoning Districts** 

**Committee(s) Assignment:** 

Committee on Zoning, Landmarks and Building Standards

#### SUBSTITUTE ORDINANCE

### BE IT ORDAINED BY THE CITY COUNCIL OF THE CITY OF CHICAGO:

**SECTION 1:** Chapter 17-17 of the Municipal Code of Chicago, the Chicago Zoning Ordinance, is hereby amended in Section 17-17-0311-B (5) by deleting the struckthrough language and inserting the language underscored as follows:

\* \* \* \* \*

## Limitations on Rooftop Features in R Districts.

- 1. Stairway enclosures and elevator penthouses in R districts are allowed to exceed the maximum *building height*, provided:
  - (a) they are set back at least 20 feet from the front building line, and
- (b) do not exceed 9 feet in overall height or extend more than 5 feet above the building parapet, whichever results in a lesser height, except that where access to the roof is required under Chapter 18-11 of the Municipal Code, an elevator penthouse may exceed 9 feet but shall not exceed 15 feet in overall height, and may extend more than 5 feet but shall not extend more than 11 feet above the building parapet, whichever results in a lesser height.
- 2. Stairway enclosures in R districts may not contain habitable space and may not exceed 170 square feet in area.
- 3. Elevator penthouses in R districts may not contain habitable space and may not exceed 465 square feet in area.
- 4. Rooftop wind energy systems shall be considered permitted accessory structures within all districts provided they comply with the height limits and setbacks established in this Section. A rooftop energy conversion system shall consist of a wind turbine(s) and associated equipment for converting wind energy to power. Wind energy conversions systems shall be permitted as rooftop accessory structures provided such structures:
- (a) are set back at least 20 feet from the front building line, or in the case of corner lots, at least 15 feet from the front and side building line.
- (b) are limited to a height of no more than 15 feet above the roof or top of the *parapet*, whichever is greater.
  - (c) comply with all noise limitations of the Chicago Municipal Code.
- (d) are safely and securely attached to the rooftop in compliance with the Chicago Building Code.

- 5. Pergolas, arbors and trellises located on rooftops of *principal* buildings and private accessory garages in R Districts are allowed to exceed the maximum building height building height, provided that:
- (a) on <u>principal</u> <u>buildings</u> less than 80 feet tall, they are set back at least 20 feet from the front <u>building line</u>, or in the case of <u>corner lots</u>, at least 15 feet from the front and side <u>building lines</u>;
- (b) on *principal* buildings and private accessory garages, do not exceed 11 feet in overall height above the roof deck, or extend more than 8 feet above the building parapet, whichever is greater;
  - (c) are safely and securely attached to the rooftop.

**SECTION 2:** Chapter 17-17 of the Municipal Code of Chicago, the Chicago Zoning Ordinance, is hereby amended in Section 17-17-0309 by inserting the language underscored as follows:

Features Allowed to Encroach in Required Setbacks.

\* \* \* \*

(Omitted text is unaffected by this ordinance)

\* \* \* \* \*

Obstruction/Projection Into Required Setback	Front	Side	Rear
Unenclosed stairs, not to exceed a tread width of 4'-0", that are necessary for access to a roof-top deck on a private accessory garage	<u>No</u>	Yes	Yes

**SECTION 3:** This ordinance takes effect after its passage and publication.

Brian Hopkins

Alderman, 2<sup>nd</sup> Ward