

City of Chicago



Or2016-674

Office of the City Clerk

Document Tracking Sheet

Meeting Date: 12/14/2016

Sponsor(s): Arena (45)

Type: Order

Title: Issuance of permits for sign(s)/signboard(s) at 4630 W Irving

Park Rd

Committee(s) Assignment: Committee on Zoning, Landmarks and Building Standards

RECEIVED #3 2016 DEC 13 PM 2: 56

OFFICE OF THE CITY CLERK

Committee on Buildings

(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to
issue a sign permit to: (Contractor's name and address)
Signio INC
1327 N 315+ AUD
MelROSE PARK IC 60/60
for the erection of a sign/signboard over 24 feet in height and/or over
100 square feet (in area of one face) at: (Business NAME & ADDRESS)
FAMOUS FORTHUMA
4630 W JRVING PARK Rd.
<i>,</i>
Dimensions: length 37'8' height 3'-6"
height above grade/roof to top of sign
TOTAL SQUARE FOOT AREA 132.
Such sign(s) shall comply with all applicable provisions of TITLE
17 of the Chicago Zoning Ordinance and all other applicable provisions
of the Municipal Code of the City of Chicago governing the construction
and maintenance of outdoor signs, signboards and structures.
/ Alderhan, Ward

SIGN A

12" Famous Footwear

131 83 Internally Charanated LED individual Channel Letters

4

.: .:S

17 4 .8

(J)

1

5.314

Top of Sign Te Grade = 16-1 1/2"

Bottom of Sign Te Grade = 12'-7 1/2"




12

33 3/4

Sign Layout Detail Scale: 1/4" = 1'-0"

(H



0

0

8

Specifications: Existing Facade Brick

Samsung White I.EDs (7) 60w Transformers Total Amps: 5-95 (1) 20 amp 126V Circuit Req

Electrical Detail:

- 2 040 Alumnum letter returns painted to match BM 2099-10 Brown
- 4 3mm Signabond Lite composite backs 3. 0 125" x 1" trun caps. White for letters LOGO, Painted to match PMS 187C Red
- (interior of sign can painted white for maximum illumination)

(F)

5 Samsung White LEDs 6 Letters White acrylic faces LOGO. White adylic face with applied Red 3Nt=3630-83 vinyl 7. Waterproof disconnect switch per NEC 600-6

This sign is to be installed in accordance with the requirements of Article 000 of the National Electrical Code

General Notes:

- 8 Primary electrical feed 9 Transformers 10 Mounting hardware to suft

2) Existing tranch circuit in compliance with NEC 600.5 not to exceed 20 amps.
3) Sign is not be but I stated per NEC 600.6, required per 2) Utilized per NEC 600.6, required per 2).

sign component before leaving manufacturer. For multiple signs, a disconnect is permitted but not required for pach section.

1) Grounded and honded bei NEC 600 7/NEC 250

Section @ LED Channel Letter





footwear **FAMOUS**

Sile # FF-3173 Client Famous Footwear

Address = ±630 West Irving Part Road

Chicago it 60641

Marketplace Six Corners

of letter camp (2) per letter

Scale, NTS

Individual Channel Letters Internally liturabated LED 131 83

42" Famous Fontwear

Top of Sign To Grade = 16 ·1 1/2" Bottom of Sign To Grade = 12'.7 1/2"

77-0" Lease Dimension

Existing

SS: 13

12.5

6.10

20 - 2

100 42

Front Elevation (West)
Scale, 1/8" = :-0"

Note: Due to wall pack location, sign will need to be slightly left justified to avoid new letter layout obstruction



Caert Faincas Frotinear Site # FF-3113 Aucress 1638 West renty Prair Road On cays IL 69841 Marketylado Six Conters