



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2011-756
Type: Order **Status:** Passed
File created: 7/28/2011 **In control:** City Council
Final action: 9/8/2011
Title: Issuance of permits for sign(s)/signboard(s) at 3302 W Belmont Ave - 179 sq. ft.
Sponsors: Colón, Rey
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2011-756.pdf

Date	Ver.	Action By	Action	Result
9/8/2011	1	City Council	Passed	Pass
9/1/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
7/28/2011	1	City Council	Referred	

CITY COUNCIL July 28, 2011
 COMMITTEE ON BUILDINGS
 (Signs)

Ordered, that the Commissioner of Buildings is hereby directed to issue a sign permit to:
 Shaw Electric Sign Company 356 Prairie Mist Dr Round Lake IL 60073
 for the erection of a sign/signboard over 24 feet in height and/or over 100 square feet (in area of one face) at:
 3302 W. Belmont Chicago, IL 60618
Dimensions: Length: 35'. 10" Height: 5'.0"
Height above grade/roof to top of sign: 27' Total Square Foot Area: 179 Sq Ft
 Such sign(s) shall comply with all applicable provisions of Title 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code for the City of Chicago governing the construction and maintenance of outdoor signs, signboards, and structures.

1
 CITY OF CHICAGO
DE F»/ARTIVI IE IMT
Sign Permit Application

I00398288
 ANNUAL n-1:
 OKAWiSfcs
 "ATTACHED
 3W^WrBEL^^0&^t.A.v.E.^o«i»1"^^
 'NEW GdM'WU.CTIONifSieN')
 ;5S5:B0!s'DS'nREl?i: ("*47-V520-t"2S5-.
 KIEKEER
 iwa;T.»i)iiHi(it'
 0'
 TW,%^wrwsto.-! BUILDING
 st<a'j»MK>;i[j»*R('i.lili«l.C'.V- STEEL
 ANNUA!* f-Eg
 ^CONSTR OGTIOtylrEE
 TOTAirFEE AMOUM1 !»AI!>:
 Chi.-cJi'rV fiir7onin>>

200.00

200,5(1 ... Chms ummAP,

rm*#m ^LAtf\$OR m» vomit rr; *35' w ; 10 ■ •ffiiOIn. re; ■5 w 0.

bjj itr, i.7?: US-400' f.r 27 siwBiocBOB- REGULAR samimx-trnm KIVE BELOW tin ta lamps 275 .fl^iVr) ilW, .OTHER

E1 .CUSTOMS MiMK KNIFE INSTALL ONE (05'-0" X"35^!0*" REMOTE LEPdHANNEL LETTERSm FRCIOT'ElievAT.ION E76997 Arranges •3;5|rj^lRIB-MIS'KiI3R= ROWNDIbA'KE. iL 60073-N92870 ^u^Kir!«>ji :si^iA\^V:EtEerrRiG SIGNER rtumm- 356;-pr^llUE;MISri3R ROUND liAKBIL. 60073 "City of Chicago Rahm Emanucl.^Vlaylor

Department of Buildings Michael Merchant, Commissiixifr •AP r.1M39B238 Page.i of 2 -i.-COMSaERCIALi Oihtr: RETAIL *ttme;- Bt.y.E:BE»&W Renewal Date; l?rt)j)ctsiOven; |x|Public-Way 'Gr^rteTriifS: .CWRrefet lj .QRIJfji REQUI RH> LXIfVES t'SSKUOAS. 'mttfiSSION •REOfetREO^R^M^EFEi.ECnijjCAR. □ vies ^\Va^_f^\df«t^MaBur^ti^ PMIMPDs: Pis) 1.7.1 :ZoT%pfetrtci; .OTHER: Otto; PP1.7/1-TIMIt STAMP TYPEOBSItSNr Pl.ADvekirsiNO ; fxl husini-,s,s 1X1 ILLUMINATE MOVEABLE IM5 TOTAL AREA ORNfcW SKIN. (SQ.FIYI 179 1179 HKIGirr.OFSIOKAJK>yEORADE(TO^raRj 32iV. Oin distance erey Kn'tii ne oijte r< npge.x a j 600; 600

"APPROVtaJ.FORjfiEHIMIT DISTANCE. FROM.(ft): A. mfBLIC^RARfC (OVERJOACRES) Bi KPRrSSWAYfJlVlBS-TI^iAN^ lloQoTTjij '&,RKS!;OBN"GE-OIS-i:RKarfAOVERT)SING;SIG«SO^NL REMARKS iigi^!>M^«©fr^C!« otf.RwjicK op itacr'.wiut-dok tub exkono sign .OrfejiiiaLr^ayei;! Landmurk Hold: Statu*:

zoning: joraieirusE onev >
AP<<i003¥8>88

'Rage2 of3

;Site: Address: 3302 W, Belmont Ave.

.6fc-.:-2 appii^tions

ISigh Company: Kieffer & Go.

Rename: ^^araccidjo

Phone (; 847j620-1255

EXT

'bw: BuUiUngitstrei&.imdrh^ North

West

East

SIGN 'USE:

Bu& 10 (Oi-premise),

Business Lice. #

II!

,^dyertii5^T {0if?prenuse); O

Li

South

T¥PEOPSIGN: FlatWaJl , S

freestaHdkg Q. Awning

/Proj!>tiEg Private

iProy ectijig Public Way Q

PuhUclWayVse. -Permit 0

SIGN.:Cffl^OIA^RIBtlC:S: 'jfon- Hhanihated? ' 9,; HlutnSriated' ®! Ghang^s|rnag<s: • J3*; Vidfe.Disp% •

.DISTANCE FR@M:

Primes Permit

IfoTAL SQUARE^FOOTAGE: ^Sojaareilbotage of this proposed sign 179 (Jross area of all proposed signs 1^9

Area of all existing signs (not including proposed) on Zoning Lot_

Expressway Toll .;Roads, or Majior RBute

__ ajif W l&ta) __

"Park (bwr'iQiaciysk R^idealial Zone

EMslihg;©ffip^mp;6n.: samesideiofstreet:.

Signature:.,_: Dafe?_

OF BUILDINGS

Alder manic Ackno wledg ment Letter

TQ: peapartment^of Building^ DATE: to __, 20.

121 North LaSalle Sireet, Room 900 Chicago, IL 60602

I am, aware -o} the application' for-a building, permit at the--following:'address. I have no objection to its

issuance,
Address¹: .
Date: of Application: ____.-. ;_r
Type of Permit: 6j bK- 2 f^H \< & ICVQ ^ ^fi/irft^ ^ ..
Signed;

Richard M. Daley, Mayor City of, Chicago
OW OP CHICAGO
©EBMTMEMOF- ZOWG AND £ AND USE PMNlp^
SIGN SITE PLAN INFORMATION kf^ ^ ^ LEGIBLE)
Stte Address: 33Q^^:>Beimpritj^%e.,
^ of '-%■ • applications
Sign Company: KtetTer & Gos
Rep Name: ^anyCaracciolo.
Phonef ^84Zj520^255--
EXT
(Below: Building, sbx^imd'IScMo^.pf^n on }tofbrstrudure) North
West

East
South
SIGN USE;
I3us. T-P (On=piremtse)
Business Lice. #
jPERMIT T¥PE:
^<few Construction ®
Change of Face
Prfiyious;Permit;M Q
TYPE OFSIGN: FlatWaJI
A wiling
uee.

High:RiseBniiding P'rojecting; Priyafe Proje^ng.P^blio Way Public Way Use-Permit #

-
-
- Q
- Q

SIGN GBL^CTERISTICS:
Non-.flI^inat&i O Wuminated © Ghai^Lng;Wage' Video Display O Flashing Q
DISTAISC^FROIVfe
Curb Line: 20*

TOTAL SQUARE FOOTAGE: Square.footage of;this proposed sign ^CSb'ss'-area of all proposed signs 191
Area of ail existing signs (Hqtiin0^g0bjp^s^ onJZoning Lot
191

Expressway, Toll Roads qrMajor^RoutM (h/a: if oyerff)
Park |oyer 10 acres^_
Residential Zone:
Existing Offrprehiiseorr
JsameisideSf-lrreefe- .. _-
Sijgpatore
(RetjsedilAO)

or
as** imm1 >°i

m

Illuminated REMOTE Channel Utteri
0 '48" l|t|fnatly Illuminated REMOTE ChannelUtsre w/ TasJlne Cahnel
Not to Scale
Site Plan

Kennedy Plaza, Gnicagp, IL

y,i.< wte^sw'ra.gvaBj mivtunm-uH'miunmiui

MMUij Mj^--
ami]
Seiv« atom eoMptopj,
LISTED mri
frtirilum
M» _



B61039

mmmm

Site Identification
Frorit-'Eifevation

~~~~~g nrvnz&j s  
Submitted l.tD  
"Storefront to b© ttelorfnln«l pot  
tha.Rvo Betow'pfohs  
•Facads To Be Pofritod  
•SWJgSS? Blus'by Tenant  
•Catwpy.UBHllng PravUrt km) Installed by Tpnant

;&anlEl&ffliiQ'.

CHAHH£t,LEH£fi:SET •REMOTE; inference irart^

Kennedy, Plaza, Chicago,- IL

. Uti'r31trntiUjuhtUf.ti itM' f0»frfl)(SyO IIC »tl,11(7)110-1\*4)  
iuuvh JUS\_  
BiuuittK 'tm

c©us

LISTED  
cowuiMfou,  
««titlu«  
M#< ' ■ - - -  
431 - ' .....  
•W - . - - ->e> --  
-5 \

B61039>

(in" futi-irttillj- lltmmiittliitl flhaniit'ltMi-.r\*  
Ri'Miale

LetterSet Layoul

BtBERftiSWCIFIciTiIOWS  
COLOBSPeCifJCaTIOMS  
Milaia^i:iM(t,iiS&, •  
-9,\*  
Smstfttrm.n'

bid  
~v<r  
■A- -

tceiMi: liffiS.  
Jllial<:J- -  
iiutufc Ji8 -  
.tun J4£\_ll\_  
~

U  
3

tiwvidulirectomml Um\_  
\_i\_\_\_\_\_ii'!;ii!  
' \_\_\_\_\_S \_\_\_\_\_3EEE" \_HB \_b \_\_\_\_\_

1  
rr^i , -:r.r =.jv ; ~ " - \_PT.i

2S--8'

fiV6 BEL°W

■Site. Idehtification Side Elevation

.Siapia\_\_\_\_\_  
Roof<sup>£</sup>- i\_ W\* remit tl hmm>  
'Pacodo To Bo fi •SW S6950 Btita"

CHANMEtEtEtERSCTW.TsjInliC'aiinet-REfflOfE Referenca Drawing ^BSloaSCfofOBcotalfoffandSpochHfsatlans

iu,i.»-»rf-ir  
w>l:liiiMi,rim>iu.ii»l»-iMi  
■uum£ tiiiiitifim.i  
Mil: . Vi'UM  
cmmmm  
• lasntmiiMinm ■  
itijitw\*  
4» ■

# -Bite

4§" Internally Illuminated Channel Letters w/Tagline  
Remote

Letter Set Layout

# hoi stuff, cool prices.

22MT  
\$Mfi':3/,r-\*SM\*  
GENERALJSPECIFICATtoHS;  
:tate%slly talirfnfle. user 'SB w/ teaa'aiuiJiiuiTi'Tig uw Box Sign,' Mtinfeum Bb \$t|jri to \_c ; iwifaciirea tisinc om'<a tarmoa '.iDO'nlniilin) wHIVrouiad'hipy  
lar ttskm 8« tiayfr.Oio • S'»^1oro'fe os^pniww 2\* wits iotmst (tiwjsi, wS a.».,«t'<ijjiK %V. Fats aie '{OWtJalumHfl) anil tacWwWlSi Wlrts Au»fe panel; Gackw  
anil i»» lu few\$!niiri1inS\*;  
WwSPECfICAlidffi. Inismat illufniiBtion mi\*M\firmm JSowsraM

Elecirfcul:  
COLOR ■SPECIFICATION'S'  
(vi) m 03830.-1S7 Brfghl Blue  
fwj fa PihiiBt) BrusScd AUimimja'

© -CD

© -

FOE

i9I

'•Kennedy'flaza>'Chicago; IL

Mil! jaSiiiL

## SS' c©us

«^~m-oa»-\*B»<\*. ' LISTED-

«5» .

\*»»» »>i .

# I5E\_|>fe'n:-»-|-

### Illumination Details

ftUOMSCBlit\*  
—\*—

»fl'amm w-a'''fa--g - a--^

+-i-> "Big"

ir-stia »)'^f5\_a=\*..•

!M\_~^>--\_^»\_»>\_■

## - ss?. r IP\*

Kennedy Rlaza/CiJcago, IL

.. lliiMil'III-Uatt\_1,U MM«  
em\_wM  
-e(iio«riiX  
lM«tt»V <b>ft?l»» tHljf.H . MUIKUS\_EL  
ccvHtis.niii  
J LISTED  
'fWIKWMMHllin ll«tti6.»\_

J.>> - - -  
-te:  
.(«> "  
B61039C

## Product Beliefs

^Nichia Sihgije Bin SfvIT LED- for Maximum Reliability and Color Consistency

### ^Protective Optical Lens^

- New optical Lens creates a wide viewing angle which maximizes light coverage.
- Protects LED from lumen degradation and environmental damage
- Nichia has agreed to supply us customer-specific color bins for each of the options in the AgiLight SignRayz product lines. These customer-specific color bins have smaller sizes than standard ANSI color specs, which will result in a better color and brightness uniformity for signage applications. Our agreement with Nichia also allows us to be able to ship individual color corrected temperatures in high volumes to support large custom signage programs.

### Constant Current Technology

*\*CCT keeps consistent current levels, eliminating current change due to forward voltage variation in many LED lighting systems. • CCT provides uniform light output throughout the entire installation, while also preventing damage from overdriving of the LEDs. • CCT allows for wiring in parallel or series without complicated load balancing.*

Confidential

## AgiLight SignRayz® Series Product Benefits

(continued)



## Over-ftMdeo! Housing Desigh-

- Designed to protect components from moisture,, damage, and corrosion
- Utilizes a new double sided circuit board with "thermal vies" to double the surface area for heat dissipation.. Allocs us; to rate product for environments of -4P<sup>9</sup>C to +70°C which is +10° G higher than other manufacturers.
- Continuous wire through module uses iDG connectors vs. soldering for maximum strain relief
- Reinforced mounting holes for #6 & #8 screws or pop rivets. Also 3M VHB tape pre-app)ied to each module

## Standard 12 Volt DC system

Minimum: 50,000 ho;ur rated to the L70 life

5-Year Warranty on LED and Power Supplies

UL Listed for New Signs and Retrofits.

Confidential

## *imrotfucing: AgiLight SignMayz®*

Confidential

s wire through l as IDC connec  
GenLEO

## **AgiLight SignRayz® Series**

### **3 Output levels with various color temperatures**

- BASE - 70+ Lumens/Ft
- Dplo^Temperatures ir^i White \$5P0I< &75dOK:)
- The new standard in everyday signage applications
- Available in colors - Clear Red- Ruby Red, Orange, Amber, Yellow,, Green, &
- CORE - 110+ Lumens/Ft.
- Color Temperatures in White ff\*iOO.K, 3\_0DK,4500K,5600K,6500K,75
- Ideal for all Letters from 8" deep to as thin as .2:25"

- Maximum Light output for all signage types
- Colors available for Large Programs and Custom Signage

## APEX - 215+ Lumens/Ft

- Color Temperatures in White (6500K & 7500K)
- Maximum impact for Large Letters and Hi-Rise Signage

Confidential