



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2011-582
Type: Order **Status:** Passed
File created: 6/8/2011 **In control:** City Council
Final action: 7/28/2011
Title: Issuance of permits for sign(s)/signboard(s) at 122 W 79th St - 221 sq. ft.
Sponsors: Thomas, Latasha R.
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2011-582.pdf

Date	Ver.	Action By	Action	Result
7/28/2011	1	City Council	Passed	Pass
7/12/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
6/8/2011	1	City Council	Referred	

City Council . J) , Meeting Date: U¹ V² //

Committee on Buildings

(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:

(Contractor's name and address)

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Dimensions: Length 3S' 11 " Height (*> 3."

Height above grade / roof to top of sign c7.t <http://c7.t> <http://R>"

TOTAL SQUARE FOOT AREA £2.\FT

Such sign(s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

CITY OF CHICAGO

Sign Permit Application

APPROVAL NUMBER B-40197

APPLICATION NUMBER

100389824

ANNUAL FEE

WORK CODE

DRAWINGS ATTACHED j-J

5< YES

NO

DATE OF APPLICATION

04/13/2011

ADDRESS OF SIGN

122 W 79TH ST. 60620-

BIJLDING

ORIGINAL PERMTT NUMBER

type of permtt Nt-w CONSTRUCTION (SIGN)

PAYER OF ANNUAL INSPECTION

STREAHLE, CHRISTOPHER 1450 N CICERO AVE. CHICAGO. IL 60651

(856)910-7122

SIGN MANUFACTURER

PHILADELPHIA SIGN CO
ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION
TICKET NUMBER
RE INSPECTION CONTROL NUMBER
TYPE OF SUPPORT FOR SIGN
BUILDING
SIGN BOARD SUPPORT MEMBERS STEEL
ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE
Check # for Zoning

200.00

200.00 Check # for DCAP

type of sign FLAT OR BOX

IN. 11

SQ.FT.

221

SIGN HEIGHT ABOVE GRADE/ROOF

LBS.

200

FT.

15

shape of sign REGULAR

SIGN WILL READ

CLOTHING FACTORY WAREHOUSE

NO OF LAMPS 120

TOTAL WATTAGE 60

TYPE OF LAMP OTHER

NO. OF BALLAST/TRANSFORMERS 2

INPUT OF TRANSFORMERS 120V

CONTRACTOR WILL INQNI FEEDERS | V | CUSTOMER LEADS

TYPE OF SWITCH

KNIFE

nation of swrrcH LISTED FLUSH TOGGLE

SIGN LOCATION

TO INSTALL CLOTHING FACTORY WAREHOUSE LETTERS ON WALL

The hindaerened cemtv thadi die suionentK in this anriicxtitn are true and correct and that all work done under die nronosed nerhm will conform to the reauarefnents of the Oncaeo Mumeroal Code E12960

ELECT CONTR

LEROY ELECTRIC. INC.

ELECTR

ADDRESS

P.O. BOX 553 MEDINAH. IL 60157-0553

SUPERVISOR SIGNATURE

N93883

SIGN ERECTOR

MODERN SIGNS INC

SIGNER

ADDRESS

1727 ARMITAGE CT ADDISON IL. 60101-

The permit issued on this applicaion will authorize only signs here applied l(n l't'other signs are to be erected they must be covered by 2ddidional permits City of Chicago Richard M. Daley, Mayor

Department of Buildings

Richard Monocchio, Commissioner

ES_PERM_APP_VVEB CEH0I0808

AP #100389824

Page 1 of 2

TYPE OF BUSINESS

OTHER

Other: CLOTHING RETAIL

Name: IORMAN MILLS

L1C #:

Renewal Date:

Projects Over 1^1 Private Property [NjPublic Way

Gram Permit*:

SIGN BOND REQUIRED?

{x]yes

COUNCIL ORDER REQUIRED

00 YES

IS SPECIAL PERMISSION REQUIRED FROM CHIEF ELECTRICAL | YES

IF YES, ATTACH LETTER OF REQUEST

I 1 Planned DevdopmejuVMarnjlactunng PMD/PD#: Zoning District: OTHER Other. PD338

TIME STAMP

TYPE OF SIGN: I | ADVERTISING

lx BUSINESS

[X] ILLUMINATE f-] FLASHING
I | MOVEABLE
TOTAL STREET FRONTAGE OF LOT (IN FEET)
493
TOTAL AREA OF NEW SIGN (SQ.FT.)
221
TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.)
261
HEIGHT OF SIGN ABOVE GRADE f TO TOP)
21ft 2in
DISTANCE OF CURB LINE OUTER EDGE (ft) DISTANCE OF STRUCTURE INNER EDGE (ft)
199
SIGN CLERK
200
APPROVED FOR PERMIT
DISTANCE FROM (ft):
A. PUBLIC PARK (OVER 10 ACRES)
B. EXPRESSWAY (IF LESS THAN 1,000 FT.)
C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)
REMARKS
IF REPLACEMENT SIGN OR CHANGE OF FACE. WHAT DOES THE EXISTING SIGN READ?
Original Payee:
Landmark Hold: Q Status:
ZONING (OFFICE USE ONLY)
ES_PERM_APP_WEB CEH010808
AP 3:100389824

Page 2 of 2

CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING
SIGN SITE PLAN (ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

Site Address:

Sign Company: MoO.^./^ S <gA/S ^A/Q Rcp Name: &',// L*£#^j/ Phone (•?«?</) - EXT_
of ' applications

(Below: Building, streets and location of sign on lot/or structure) iVorth
West

SAU«- A^7"
-* ^-S/ii*,-/ -"

East

SIGN USE:

Bus. ID (On-premise) ^ Business Lice. #

Advertising (Off-premise) O

PERMIT TYPE: New Coiistruction Change of Face Previous Permit #

South

TYPE OF SIGN:

Fiat Wall 4 jS

Freestanding

Awning U

Marquee

High Rise Building

Projecting Private U

Projecting Public Way D Public Way Use -Permit #

SIGN CHARACTERISTICS: Non- Illuminated O IUurrnated JS; Changing Image Video Display

Flashing

DISTANCE FROM: Curb Line: £00 '

TOTAL SQUARE FOOTAGE:

Square footage of this proposed sign

Gross area «f all proposed signs £2Q

Area of all existing signs

(not including proposed) on Zoning Lot a^J^/

Expressway, Toll Roads or Major Route

(n/a if over 1000 ft)_

Park (over 10 acres)_

Residential Zone

Existing Off-premise on same side of street:

(Revised 4/10)'

Signature Date: ^-/jT-JZo/'

ENGINEERING SHOP
VINYL / LAYOUT ROUTING / KMIFE

**FRONT^EVATJON
SECONDARY COPY**

SCALE: 1/4"= 1-0"

Face: 3/16" thk White #7328 -Acrylic Face w/ #3630 - 53 Cardinal Red Vinyl Overlay
3/4" Offset From Edge Of Acrylic --' For White Border.
24'-7 3/4-
.040 Hunter Red Returns (Stapled Construction)

FRONT ELEVATION SEJIOI^PARYCOPY

SCALE: 1/4"= V-0"

Note: This Sign Is intended to be Installed In accordance with the requirements of Ai"> le 600 of tins National Electrical Code onrj/or other aDOl/cabtl local codes. hi"lirteE p'coe-* proudfng and bonding of the algn.

Philadelphia Sign

O O M L A N V
*or ilwi ?(»rijj)^. r.,tr,f,-i, \$tt<ri /,ihiMm, Win //L,-ir inur.

SEqpNPARYQQPY

ELECJjjICAL UOAQ

(4.0) Amps@ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Voll Circuits

SECQNPARYCPY

ELECTRICALPAP

(2.0) Amps@ 120 Volts E.LECTRICAL_REQ:MJ3

(1) 20 Amp/120 VoU Circuits

STANPARP LETTER NOTES:

1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer. Where Allowed By Local Codss
3. Sign Shall Be U.L. Listed.
4. Mounting Hardware By Sign Installer.
5. Full Size Dtiling Template Furnished With Sign.

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 79th St Chicago. IL

DATE:

03/16/2011

DRAWN BY:

JLTH

REVISION:

Number. D.i:<

SHEET:

2 OF 5

DWQ NUMBER:

B-40197

ENGINEER SEAL:

MAX DESIGN WIND SPEED SO MPH MAX DES'ON WIND LOAD 30 LDSJSQ FT. EXPOSURE C

:H5 'S a;i uwil u".PUHISHrr> ORf.r.if.fj CSFAtm py cscn [| § S'~Vmmri <n< H)~ nRS'W. USI tri corML-rjclirri'-vHtit i < Fnj-ct StriO rWJ-> ID': >QUJ L'r F<Cc II IS -fOI :0 3f .^hf/W.'*]:> .u.'--vir C'i^Miiir vrin = iliai;IM/i:(l:t mjjj t'. it mj nf u'-r > ;i nr..

ENGINEERING SHOP

VINYL / LAYOUT RWITiJQi KHirr

3-7-n ylr

'O'-O *

2J-7 3M"

•• Mens • Ladies :: % - ■; Xlds .,

BUILDING ELEVATION

SCALE I/irv- T-0'

34-9"

Face. 3/16" ltk White «?32M Actv'l'r. Face w/ /Wan - rjn Cardinnl Ue-'i Vinyl Ovohij
.963 Hunter find Return". (Slisipls1 Cii-Klini'-wvi

FRONT ELEVATION

SCALE: IM'- T -0"

PEW

PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

Th '1 S'U n i-Vfiv'e1 to i'l'f'ne'o' n m:cc>'. (.T'ce with tti' 'linu'f'rienis o' -iOC o'f'-' N'f-i-pl Erects'1 Coite aiv|o< o'el. 'ipni-ottfif l >c:n) m'b'f-. l t< : (['. [->] >'f ymrtttu' >n L')w'f'f'f' n' i'l'f' Sinn

FORMAN LETTERS

ELECTRICAL LOAD

(5.01 Amps @ 120 Volts ELECTRIC ALJEP1WTS

(1) 20 Amp/120 Volt Circuits

MILLS WALL SIGN

ELECTRICAL LOAD

(13.641 Amps @ 120 Volts ELECTRICAL REQ'MJS

11) 20 Amp/120 Volt Circuits

STANDARD LETTER NOTES:

1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & F-in:tl Primary Hook-up By Skin Inntallet, Wheie Alln-A-ed By Lti':il Coite*.
3. Sign Shall Be U.L. Listed.
4. Mounting Hardware By Stan Iretnllet.
5. Full Size Drilling Template Fianirihri Wm Sinn.

Phil.Klelphi.T Sign

F. R. M. P. A. N. V.

777H. A. L. L. P. A. W.

8888. V. C. C. H. L. S.

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 73th St Chicago. IL

PATE.

03/16/2011

DRAWN BY:

JLTH

SHEET.

1 OF 5

DWG NUMBER-

B-40197

MAJOR DESIGN WIND SPEED 80 MPH MAX DC WIND LOAD 31 Lbs/sq. Ft HX70SUHee

ENGINEERING SHOP

VINYL / LAYOUT

prnmNo / knipe

Designated Primary Power Run To Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Turn Cap To Be Jewelite 1'. Red

Letter Returns To Be .040 Alum. Exterior To Be Palmed Hunter Red

Return Stapled To Letter Backs

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC

7/8" Dia 2" Lg Coupling 7/8" Chase Nipple

Sloan Value Line White Long Modules

Letter Backs To Be .050 Piecoat White Alum. Interior To Be Painted Spray-Lat fitarbite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia

3/8" Dia Nutsert

Drain Holes In Flank Of Letters As P.ec'd

5" Ltr. Rin -

4

SECONDARY COPY SECTION

SCALE: "As Shown" - 1" = 1"

PE

Me.ats^a.dles -J<ld:»

ELECTRICAL LOAD

(2.0 Amps @ 120 Volts RLisCXRIC.A.L.REQmTS

(1) 20 Amp/120 Volt Circuits

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Trim Cap To Be Jewelite 1'. Red

Letter Returns To Be .063 Alum. Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs

Designated Primary Power Run To Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling

7/8" Chase Nipple

.063" Thk White Precoat Aluminium Insert Panel

Sloan Value Line White Long Modules Fabricated "Z" Bracket

Letter Hacks To Be .063 Procoat White Alum. Interior To Be Painted Spray-Lat Starbna White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk Nylon Spncor. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia

3/8" Dia Nutsert

Drain Holes In Rack Of Letters As Reri d

9" Mr. Return

FORMAN LETTERS SECTION

Scale 1/4" = 1"

Note: this section is in accordance with the requirements; for identification of the original Carta and/or other rippled/flaked local courts. This information is provided for your information and is not to be used for any other purpose.

PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

FORMAN LETTERS

ELECTRICAL LOAD

(5.0) Amps @ 120 Volts ELECTRICAL REC3:MTS

(1) 20 Amp/120 Volt Circuits

STANDARD LETTER NOTES:

1. Sufficient Primary Circuit In Vicinity Of Sign By Others.

2. Letter To Letter Wiring & Final Pin-in:fy Hook-up

3. Sign Shall Be U.L. Using. A. Mounting Hardware By Sign IntttalW. 5. Full Size Drilling Template Fianirihri Wlh Sign.

Philadelphia Sign

:\IT\H\...s-r...mills...t...n...li...f...llm...ri...Win.../.../HMIM

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 79th St Chicago, IL

DAIS:

03/16/2011

DRAWN BY:

JLTH

SHEET:

4 OF 5

HW NUMBER:

B-40197

LINEER SEAL:

MAX DESIGN WIND 3PFED 90 MPH MAX OCSKJW WIND LOAD 3fi | BSI/O | 1 CXPOSUHT C