



# Office of the City Clerk

City Hall  
121 N. LaSalle St.  
Room 107  
Chicago, IL 60602  
www.chicityclerk.com

## Legislation Details (With Text)

**File #:** Or2011-583  
**Type:** Order **Status:** Passed  
**File created:** 6/8/2011 **In control:** City Council  
**Final action:** 7/28/2011  
**Title:** Issuance of permits for sign(s)/signboard(s) at 122 W 79th St - 278 sq. ft.  
**Sponsors:** Thomas, Latasha R.  
**Indexes:** SIGNS/SIGNBOARDS  
**Attachments:** 1. Or2011-583.pdf

Date	Ver.	Action By	Action	Result
7/28/2011	1	City Council	Passed	Pass
7/12/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
6/8/2011	1	City Council	Referred	

City Council . ^ Meeting Date: [prj ■)) Committee on Buildings (signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:  
(Contractor's name and address)

*/7ol~? CO. /^^/X^ie, c77?\_*

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

*TvO/^A/eW WilfS ~# /OO 3 \$982.3*

*/Aa CJ- 7?& STrtLzT\_*

Dimensions: Length 9 " Height\_

Height above grade / roof to top of sign

TOTAL SQUARE FOOT AREA c773 3ff

Such sign(s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

CITY OF CHICAGO

### Sign Permit Application

APPROVAL NUMBER

B-40197

APPLICATION NUMBER

100389822

ANNUAL FEE

WORK CODE

DRAWINGS ATTACHED

YES

NO

DATE OF APPLICATION

04/13/2011

ADDRESS OF SIGN

122 W 79TH ST. 60620-

ORJCHNAL PERMIT NUMBER

type of permit NEW CONSTRUCTION (SIGN)

PAYER OF ANNUAL INSPECTION

STREAHLE, CHRISTOPHER

1450 N CICERO AVE CHICAGO, IL 60651

(856)910-7122

SIGN MANUFACTURER

PHILADELPHIA SIGN CO.

ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION

TICKET NUMBER

REINSPECTION CONTROL NUMBER

TYPE OF SUPPORT FOR SIGN

BUILDING

SIGN BOARD SUPPORT MEMBERS

STEEL

ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE

Check # tor Zonula

200.00

200.00

Check # for DCAP

TYPE OF SIGN FLAT OR BOX

FT.

34

IN.

9

SQ.FT.

278

SIGN HEIGHT ABOVE GRADE/ROOF

LBS.

600

FT

20

SHAPE OF SIGN REGULAR

SIGN WILL READ

FORMAN MILLS

NO OF LAMPS 500

TOTAL WATTAGE 60

TYPE OF LAMP OTHER

NO. OF BALLAST/TRANSFORMERS 4

INPUT OF TRANSFORMERS 120

CONTRACTOR WILL INSTALL FEEDERS CUSTOMER LEADS

TYPE OF SWITCH

KNIFE

location of switch LISTED FLUSH TOGGLE

SIGN LOCATION

TO INSTALL FORMAN MILLS SIGN ON WALL

The undeavnyd certfry that ihe statement\* in rhtx aiWicacion are true and correct and thai all work done under the nmrXMed nemrit will anfrhm tto the reuuirpneww of the Oncaao MuracmaJ Code

E12960

ELECT CONTR

LEROY ELECTRIC. INC.

ELECTR

ADDRESS

P.O. BOX 553 MEDINAH, IL 60157-0553

SUPERVISOR SIGNATURE

N93883

SIGN ERECTOR

MODERN SIGNS INC

SIGNER

ADDRESS

1727 ARMITAGE CT ADDISON IL. 60101-

I be permul tssued oa tfas apijijitjon wiil &ulbtm^JC ocihy signs hoe applied far. If other signs are lo be erected they must be covered by additional permits

City of Chicago Richard M. Daley, Mayor

Department of Buildings

Richard Monocchio, Commissioner

ES\_PERMAPP\_WEB CEH010808

AP »:100389822

Page 1 of 2

TYPE OF BUSINESS OTHER

Other: CL01TUNG RETAIL

SIGN BOND REQUIRED?

YES

Name: FORMAN MILLS

COUNCIL ORDER REQUIRED

YES

LIC #:

is special permission required from chief electrical  yes if request

Renewal Date:

Projects Over: [y]Private Property iNlpublic Way Grant Permit it.

1 1 Planned Developnienl/Manufactunng PMD/PD#: Zoning District: OTHER Other PD338

TIME STAMP

TYPE OF SIGN: | | ADVERTISING [x] ILLUMINATE  MOVEABLE [x] BUSINESS [-\] FLASHING TOTAL STREET FRONTAGE OF LOT (IN FEET) 493

TOTAL AREA OF NEW SIGN (SQ.FT.) 278

TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.) 261

HEIGHT OF SIGN ABOVE GRADE (TO TOP) 28ft in

DISTANCE OF CURB LINE OUTER EDGE (ft) 199

SIGN CLERK

APPROVED FOR PERMIT

DISTANCE OF STRUCTURE INNER EDGE (ft) 200 DISTANCE FROM (ft): A. PUBLIC PARK (OVER 10 ACRES) B EXPRESSWAY (IF LESS THAN 1.000 FT.) C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)

REMARKS

IF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ? Original Payee:

Landmark Hold: | | Status:

ZONING (OFFICE USE ONLY)

ES\_PERM\_APP\_WEB CEH010808

AP\*100389822

Page 2 of 2

ENGINE6WN0 SHOP

VINYL) LAYOUT rol'timg; !.NirF

35'-11 3/4"

UJ'-O "

**WAREHOUSE**

>11

7"ff.T;WM<v'tg\*\*u-FL<v^MTFP^gF>«^A^A^A^y-yj'?

2d'-7 3/4"

fV<- ins ■> Lis.ifss

Kids

**BUILDING ELEVATION**

SCALE: 1/2" = 1'-0"

34'-tl ■

Face: 3/10" lhk White ff732fi Acrylic Fnce ■.!'< MMO - 53 Cardinal Ned Vinyl Oveilny

.063 Hunter Rod Returns rSUiplod Constr.;i<on}

**FRONT ELEVATION**

SCALE: 1/2" = 1'-0"



**PRIORTO FABRICATION FIELDJFERIFICATION IS REQUIRED**

■Vlrl.-l..00 r:t f^ojml B&t;ttiaMl Coue andOf clffS' .l'pal'ClJth t-xylil ".Tl-s. Tlv, >■(e'->■, {,ro}'sr .it.'t' f^M^ trlmJlly l'ho S-y

**FORMAN LETTERS**

**ELECTRICAL LOAD**

(5.01 Amps @ 120 Volts ELECTRICAL REQ'MTS

il 20 Amu/121) Volt Circuits

**MILLS WALL SIGN ELECTRICAL LOAD**

**113.64) Amps fb 120 Volts ELECTRICAL REQ'MTS**

(11 20 Amill'120 Volt Circuits

**5TANDARFILEJXEJ3iiCOE8;**

- 1. Sufficient Primary Circuit In Vicinity O' Sign By Others.
- 2. Letter Tn Letter Wiring & Finn! Primary l Imk-up Bv Sign Instnlflir. Wrwie Allowed Bv L.-n.;il Cor Ins
- 3. Sign Shall Be U.L. Listnct.
- 4. Mounting Hardware By Sign Instnllur.
- 5. Full Sue Drillinti reiplnte Furnisireil Wilt" Sum.

**Phibdcplii.i Sign**

~ II M P A W V

nc n;- / .:;INr; -:--(,\*.,

CUSTOMER:

**FORMAN MILLS**

JOR NUMBER:

**FM017**

SIGN TYPE:

Various

LOCATION:

122 W\*st 79th st Chicago, IL

PATE.

03/16/2011

PRAWN BY:

JLTH

SHEET:

1 OF 5

DWG NUMBED-

B-40197

F.NOINGEB 9/9>.

MAX DFSIGN WIND SPCED 90 WPH MAX Pftsir.N WIND LOAD 20 LHnSQ. FT.

hypomiui". c

ENGINEERING SHOP

VINYL 1 LAYOUT POUTING / KNipE

Designated Primary Powei Run To Vicinity Of Sign w/a Lockable Disconnect Switch For Service • (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Tom Cap to Br Jewelite 1". Wed

Letter Returns to Be .(MO Alum. Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC

UK Dia 2" Lg Coupling 7/fr Chase Nipple

Sloan Value t ine White Long Modules

Letter Backs to Be .050 Procoal White Alum. Interior To Be Painted Spray-Lat Starhrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk Nylon Spacer. 3/6" Dia Fender Washer Anil Nui Secured on Backside Of Fascia

3/H" Dia Nutsert

Drain Holes In Rack 0( Letters As Peg d

SEC.ONDARY.CpPY SECTION

SCALE- 1-1/2" •fir

MonS\_ "J, l>file.8^\_Kl<IS

# PERMITS WW

SECONDARY COPY

ELECTRICAL LQAB (2,0)

Amps@ 120Volts

ELECTRICAL REQ.MTS (t)

20 Amp/120 VuIl Circuits

Nfto. This <:ijti is infntlod to be inslatturt in af.mrcI.nni.-e <http://af.mrcI.nni.-e> with thr; r-equI/nmfint, -jt Ai-cln IKIO r. [lflf Na'nal Eliicticnl Corie and/or olliel nppIir.nhle lor;3l cnrtfl... l hiti i-i.ljifiB :ifopi.f yrnuntirKl xrui bnnd"! l nt tlvj sign.

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Trim Cap to Be Jewelite 1". Red

Letter Returns 10 Be .063 Alum. Exterior To Be Peintod Hunter Red

Return Stapled To Letter Backs

Designated Primary Power Run To ' Vicinity Of Sign w/a Lockable Disconnect Switch For Service - /By Others)

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling

7/8" Chase Nipple

.063" Thk White Precoat Aluminium Insert Panel

Sloan Value Line White Long Modules Fabricated "2T" Bracket

Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starhnte White fLigh Enhancement Palm)

3/8" Ola Allthread Rod w/3/8" Thk Nylon Spacer, 3/8" Dia Fender Washer And Nui Secured on fiackside Of Fascia

3/8" Dia Nutsert

Drain Holes In Back Of Letters As Regri

9" LtI. Return 5"

FORMAN LETTERS SECTION

SCALE: 1-1/2" "1"r

PRIOR T^FABRJCATJON FIELD VERIFICATION ISJ^EQUIRED

EORJMAJLlEXtIRS ELECTRICAL LOAD

(5.0) Amps@ 120 Volts ELECIRICALJEqWIIS

(1)20 Amp/120 Volt Circuits

STANDARQJ,ETTER,NO\_TES;

1. SIlfficient Primary Circuit In Vicinity Ot Sitjn

By Others.

2 Letter To Lettei Wiring A Final Pilmry Hcio-up By Sign Installer, Whore Allnwed By Inc;il Codes.

3 Sign Shall Bo U.L. Listed.

-1, Mounting Hardware By Sign Instatler.

li. Full Sizr Dnfling lemplnte Furnished Wtt'i Sign.

## Philndclphin Sign

M t\* A N

M: nWr ■■l'ikv ...mli-ir <h< l:\lmm <file://l/lmm>,,, \n, /,-,-,., llslr.l

CUSTOMFR:

### FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 79th St Chicago, IL

DATE:

03/16/2011

DRAWN BY:

JLTH

SHEET:

4 OF 5

OWG NUMPER:

B-40197

ENGINEER SEAL-

MAX OiiSiGN WIND SPF60 00 MPH MAX DRKHlW WIND LOAD M IBS-SQ-I T EXPOSIIJE C

## CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING

**SIGN SITE PLAN ( ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)**

Site Address:

Sign Company: MoQ. ^irrt S, '^A/S Rep Name: &UILL^A^y

Phone **\$M**) - EXT\_

of applications

(Below: Building, streets and location of sign on lot/or structure) North

West

'-.\*- \_S^\* S -~

East

**SIGN USE:**

Bus. ID (On-premise)

Business Lice. #

Advertising (Off-premise)

PERMIT TYPE: New Construction Change of Face Previous Permit #

South

**TYPE OF SIGN:**

Flat Wall , j£J

Freestanding D

Awning D

Marquee

High Rise Building

Projecting Private Q

Projecting Public Way  Public Way Use -Permit #

SIGN CHARACTERISTICS: Non- Illuminated  Illuminated Changing Image Video Display Flashing

**DISTANCE FROM:**

Curb Line: Jrtn'

TOTAL SQUARE FOOTAGE: Square footage of this proposed sign <??7ff Gross areaproposed signs

<oSZ) Area of all existing signs

(not including proposed) on Zoning Lot &/

Expressway, Toll Roads or Major Route

(n/a if over 1000 ft)\_

Park (over 10 acres)\_

Residential Zone

Existing Off-premise on same side of street:

Signature ;

(Revised 4/10)