

costs associated with damage, relocation or removal of private property caused by the City performing work in the public way.

Authority herein given and granted for a period of five (5) years from and after Date of Passage.

Margaret Laurino 39^{Tn} Ward

(Page 4 of 5)

r

ENGINEERING SHOP
VINYL LAYOUT ROUTING/KNIFE

SCALE: 3/4"=1'

Allstate

RONALD CAPILI

'555-555-5555' •

EAEVATJOf 5.25 - 25 SQ FT FLAG SIGN
SCALE: 3W=V
Tiamolenad Gyro SC.177 -
Thit whia #W7325 Fermot wlit Surfar* (LaminatM) 3M SutanBk* 3030-157 Bockad KOut K370-120

Logo 4 Atturta To Qa Oropod Oul To Ouminata vVhNa. Trap Faca W' 110 x 3M Long Thnwdad Stud* wNylon-Iniar! Hai Lockmul A Nylon Waihd!

Philadelphia Sign

707 Nhr Spring Cntrli Strrt Flmymni, Vno>Wwy <file:///file> USXXt

CUSTOMER:

ALLSTATE

JOB NUMBER:

SIGN TYPE:

ALST.FLG_25

DATE:

07-31-12

DRAWN BY:

MCH

SHEET

1 OF 1

OWO NUMBER:

B-45005

ENGINEER SEAL:

Not a TTis sign b LitrncM to ba fauaid in accord inca with flia raq.kjnmnis of AmcM ADO of tha National Ek*etir!al OnDa and** othar applicaia local cooi This Include* pro par growndaig e<-d bonding of tha lgn.

Electrical Load (2.34) Amps @ 120 Volt*

eiKUtciLRe.QJTJta

(1) 20 Amp/120 Volt Circuit

STANDARD WALL SIGN NOTES:

1. Sufficient Primary Circuit In Vicinity Of Sign By Olhonorj.
2. Fnal Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
3. Sign Shall 88 U.L. Listed.
4. Mounting Hardware By Sign Installer.

run, ri "i QKint' usanninio dimming timuio ai no" n n Juwittio tce iou"
 -IMWiwacDWE<-c lto">IMFKLier
 ni' & -uunEO ton ro<t <- rac> n ■) mi to
 {srqwn to --DvI/PuTic YOUR
 Onwllign una n & q n Usrn' canto ai-aoovctn p iihW-rn i' ut mmm