

Legislation Details (With Text)

File #:	Or20)11-581					
Туре:	Orde	er St	tatus:	Passed			
File created:	6/8/2	2011 In	control:	City Council			
		Fi	inal action:	7/28/2011			
Title:	lssuance of permits for sign(s)/signboard(s) at 122 W 79th St - 154 sq. ft.						
Sponsors:	Thomas, Latasha R.						
openeere.	1110						
Indexes:		NS/SIGNBOARDS					
•	SIG						
Indexes:	SIG	NS/SIGNBOARDS	Acti	on	Result		
Indexes: Attachments:	SIG 1. O	NS/SIGNBOARDS r2011-581.pdf		on ssed	Result Pass		
Indexes: Attachments: Date	SIG 1. O Ver.	NS/SIGNBOARDS r2011-581.pdf Action By	Pas				

City Council) H Meeting Date: U Q' > Committee on Buildings

(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:

(Contractor's name and address)

ArnITtxgf, CT.

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Dimensions: Length cJV ?" Height C> ' 3"

Height above grade / roof to top of sign ^ / 3 ^{/7} TOTAL SQUARE FOOT AREA / 5 9 Fr Such sign (s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

?rffih, ;^Ward

Sign Permit Application

APPROVAL NUMBER B-40197 APPLICATION NUMBER 100389823 ANNUAL FEE WORK CODE DRAWINGS £3 YES ATTACHED J-] m DATE OF APPLICATION 04/13/2011 ADDRESS OF SIGN 122 W79TH ST, 60620-BUUJMNG ORK3NAL PERMIT NUMBER TYPE OF PERMIT NEW CONSTRUCTION (SIGN) PAYER OF ANNUAL INSPECTION STREAHLE, CHRISTOPHER 1450N CICERO AVE CHICAGO, IL 60651 (856)910-7122 SIGN MANUFACTURER PHILADELPHIA SIGN CO.

File #: Or2011-581, Version: 1

TICKET NUMBER REINSPECTION CONTROL TYPE OF SUPPORT FOR SI BUILDING SIGN BOARD SUPPORT M STEEL	GN EMBERS	TOTAL FEE AMOUNT PAID BALA	NCE DUE	
200.00				
200.00	Check U for DCAP			
TYPE OF SIGN PLAX OR BOX FT. 24 rs. 7 SQ.FT. 154 FT. 6 I SIGN HFJGHT ABOVE GF 200 15 SHAPE OF SIGN REC SIGN WIU READ FORMAN MILLS				
NO. OF LAMPS 90		TOTAL WATTAGE 60		
TYPE OF LAMP OTHER	ξ			
	_	NUMERAL TRANSFORMERS 120		
NO. OF BALLAST/TRANSF		INPUT OF TRANSFORMERS 120		
CONTRACTOR WILL INST	TALL In! feeders V CUSTOMER L	EADS		
SIGN LOCATION TO INSTALL MENS The undenisned certify thai th %m ttm* annbcirioti are tout: EI2960 ELECT CONTR LEROY ELECTRIC. I ELECTR ADDRESS P.O. BOX 553 MEDIN SUPERVISOR SIGNATURE N93883 SIGN ERECTOR MODERN SIGNS INO SIGNER .ADDRESS 1727 ARMITAGE CT SIGN ATIB F The permit issued on this ippt	and correct and lhat all work done under th INC. NAH, IL 60157-0553 C ADDISON IL. 60101-	te nmnnerd nerrrrit will conform to the temdranenff		
Department of Buildin Richard Monocchio. C ES_PERM_APP WEE AP #100389823 Page 1 of2 .USTNESS cffiR &sz FORMAN MI JC#:	Ommissioner 3 CEH010808 Other. CLOT	HING RETAIL	SIGN BOND REQUIRED? COUNCIL ORDER REQUIRED	{xj YES YES
у СП.			is special permission real	ired from chief electrical
			letter of request	
y' Renewal Date;			iener of request	

Grant Perm it #:

File #: Or2011-581, Version: 1

1 1 Planned I^velopment/Manxiiatfujr OTHER Other PD338 TYPE OF SKIN: ADVERTISING BUSINESS ("1 FLASHING TOTAL STREET FRONTAGE OF LOT ON FEE	jx] ILLUMINATE	ning District FJ MOVEABLE fx]	TIME STAMP	
TOTAL AREA OF NEW SIGN (SQ.FT.) 154	1)495			
) 261			
TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT HEIGHT OF SIGN ABOVE GRADE (TO TOP)	.) 201	21ft 3 in		
DISTANCE OF CURB LINE OUTER EDGE (ft)	100 DISTANCE OF S		SIGN CLERK	APPROVED FOR PERMIT
DISTANCE FROM (ft): A. PUBLIC PARK (OVE THAN 1,000 FT.) C. RESIDENCE DISTRICT (A EF REPLACEMENT SIGN OR CHANGE OF FACE, WH Original Payee:	ER 10 ACRES) a EXPR DVERTISING SIGNS	RESSWAY (IF LESS ONLY)	REMARKS	ATTROVEDTORTERMIT
l-andmarfc Hold: Status: ZONING (OFFICE USE ONLY)				
ES PERM APP WEB CEH010808 AP #100389823 Page 2 < ENGINr.rtRING SHOP VINYL / LAYOUT ROUT M«i; KM P(t Pare; "MW ink While «732B Am ylia w/ «.'<630 - 53 l.'fi ilniii] Ucrl Vinyl Overlay MM C'tN <h 'a'lutm="" 0(="" acrylic="" frit'.io="" i="" in="" l'iom="" n.jrrl«!=""> 040 Hunter Red Returns iSlapIRrj Const) notion j</h>				
3t."-11 3(8"				
<i>m %20 W&m</i> FRONTELEVATION SECONDARY COM SCALE: IM - I'JT Face 3/16' Ihk White ff.\325 - Acrylic Face w/ #3<530 3/4' Offset From Edge O' Ar-i For White Border. .040 Hunter Red Returns (Stapled Cfnr.tructi''n.i SE_CJir^AARYCQPY ELEC.r.RICAL.LOAD (4.01 Amps ft) 120 Volts ELECTRICAL REQ-M (11 20 Amp/ '.20 Vc-ft Circuit? SECONDARY COPY ELECTRICAL.LOAD (2.0) Amps @ 120 Volts ELECTRICAL REtVM (1)20 Amp; i 20 Volts ELECTRICAL REtVM (1)20 Amp; i 20 Volts ELECTRICAL REtVM (1)20 Amp; i 20 Volts Circuits I'm n Hwstull y Litatimi r.uernajancti Luch tbj -ttfLifmwi.H Is100 rj<*; '', '.'. M.mavi, if'.L'm',i''(iji thr-47/1) 'ATAN_QAJRDJ,ETTER, JILOTES; 1. Sufficient Primaiv Civcnil In Vicinitv O'Sirin By Othe 2. Letter Tip Letter Wiring & Fmnl Primmrv Hook-up By 3. Sign Shall Be U.L. Listed. 4. Mounting Hnrdwnre By Skyr. Instntler. 5. Full Si7u D'Ilmtj TeiniAue r-iiiriishc.».I With Si TM	ITS ITS ITS ITS ITS ITS ITS	(!B ott.«f fl'iil ≺:aU« bc.il <http: bc.il=""> cM</http:>	ir.s.	
Philadelphia Sign CUSTOMER: FORMAM MILLS JOB NUMBER: FM017 SIGN TYPE Various LOCATION: 122 West 79th St Chicago. IL DAIE: 03/16/2011 DRAWN BY. JLTH SHEET 2 OF 5 DWG NUMBER: B-40197 EMGIMIER ST-A1: Iav DESIC.M WIND LOG.0 Ia L".'*U FT E-XPOSUMT. C.				

Iav UESIC.M WIND LOe.0 Ia L^{**,*} UFT F.xposnir. c. EHGINEEmNO Shop vin 'I/ Iayout noui'Mi*,* KMirn 35'- II 3/B"

ID'-0 -24'. 7 3/4" . P-ans^?"tables: Kids **BUILDING .ELEVATION** scale- inc."- i -o" 34'-[)' Face: 3/16" Ihk White *732't Aciylii: Face V,// «f..W - "3 C^tctinnl Red Vinyl Ovoihy .063 Hunter Peri Reiu--n«. (Stripled Cu:'slni..t«v>) FRONT ELEVATION SCALE: IM1- 1-0 PRIORJO FABRICATION FIELD VERIFICATION IS REQUIRED FORMAN LETTERS MILLS WALL SIGN ELECTRICAL LOAD (5.0) ELECTRICAL LOAD Amps @ 120 Volls 113.64) Amps @ 120 ELEFJTRICALJREQIMTS | Volt? ELECTRICAL 1! 20 Ainp'[!] 20 Volt Circuits REA'MTS 11! 20 Amy/120 Volt Ciu.uils STANQA&P. fcEmR NaT£§; 1. Susfiniont Priinorv Circuit In Vicinity Ot Sinn By Others. 2. Letter To Letter Wiring & Finn! Primary Honk-up Bv Sign Installer. Where Allowed Bv L-.'ral Coilks 3. Sign SMI Be U.L. Listed. 4. Mounting Hardware By Sinn Instnllei. 5. Full '±\ztr Dulling Template t'-urni'-:|-eH Wit'. Sinn. Philadelphia Sign CUSTOMER-FORMAN MILLS JOB NUMBER: FM017 Vnrlons LOCATION: 122 West 71th St Chicago. II. m\T6. 03/16/2011 DRAWN EY: JLTH SHE EI: 10F5 di/vo Nuwar.rc B-40197 r.MmttrER am MI.X DPStrjN WIND 90 WPH w.\y ocstnu wind load 311 crs-sci. r r tM'OSIJIIP. C ENGINEERING SHOP VINYL / LAYOUT ROUTING / KNIFE Designated Primary Power Run To -... Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others) #8 x 1/2" Pan head Screws Painted To Match Returns Letter Trim Cap to Be Jewelite 1". Red Letter Returns to Be .040 Alum. - Exterior To Be Painted Hunter Red Return Stapled To Letter Backs -Face: 3/16" thk White #7328 --" Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay Sloan Modular 60 Power Supply 12VOC 7/8" Dia 2" Lg Coupling ... 7/8" Chase Nipple - -----" Sloan Value Line White Long Modules -Letter Backs to Be. 050 Precoat White Alum. Interior To Be Painted Spray-Lat Starhrite White (Light Enhancement Paint) 3/8" Dia Allthread Rod w/3/8" Thk -..... Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside 0(Fascia 3/8" Dia Nutsert...... Drain Holes In Back Of Letters As Req'd SECONDARY COPY¹ SECTION SCALE' 1-1/2" =10" Mens - Ladles • Kids SECONDARY COPY ELECTRICAL LOAD (2.0) Amps @ 120 Volts ELECTRICAL REQ'MTS (1) 20 Amp/120 Volt Circuits Note: This sign is intended to be installed in accordance with the requirements of Article 600 of iho National Electrical Code and/or other applicable local codes. Tilis includes proper grounding and bonding of the sign. #8 x 1/2" Pan head Screws Painted -To Match Returns Letter Trim Cap to Be Jewelite 1". Red Letter Returns to Be .063 Alum. -Exterior To Be Painted Hunter Red Return Stapled To Letter Backs Designated Primary Power Run To - -Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others) Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Oveday Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling 7/8" Chase Nipple .063" Thk White Precoat Aluminium Insert Panel Sloan Value Line White Long Modules - -Fabricated "Z" Bracket Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starbrite White (Light Enhancement Paint) 3/8" Dia Allthread Rod w/3/8" Thk ...

File #: Or2011-581, Version: 1

Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia 3/8" Dia Nutsert Dra -, Holes In Back Of Letters - -As Req'd ' Ltr. Return FORJVIANJ^TTERS^fXCTiON SCALE: 1-1/2" =ro PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED FORMAN LETTERS
 CORWIAN LETTERS

 ELECJBLCALLOAD.

 (5.0) Amps® 120 Volts ELECTRICAL REQ'MTS

 (1) 20 Amp/120 Volt Circuits

 STANDARD LETTER NOTES:

 1. Sufficient Primary Circuit In Vicinity Of Sign By Others.

 2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.

 3. Sign Shall Be U.L. Listed.

 4. Mounting Hardware By Sign Installer.

 5. Full Size Drilling Template Furnishnd With Sign.
 Philadelphia Sign 7117 UVs/ Spring r.iuliai S/ircf fWii.'i/iii, \Vir I,-i*,-u fjN/li.I CUSTOMER: FORMAN MILLS JOB NUMBER: FM017 SIGN TYPE Various LOCATION: 122 West 79th St Chicago. IL DATE: 03/16/2011 DRAWN BY: JLTH REVISION: SHEET: 4 OF 5 OWG NUMBER:

 B-40197

 ENGINEER SEAL:

 WAX DESIGN WIND SPEED SO MPH MAX DESIGN WIND LOAD 30 LBS/SQ. FT. EXPOSUREC

 this 15 an Ghtci X4 utilu''lii-lif' ['s' wy,

 mPFAiln PV iSO II IS SU'Allilli ['S', wy,

 "STAIL utilu''lii-lif' ['s' wy,

 #YS JAIL utilu''lii-lif' ['s' wy,

 #YS JAIL utilu''lii-lif' ['s' wy,

 #FFAIL PV iSO II IS SU'Allilli ['S', wy,

 #YS JAIL utilu''lii-lif', wy'IA'Liiluu'

 BEW, 'L-W0 tr;: '<V/td>
 i's' ['[i-1]] [I-y: i()

 ff snpv/N r(, tfffivir r-utisim vani

 I':1

 r'i

B-40197