



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2011-581
Type: Order **Status:** Passed
File created: 6/8/2011 **In control:** City Council
Final action: 7/28/2011
Title: Issuance of permits for sign(s)/signboard(s) at 122 W 79th St - 154 sq. ft.
Sponsors: Thomas, Latasha R.
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2011-581.pdf

Date	Ver.	Action By	Action	Result
7/28/2011	1	City Council	Passed	Pass
7/12/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
6/8/2011	1	City Council	Referred	

City Council) H Meeting Date: U Q' > Committee on Buildings
(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:
(Contractor's name and address)
ArnITtxgf, CT.

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Dimensions: Length cJV ?" Height C> ' 3"

Height above grade / roof to top of sign ^ / 3 ^7 TOTAL SQUARE FOOT AREA / 5 9 Fr Such sign (s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

?rffih, ;^Ward

Sign Permit Application

APPROVAL NUMBER
B-40197
APPLICATION NUMBER
100389823
ANNUAL FEE
WORK CODE
DRAWINGS £3 ^{YES} ATTACHED J-] m
DATE OF APPLICATION
04/13/2011
ADDRESS OF SIGN
122 W79TH ST, 60620-
BUJUMNG
ORK3NAL PERMIT NUMBER
TYPE OF PERMIT
NEW CONSTRUCTION (SIGN)
PAYER OF ANNUAL INSPECTION
STREAHLE, CHRISTOPHER 1450N CICERO AVE CHICAGO, IL 60651
(856)910-7122
SIGN MANUFACTURER
PHILADELPHIA SIGN CO.

ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION
TICKET NUMBER
REINSPECTION CONTROL NUMBER
TYPE OF SUPPORT FOR SIGN
BUILDING
SIGN BOARD SUPPORT MEMBERS
STEEL
ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE
Check # for Zoning

200.00

200.00 Check U for DCAP

TYPE OF SIGN PLAX OR BOX
FT.
24
RS. 7
SQ.FT.
154
FT.
6
SIGN HEIGHT ABOVE GRADE/ROOF
200
15
SHAPE OF SIGN REGULAR
SIGN WILL READ
FORMAN MILLS

NO. OF LAMPS 90 TOTAL WATTAGE 60

TYPE OF LAMP OTHER

NO. OF BALLAST/TRANSFORMERS 1 INPUT OF TRANSFORMERS 120

CONTRACTOR WILL INSTALL In! feeders | V| CUSTOMER LEADS

TYPE OF SWITCH
KNIFE
location of switch LISTED FLUSH TOGGLE

SIGN LOCATION
TO INSTALL MENS LADIES KIDS SIGN ON WALL
The undersigned certify that the s
% m tm* annbeirioti are tout: and correct and that all work done under the mnncrd nerrrit will conform to the temdranenf of the Oricago MunicmaJ Code
E12960

ELECT CONTR
LEROY ELECTRIC. INC.
ELECTR
ADDRESS
P.O. BOX 553 MEDINAH, IL 60157-0553

SUPERVISOR SIGNATURE
N93883
SIGN ERECTOR
MODERN SIGNS INC

SIGNER
ADDRESS
1727 ARMITAGE CT ADDISON IL. 60101-

SIGN AT IIBF
The permit issued on this ipptcaooo will smbonze only siigns here applied for if oilier signs are io be erected they miKi be covered by addjDeoai peiitun

City of Chicago Richard M. Daley, Mayor

Department of Buildings
Richard Monocchio, Commissioner
ES_PERM_APP WEB CEH010808
AP #100389823

Page 1 of 2

.USTNESS cffir Other. CLOTHING RETAIL

&sz FORMAN MILLS

JC#:

SIGN BOND REQUIRED? {xj YES

COUNCIL ORDER REQUIRED | | YES

is special permission required from chief electrical
letter of request

y' Renewal Date;

Projects Oven fY| Private Property iNIPublic Way Grant Perm it #:

1 1 Planned Development/Manxiiatfujmg PMD/PDS: Zoning District
OTHER Other PD338
TYPE OF SKIN: | | ADVERTISING jx] ILLUMINATE FJ MOVEABLE fx]
BUSINESS ("1 FLASHING
TOTAL STREET FRONTAGE OF LOT ON FEET) 493

TOTAL AREA OF NEW SIGN (SQ.FT.) 154

TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.) 261

HEIGHT OF SIGN ABOVE GRADE (TO TOP) 21ft 3 in

DISTANCE OF CURB LINE OUTER EDGE (ft) 199 DISTANCE OF STRUCTURE INNER
EDGE (ft) 200

DISTANCE FROM (ft): A. PUBLIC PARK (OVER 10 ACRES) a EXPRESSWAY (IF LESS
THAN 1,000 FT.) C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)

IF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ?

Original Payee:

Landmark Hold: | | Status:

ZONING (OFFICE USE ONLY)

ES PERM APP WEB CEH010808

AP #100389823

Page 2 <

ENGINEERING SHOP

VINYL / LAYOUT ROUTING; KM/P(t

Part: "MW ihk White #732B--

Am ylia w/ #630 - 53 !'fijlnijj Ucl Vinyl Overlay

MM C'tN<H l'iom Frit'io 0(Acrylic l in 'A'lutM n,jrrl<|>

- .040 Hunter Red Returns iSlaplRrj Const) notion j

3t."-11 3(8"

m %z0 W&m

FRONTELEVATION SECONDARY COPY

SCALE: IM - iJT

Face 3/16" lkh White ff.132S - Acrylic Face w/ #3<S30 - S3 Cardinal Rod Vinyl Overlay

3/4" Offset From Edge O' Ar-i For White Border.

.040 Hunter Red Returns (Stapled Cfnr.truct'.-n.i

SE_CJir^ARY..CQPY ELEC.r.RICAL.LOAD.

(4.01 Amps ft) 120 Volts ELECTRICAL REQ-MTS

(11 20 Amp/ .20 Vc-ft Circuit?

SECONDARY COPY

ELECTRICAL.LOAD

(2.0) Amps @ 120 Volts ELECTRICAL REVMTS

(1)20 Amp; i 20 Volt Circuits

l'tn n l-w<lulj ty i,tatimi ir. ucrnjancti i,u,h tvj -ttf,i,fmwi,t-i tS'IO +l N (l,o-i,t) tHC'r<:al Cj(1B ott.<f f'iii <aU« bc.il <http://bc.il> cMr.s.

rj-<f' i.'s. ':-y'[-.M:n>vi .tr.t l'nv,iif(jji thr- ^17(1

^TAN_QAJRDJ,ETTER,jlLQTES;

1. Sufficeni Primaiv Civcnil In Vicinitv O'Sirin By Others.
2. Letter Tip Letter Wiring & Fmnl Primnrv Hook-up By Sign Installer. Where Allowed By Loral C'm'lm--
3. Sign Shall Be U.L. Listed.
4. Mounting Hnrdwre By Sk)r. Instntler.
5. Full Si7u Di'llmtj TeiniAue r-iiriishc.»l With Si'™

Philadelphia Sign

CUSTOMER:

FORMAM MILLS

JOB NUMBFR:

FM017

SIGN TYPE

Various

LOCATION: 122 West 79th St Chicago. IL

DATE:

03/16/2011

DRAWN BY:

JLTH

SHEET

2 OF 5

DWG NUMBER:

B-40197

EMGIMER ST-AI :

lav 0ESIC.M WIND LOe.0 la L'.'. *U FT

F.xposnrr. c.

EHGINEEmNO

shop

vin 'l/ layout noui'Mi*,' KMirn

35'- ll 3/B"

ID'-O -
24'. 7 3/4"
. P-ans^?"tables: Kids
BUILDING .ELEVATION
scale- inc."- i -o"
34'-[']

Face: 3/16" lhk White #732't Acyilii: Face V,'/ «f..W - "3 C^tctinnl Red Vinyl Ovoihy
.063 Hunter Peri Reiu--n«. (Striped Cu:'slni..tkv>)

FRONT ELEVATION

SCALE: IM'- 1-0"

PRIORJO FABRICATION FIELD VERIFICATION IS REQUIRED

>.'*1 l'p1 r^'jon'j Elor.ti irAl Gudf ilh'i'mi ottlec .>mp1 f;:l)l'f In-^ Cff'-s.

FORMAN LETTERS MILLS WALL SIGN

ELECTRICAL LOAD (5.0) ELECTRICAL LOAD

Amps @ 120 Volls 113.64) Amps @ 120

ELEfJTRICALJREQIMTS i Volt? ELECTRICAL

1! 20 Ainp"l 20 Volt Circuits **REA'MTS 11! 20 Amy/120**
Volt Ciu.uils

STANQA&P. fcEmR NaTES;

1. Susfiniont Priinorv Circuit In Vicinity Ot Sinn By Others.
2. Letter To Letter Wiring & Finn! Primary Honk-up Bv Sign Installer. Where Allowed Bv L-.ral Coilks
3. Sign SMI Be U.L. Listed.
4. Mounting Hardware By Sinn Instnllei.
5. Full '±l'ztr Dulling Template t'-urni'-]-eH Wit'. Sinn.

Philadelphia Sign

E: <> m t j u' M v

CUSTOMER-

FORMAN MILLS

JOB NUMBER:

FM017

SIGN IYPh:

Vnrlons

LOCATION: 122 West 71th St Chicago. II.

mT6. 03/16/2011

DRAWN EY:

JLTH

SHE EI:

10F5

di/vo Nuwar.rc B-40197

r.MmtrER am

MILX DPShjN WIND 90 WPH

w.ly ocstnu wind load 311 crs-sci. r r

LMGSIJIP. C

1

ENGINEERING SHOP

VINYL / LAYOUT ROUTING / KNIFE

Designated Primary Power Run To -.....

Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Trim Cap to Be Jewelite 1". Red

Letter Returns to Be .040 Alum. - -Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs -

Face: 3/16" thk White #7328 --" Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VOC

7/8" Dia 2" Lg Coupling

7/8" Chase Nipple -"

Sloan Value Line White Long Modules -

Letter Backs to Be .050 Precoat White Alum. Interior To Be Painted Spray-Lat Starhrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk -.....

Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside 0(Fascia

3/8" Dia Nutsert.....

Drain Holes In Back Of Letters As Req'd

SECONDARY COPY' SECTION

SCALE' 1-1/2" =10"

Mens - Ladles • Kids

SECONDARY COPY

ELECTRICAL LOAD (2.0)

Amps @ 120 Volts

ELECTRICAL REQ'MTS (1) 20

Amp/120 Volt Circuits

Note: This sign is intended to be installed in accordance with the requirements

of Article 600 of iho National Electrical Code and/or other applicable local

codes. Tliis incllides proper grounding and bonding of the sign.

#8 x 1/2" Pan head Screws Painted -To Match Returns

Letter Trim Cap to Be Jewelite 1". Red

Letter Returns to Be .063 Alum. -Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs -----

Designated Primary Power Run To - -Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

Face: 3/16" thk White #7328

Acrylic Face w/ #3630-53 Cardinal Red Vinyl Oveday

Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling

7/8" Chase Nipple -----

.063" Thk White Precoat Aluminium Insert Panel

Sloan Value Line White Long Modules - -Fabricated "Z" Bracket ~.....-

Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starbrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk

Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia
3/8" Dia Nutsert
Dra -, Holes In Back Of Letters - -
As Req'd
' Ltr. Return

FORJIANJ^TTERS^FXCTION

SCALE: 1-1/2" =ro"

PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

FORMAN LETTERS

ELECJBLCALLOAD.

(5.0) Amps@ 120 Volts ELECTRICAL REQ'MTS

(1) 20 Amp/120 Volt Circuits

STANDARD LETTER NOTES:

1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
3. Sign Shall Be U.L. Listed.
4. Mounting Hardware By Sign Installer.
5. Full Size Drilling Template Furnishnd With Sign.

Philadelphia Sign

7117 UVs/ Spring r.iiiaai S/rirf fWii.'ifrii, \Vir l,-i',-u fjN/i.l

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION: 122 West 79th St Chicago. IL

DATE:

03/16/2011

DRAWN BY:

JLTH

REVISION:

SHEET:

4 OF 5

OWG NUMBER:

B-40197

ENGINEER SEAL:

WAX DESIGN WIND SPEED SO MPH MAX DESIGN WIND LOAD 30 LBS/SQ. FT. EXPOSUREC

this 15 an Gntci.'Ai uti'u'iii:Hi' ['is'.wy,

fPFAlin PV iSO II IS SU^Milli' M': VOL'!

*("sn'JAT usi ii."n-iii'n'.i.:>vriiA'i:ii:ii:ii

BEW, ^L.W0 tr:i *<V.i ey i'(-. || ji. -y: i(i

f.f.snpv/N r(fffivir r-uisim vann

!': m i'

i'11

r i'