



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2011-758
Type: Order **Status:** Passed
File created: 7/28/2011 **In control:** City Council
Final action: 9/8/2011
Title: Issuance of permits for sign(s)/signboard(s) at 3302 W Belmont Ave - 191 sq. ft.
Sponsors: Colón, Rey
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2011-758.pdf

Date	Ver.	Action By	Action	Result
9/8/2011	1	City Council	Passed	Pass
9/1/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
7/28/2011	1	City Council	Referred	

CITY COUNCIL July 28, 2011
 COMMITTEE ON BUILDINGS
 (Signs)

Ordered, that the Commissioner of Buildings is hereby directed to issue a sign permit to:
 Shaw Electric Sign Company 356 Prairie Mist Dr Round Lake IL 60073
 for the erection of a sign/signboard over 24 feet in height and/or over 100 square feet (in area of one face) at:
 3302 W. Belmont Chicago, IL 60618
Dimensions: Length: 28'.8" Height: 6'.8"
Height above grade/roof to top of sign: 20' Total Square Foot Area: 191 Sq Ft
 Such sign(s) shall comply with all applicable provisions of Title 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code for the City of Chicago governing the construction and maintenance of outdoor signs, signboards, and structures.

Alderman, 35^m Ward
 1

.CITY OF C.MICIWGO

DIEPARTIX/IEIMT OF OUIL.DIIMGS

Sign Permit Application

:.Af fWQVA!. NUMHhK
 AWUCATipS'. VL^MHER'
 AK'NiAI :■ FEE
 WORKBOOK
 .DRAWINGS 0""ve? ATTACHEO PI'NQ'
 (MIHHi'Al'riJPATms'

mmaw

3302 W'BEUKIDKnVAVE. 6061*
 .(giSjiAiiretail r- itoMHM
 W'WRMSMK
 X'AR^GUIOLO, LAiRRY LI NCOIJNSHI RE. IL. 6006?
 kjeep:
 BUipiNQ
 SBiK iK UHB !*OT>QKr M1DM3K- STEEL"
 •ANNUAL PEE Cft^TRycmpNiliFJj
 'TO'lyXt.KEE.
 Amount Paid, ba ijvnce< dub

. 200iOO .
" ' 200:00

:l-],ATO'lto80X-,
li 48: ■•8, fan di it CT. 6

191
>;i; 20
MiAn-a>.<.-.;- Kb'C'UI AR
FIVE BEi-OW HOT.STLJFFCOOL. PRICES
.Wi «!••.LA'.!i<. 3 ■tWTAt WAlIAfil" 876

-m«fifS»mji KNIFE
i ucAitoKtw.jwmai. OSTEDrFLUSM'TOGGLE
D>?T-ALfe08Kfl)/^ ■ • LEO QjTtERSET' Wi!FH:22"-X -22' f^Ghii.ME- :yi\$T ^IT#R,
Tha un"wu"^^c"j"r"Jut ihi*s&tismtxi'lftn-dm«rdrfc^W »n4.iArr*c». *nd iH«nil,»>I V ,«f«w«.uniter Hwmritnmd rwmh will ltm0w.iV <http://ltn0w.iV> tH IJ&V» {mnb"im»«flthe l^cjn^ Mumcisw/,Avie
IMXn'tUMTtl
SHAW RLEGTRIC -SipNCOMPANY
ELECTR"
356;PR^i'RIE\MIS:i;.DR; ROU.S'D'LAKE. IL &HJ73-
*il.N fWCUt
SHAW EIIEGTRIG
SIGNER:
J5&PRAIRJEMISTDR' IROW&B'iiAkt: It,<>0<)73
KKSATUim
.Ciryof-Chicago
Kuhm Emanutl.-sMavor

Depurtmrm of Building
Michufl iVlcrelianl, Gammiisioner
l:S.PKH.St...AfP WI:H.Rn0ti(<2tl
AP#;:10(539829e".
.TyftCOP.K'USKBSS:
COMMER"C&I.
Oiiiith RfcTA.'l.
Name: F1W. BELO.W
■:Reii^at^Datf;
Projects* Over. [^Privaft-Property'
'(^WiriliciWay. !GranvPtmii fc
SIGVOpfD ReftWmiip?
 VPS

ExJ'viis
M SfIMSL Vs?MISSIOS.R£0MIREO KRO.M CWIKF eu-CrRICAL.
ir ves, -ATfACH- Lf?n:i.'Ri orrequkst
rxlPlannddU^elotOTicm/M j'MD/Pr* PD171
^onin&Distria-. fofHERj @flstr. l'D 171
TfMriTAN'!!!
WPE-OR-SIONS n AOVTHRTISINC
fxl iliiJMMWATg (~J MOVEABLE (~1 FLASHUSKI
• ^r^L-^'^^TA'CBXA' COT (IN FEET}-
iJ.885
"wfaiIArea'ofAUi sighs Q#xm <so.pr.i
ioi
HEIGHT Oi; SttW.SBOXE GKADE,(TOTOP)
2M- Sir,
Dl'frA>'bEpR-ClirB'h!NEOItl:R:EIXiE {1>
20
20

avprovkd-for; pkrmit
.OISTA^tEFROJy! (lite
B; eXl'Rj^SWA>"(IFilil»S'THA^ 1.000 FTI
'C' RjSjnESafcd!STR(CT (AnvmTtS1.^;C..SIC^^.S.Q;^^.V):
REMARKS.
If RB!l^CEMEVr^SjC^0ROIA>i^?0F^ACCL^*IMTX^*STlto iwistino sign
REAM,
pngiiwl.iPayee: .

Landmark Hold: Q Slum-:
AP'fcicq3982S6
Page-2:of2

Aldermanic Acknowledgment Letter

TO: Department of Buildings DATE: 121 North LaSalle Street, Room 900 Chicago, IL 60602

10JA .20 11

I am aware of the application for a building permit at the following address. I have no objection to its issuance.

Address:

3302. to. ^Umi-V- i||;nhk

Date of Application: U: 1 13 1 M

Type of Permit: 6l ^ ^> VT \$ lftO .#ftt£fifi j\|C>.(l¥R Z^c\Le

Ware. w"->

Richard M. Daley, Mayor City of Chicago

CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING

SIGN SITE PLAN (ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

Site Address: 3302 W. Belmont Ave.

of 2 applications

Sign Company: Kieffer & Co.

Rep Name: Larry Caracciolo

Phone (847)520-1255 -

EXT

(Below: Building, streets and location of sign on lot/or structure) North

West

East

sign use;

Bus. ID (On-premise) iX; Business Lice, #

Advertising (Off-premise) ~

PERMIT TYPE:

New Construction \K Change of Face Previous Permit #

South

TYPE OF SIGN: Flat Wall Freestanding Awning Marquee

High Rise Building Projecting Private Projecting Public Way Public Way Use -Permit #

n

SIGN CHARACTERISTICS:

Non- Illuminated U Illuminated ;X Changing Image I i Video Display U Flashing IJ

DISTANCE FROM:

Curb Line: 20 _

TOTAL SQUARE FOOTAGE: Square footage of this proposed sign Gross area of all proposed signs 191 -Area of all

existing signs (not including proposed) on Zoning Lot

191

Expressway, Toll Roads or Major Route

(n/a if over 1000 ft)_

Park (over 10 acres)_

Residential Zone

Existing Off-premise on same side of street:

Signature

(a

Dare;

(Revised 4/10)

mm mm

Site Identification

Font Elevation

Sioreltonl lo tio doltirminod jw
It> F(v« Ufotow plana 'FoCAde To Be Paintod
SW K6959 Bluo by Toiiant 'Conopy LV^Mliny Provided and Installed by fonant
36-- 8' 3.V-10 •

EXISTING

five BEL°W

lfff • SEorefron!
CMAMHULETURSET-RtMOU
Releicnct Drawing //B61027G loi Decoral'ton anil Specpllications
- i
Scale: 3/3r = 1'-0"
Kennedy Plazci, Chicago, IL

lllllllrrif-tiuiukjt 10011

<.....->JHf®

ic«'8» >iwrtrifiHit<in8.1_

iimvii if_

DlliaHS; iUS_

till: Ji-H:l)_

lW'i inert

/Sunt, UV-'Ub ;:-■"»■?■»»» I.JSTEU . lowmtsu nut

B61039A

I t

rV)" Inli'i ttnlly llhiiniuKvd (lumiifl l.vlh-ts

3'-D W

35-10-

If"

Letter Set Layout

GENERAL SPECIFICATIONS

COLOR SPECIFICATIONS

Mftwaira'ftt Sp-jciftcillofis

(Kl | 1 WWts Hcrjlic

»» »»»»» I »»»»

\ I

© ©

©

0 •

at-©

J'.....J

'sit w -'X

rt/tiocs

m mi ifin■ luamtm,n »»»*'. .

WSICIIIIUMIII *tH«HJ9'''

13 E

w\$ mm

Site Identification
Side Elevation

five BEL°W

a!
MO*
hot stult. cool prices
tte°g°s - - - - ■ ■ °L •
* |

<JJ « w, - i-

r
Salfi-CaaaiWD

! Mrai'WS*!! (VStEA&F-jWOSTf:6wy ;*a:J^ww^tmwo«c.rir.!i)>.'Bii"itD.i 'MaAt-ro-rMNiawM,- '!:!■ ■-■.■. »e
•f-, ,.J.; Tu lie r.iMt!-.:
!EJ Hi-h-v i>urh
ActiviSilu'ilit rixvtwjrtjjw EWvaU'j-^
CHANNEL LETTER SET w/ Tiling Cabinet ■ REMOTE
Reference Draining y/fiMOJ'JC for decoration and Specifications

IUIUliiil-II.II.V^U .8019

«««•«■ ■ M&BM^j

IKKWII
oi.it.nt <http://oi.it.nt>. WAl,
0*11: D°ll-Ml

Is ! c©us

««M»BH»; IISTEU
cowrtiimtriut
t 2

1

Scale: 3/32"= V-0"

Kennedy Plaza. Chicago, II.

J '.AS UliiJr. \VJ

48" Internally Illuminated Channel Letters w/ Tagline

Remote

? 5 i/r
1-13 5/8" 1 j-n,z

/ i



1 ,<1 V /

6'-8'
HUH
Letter Set Layout
10"

GENERAL SPECIFICATIONS

iv*imi-j >R.J 5?
imciniSy ttumImlad l.tnu SM Kcuail rMjBkuv,' ig I ii.c By Sign S'.ij* in:«
itwuUr.tuica tiding Orate locmo.l .:QQ alupuiuri •mw.ti .-s.ilen tojy tm % Ui> K n.'<« .CSO D/a'-n rormmJ tsat'n pine! win ?* Maid IO"-:?! ili,i(l« Firul csstaff a«pH 10 lis »". F<d :o be roiiieil alum.nam iitult
taken will) Whfli: Actyffc (and Catkin! jci! iii'.c lu h.ivc i'hiiH tins,': • SET PAIHf SPFCIF EM(fJMS. '<i>1«: pane! lu Ct ilci.ornw o.; m« •>i»Lice vwlli mil v-r.-.i. Sl: WM. SPKIHCMIIIMS. Intsirut tcnfeamn PKivrf
-i HOCTt <Uim Unfit

Electrical:
(2) FMTU-CW/HO fluorescent Linos
(!)F. IO-U-ii'-t Mitel
V5 OTPS (I) 20 jwp'UOvnll circuit ienM

COLOR SPECIFICATIONS _____

Vin>l SjiMttaiMM.
•{vt fU #3630-167 Bright Slue
P.11111 SIKr.illcmw. _____
(Ml fS) Painted Srushod Aluminum
<&• fj WIIlIO •• .uj t.ulh'1 C twil

©
© ©
O
105
iOr
©
©
Kennedy Plaza, Chicago, Il.

llllie<t>ii'Uultu>».It !««• fti! (Ulllt llll (lllllltO Uil
vtvm Matticlt)fj,tin'
1CCU,J»; ;a«9rttfim t^HJL_
UliiM* If
tiiiuti JUS_
"ii! anmi'_
ff OhlJS
lf/, 8ur»««»
1 c vt/us
LISTED counitairru
fttiscmn tut mi^i
mi

Illumination Details
•nneclly Plaza, Chicago, IL

lillmdtiii-U3ik«Mi*.n ifttit i>ww fciaWmlgm com
U»llO»; MMtftfHl.tWHilt.U_
mimi: ij_
lllllll: JM!_
Mtt: nnnu_
LISTED (OumioiMiii
tllr, llf«« _^

AgiLight SignRayz® Series Product Benefits

'Nichia Single Bin SMT LED- for Maximum Reliability and Color Consistency

- Protective Optical Lens-
- New Optical Lens creates a wide viewing angle which maximizes light coverage.
- Protects LED from lumen degradation and environmental damage
- Nichia has agreed to supply us customer-specific color bins for each of the options in the AgiLight SignRayz product lines.

These customer-specific color bins have smaller sizes than standard ANSI color specs, which will result in a better color and brightness uniformity for signage applications. Our agreement with Nichia also allow us to be able to ship individual color corrected temperatures in high volumes to support large custom signage programs.

•Constant Current Technology

•*OCT keeps consistent curent levels, eliminating current change due*

to forward voltage variation in many LED lighting systems.

**CCT provides uniform light output throughout the entire installation, while also preventing damage from overdriving of the LEDs. °CCT allows for wiring in parallel or series without complicated load balancing.*

Confidential

1

AgiLight SignRayz® Series Product Benefits

(continued) Over-Molded Housing Design-

- Designed to protect components from moisture, damage, and corrosion
- Utilizes a new double sided circuit board with "thermal vies" to double the surface area for heat dissipation. Allows us to rate product for environments of -40°C to +70°C which is +10°C higher than other manufacturers.
- Continuous wire through module uses IDC connectors vs. soldering for maximum strain relief
- Reinforced mounting holes for #6 & #8 screws or pop rivets. Also 3M VHB tape pre-applied to each module

Standard 12 Volt DC system

Minimum: 50,000 hour rated to the L70 life

-1-*

5-Year Warranty on LED and Power Supplies UL Listed for New Signs and Retrofits

Confidential

GenLED

Introducing: AgiLight SignRayz®

PS I*

hi ?

Confidential

GenLED

Introducing: AGILIGHT SIGNRAYZ®

Confidential

3 Output levels with various color temperatures

- BASE - 70+ Lumens/Ft.
- Color Temperatures in White (6500K &7500K)
- The new standard in everyday signage applications
- Available in colors - Clear Red, Ruby Red, Orange, Amber, Yellow, Green, Blue
- CORE - 110+ Lumens/Ft.
- Color Temperatures in White (2700K, 3200K,4500K,5600K,6500K,7500K)
- Ideal for all Letters from 8" deep to as thin as 2.25"
- Maximum Light output for all signage types
- Colors available for Large Programs and Custom Signage
- **APEX- 215+ Lumens/Ft.**
- Color Temperatures in White (6500K &7500K)
- Maximum impact for Large Letters and Hi-Rise Signage

Confidential