



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: Or2011-581, Version: 1

City Council) H Meeting Date: U Q' > Committee on Buildings
(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:
(Contractor's name and address)

Arn/Ttxgf, CT.

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Dimensions: Length cJV ?" Height C> ' 3"

Height above grade / roof to top of sign ^ / 3 ¹⁷ TOTAL SQUARE FOOT AREA / 5 9 Fr Such sign (s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

?rffih, ;^Ward

Sign Permit Application

APPROVAL NUMBER

B-40197

APPLICATION NUMBER

100389823

ANNUAL FEE

WORK CODE

DRAWINGS £3 YES ATTACHED J-J m

DATE OF APPLICATION

04/13/2011

ADDRESS OF SIGN

122 W79TH ST, 60620-

BUUJMNG

ORK3NAL PERMIT NUMBER

TYPE OF PERMIT

NEW CONSTRUCTION (SIGN)

PAYER OF ANNUAL INSPECTION

STREAHLE, CHRISTOPHER 1450N CICERO AVE CHICAGO, IL 60651

(856)910-7122

SIGN MANUFACTURER

PHILADELPHIA SIGN CO.

ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION

TICKET NUMBER

REINSPECTION CONTROL NUMBER

TYPE OF SUPPORT FOR SIGN

BUILDING

SIGN BOARD SUPPORT MEMBERS

STEEL

ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE

Check # for Zoning

200.00

200.00

Check U for DCAP

TYPE OF SIGN PLAX OR BOX

FT.

24

FS. 7

SQ.FT.

154

FT.

6
SIGN HEIGHT ABOVE GRADE/ROOF
200
15
SHAPE OF SIGN REGULAR
SIGN WILL READ
FORMAN MILLS

NO. OF LAMPS 90 TOTAL WATTAGE 60
TYPE OF LAMP OTHER
NO. OF BALLAST/TRANSFORMERS 1 INPUT OF TRANSFORMERS 120
CONTRACTOR WILL INSTALL Inlet feeders and CUSTOMER LEADS

TYPE OF SWITCH
KNIFE
LOCATION OF SWITCH LISTED FLUSH TOGGLE
SIGN LOCATION
TO INSTALL MENS LADIES KIDS SIGN ON WALL

The undersigned certify that the signs are true and correct and that all work done under the permit will conform to the ordinances of the City of Chicago Code
E12960

ELECTRIC CONTRACTOR
LEROY ELECTRIC, INC.
ELECTRIC
ADDRESS
P.O. BOX 553 MEDINA, IL 60157-0553

SUPERVISOR SIGNATURE
N93883
SIGN ERECTOR
MODERN SIGNS INC

SIGNER
ADDRESS
1727 ARMITAGE CT ADDISON IL. 60101-
SIGNATURE

The permit issued on this application will become void unless signs are erected within the time specified. If signs are not erected within the time specified, the permittee shall be liable for the cost of removal of the signs.
City of Chicago Richard M. Daley, Mayor

Department of Buildings
Richard Monocchio, Commissioner
ES_PERM_APP WEB CEH010808
AP #100389823

Page 1 of 2

STATUS: Other. CLOTHING RETAIL

FORMAN MILLS

JC#:

SIGN BOND REQUIRED? YES
COUNCIL ORDER REQUIRED YES

is special permission required from chief electrical
letter of request

Renewal Date:

Projects: Private Property Public Way Grant Permit #: _____

1 Planned Development/Manufacturing PMD/PDS: Zoning District

OTHER Other PD338

TYPE OF SIGN: ADVERTISING ILLUMINATE MOVEABLE

BUSINESS ("1 FLASHING)

TOTAL STREET FRONTAGE OF LOT ON FEET) 493

TOTAL AREA OF NEW SIGN (SQ.FT.) 154

TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.) 261

HEIGHT OF SIGN ABOVE GRADE (TO TOP) 21ft 3 in

DISTANCE OF CURB LINE OUTER EDGE (ft) 199 DISTANCE OF STRUCTURE INNER EDGE (ft) 200

DISTANCE FROM (ft): A. PUBLIC PARK (OVER 10 ACRES) a EXPRESSWAY (IF LESS THAN 1,000 FT.) C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)

IF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ?

Original Payee:

TIME STAMP

SIGN CLERK APPROVED FOR PERMIT

REMARKS

Landmark Hold: || Status:

ZONING (OFFICE USE ONLY)

ES PERM APP WEB CEH010808
AP #100389823

Page 2 <

ENGINEERING SHOP
VINYL / LAYOUT ROUTING; KMJP(t
Pare; "MW ink White «732B---
Am ylia w/ «.-630 - 53 !.fijiliniij Uclr Vinyl Overlay
MM C'tN<H l-'iom Frit'.io 0(Acrylic l in 'A'lutM n,jr!«!>.
- .040 Hunter Red Returns iSlaplRrj Const) notion j

3t."-11 3(8"

m %z0 W&m

FRONT ELEVATION SECONDARY COPY

SCALE: 1M - 1"=1'
Face 3/16" lkh White tf.132S - Acrylic Face w/ #3<S30 - S3 Cardinal Rod Vinyl Overlay
3/4" Offset From Edge O' Ar-i For White Border.
.040 Hunter Red Returns (Stapled Cfnr.truct'.-'n.i

SE_CJir^ARY..CQPY ELEC.r.rICAL.LOAD.
(4.01 Amps ft) 120 Volts ELECTRICAL REQ-MTS
(11 20 Amp/ .20 Vc-ft Circuit?

SECONDARY COPY

ELECTRICAL LOAD
(2.0) Amps @ 120 Volts ELECTRICAL RETVMTS
(1)20 Amp; i 20 Volt Circuits

l'lt'n n i-;w<lull ty i.ttatimi ir. uercojancoti i.u:h ttvj -ttf.ijfmwi.t-i tS'iO +!- N (l.o-i.tl tHC'r!<aJ cfj(B ot.f ff'ill <aU« bc.il <http://bc.il> cMr.s.
rj;<"; i-;.-y{.;M:n>vi ;tr.t l'nv.ii'ij iij thr- ^17(1

- 1. Sutficieni Primaiv Civcnit! In Vicinitv O'Sirin By Others.
- 2. Letter Tip Letter Wiring & Fmnl Primnrv Hook-up By Sign Installer. Where Allowed By Loral C"™!™--
- 3. Sign Shall Be U.L.L. Listed.
- 4. Mounting Hnrdownre By Skjr. Instntler.
- 5. Full Sirtu Di'llmtj TeiniAue r-iiriishc.».l With Si'™

Philadelphia Sign

CUSTOMER:
FORMAM MILLS
JOB NUMBER:
FM017
SIGN TYPE
Various
LOCATION: 122 West 79th St Chicago. IL
DATE:

03/16/2011

DRAWN BY:

JLTH

SHEET

2 OF 5

DWG NUMBER:

B-40197

EMGIMER ST-AI :
lav 0ESIC.M WIND LOe.0 la L"™: "U FT
F.xposnrr. c.
EHGINEEmNO

shop

vin '/ layout noui'Mi*,' KMirn
35'- 11 3/B"

ID'-O -

24'- 7 3/4"

. P-ans^?"tables: Kids

BUILDING ELEVATION

scale- inc."- i -o"

34'-l'j

Face: 3/16" lkh White *732t Aciylii: Face V,/' «f..W - "3 C^tctinnl Red Vinyl Ovoihy
.063 Hunter Peri Reiu--n«. (Stripled Cu:'slni. tkv>)

FRONT ELEVATION

SCALE: 1M^1- 1-0"

PRIOR JO FABRICATION FIELD VERIFICATION IS REQUIRED

>:"l p! rj^'jonj) Elor.tj irAl Cudf lih'limi ottle« .»m^l f;:l)l f In-^ Cf'-s.

FORMAN LETTERS MILLS WALL SIGN

ELECTRICAL LOAD (5.0) ELECTRICAL LOAD
Amps @ 120 Volts 113.64) Amps @ 120
ELECTRICAL REQUIREMENTS **Volt? ELECTRICAL**
1) 20 Amp/120 Volt Circuits **REQUIREMENTS** 1) 20 Amp/120
Volt Circuits

- STANDARD LETTER NOTES:**
1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer. Where Allowed By Local Codes.
3. Sign SMI Be U.L. Listed.
4. Mounting Hardware By Sign Installer.
5. Full Size Dulling Template Turned In Vicinity Of Sign.

Philadelphia Sign

CUSTOMER-
FORMAN MILLS

JOB NUMBER:
FM017

LOCATION: 122 West 71th St Chicago, IL
DATE: 03/16/2011

DRAWN BY:
JLTH

SHEET:
10F5

DESCRIPTION: B-40197
r.MmtrER am
MILX DPSTIN WIND 90 WPH
w.ly ocstnu wind load 311 crs-sci. r r
LMPSJHP. C

- 1
ENGINEERING SHOP
VINYL / LAYOUT ROUTING / KNIFE
Designated Primary Power Run To -.....
Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)
#8 x 1/2" Pan head Screws Painted To Match Returns
Letter Trim Cap to Be Jewelite 1". Red
Letter Returns to Be .040 Alum. - -Exterior To Be Painted Hunter Red
Return Stapled To Letter Backs -
Face: 3/16" thk White #7328 --" Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay
Sloan Modular 60 Power Supply 12VOC
7/8" Dia 2" Lg Coupling
7/8" Chase Nipple -"
Sloan Value Line White Long Modules -
Letter Backs to Be .050 Precoat White Alum. Interior To Be Painted Spray-Lat Starwhite White (Light Enhancement Paint)
3/8" Dia Allthread Rod w/3/8" Thk -.....
Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia
3/8" Dia Nutsert.....
Drain Holes In Back Of Letters As Req'd

SECONDARY COPY SECTION

SCALE: 1-1/2" = 10"
Mens - Ladles - Kids

SECONDARY COPY

ELECTRICAL LOAD (2.0)
Amps @ 120 Volts
ELECTRICAL REQUIREMENTS (1) 20

- Amp/120 Volt Circuits
Note: This sign is intended to be installed in accordance with the requirements
of Article 600 of the National Electrical Code and/or other applicable local
codes. This includes proper grounding and bonding of the sign.
#8 x 1/2" Pan head Screws Painted -To Match Returns
Letter Trim Cap to Be Jewelite 1". Red
Letter Returns to Be .063 Alum. -Exterior To Be Painted Hunter Red
Return Stapled To Letter Backs -----
Designated Primary Power Run To - -Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)
Face: 3/16" thk White #7328
Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay
Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling
7/8" Chase Nipple -----
.063" Thk White Precoat Aluminium Insert Panel
Sloan Value Line White Long Modules - -Fabricated "Z" Bracket ~.....-
Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starwhite White (Light Enhancement Paint)
3/8" Dia Allthread Rod w/3/8" Thk
Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia
3/8" Dia Nutsert
Drain Holes In Back Of Letters - -
As Req'd
1 Ltr. Return

FOR FABRICATION FIELD VERIFICATION IS REQUIRED

FORMAN LETTERS

ELECTRICAL LOAD.
(5.0) Amps @ 120 Volts ELECTRICAL REQUIREMENTS
(1) 20 Amp/120 Volt Circuits

- STANDARD LETTER NOTES:**
1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer. Where Allowed By Local Codes.

- 3. Sign Shall Be U.L. Listed.
- 4. Mounting Hardware By Sign Installer.
- 5. Full Size Drilling Template Furnishnd With Sign.

Philadelphia Sign

7117 UVs/ Spring r.iiiaial S/rircf fWii.'i/iii. \Vir l,-i,-u fjN/i.l

CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION: 122 West 79th St Chicago. IL

DATE:

03/16/2011

DRAWN BY:

JLTH

REVISION:

SHEET:

4 OF 5

OWG NUMBER:

B-40197

ENGINEER SEAL:

WAX DESIGN WIND SPEED SO MPH MAX DESIGN WIND LOAD 30 LBS/SQ. FT. EXPOSUREC

this 15 an Gntcl.'Ai uti'u"iii:Hr[]'is'.wy.

fPFAlin PV iISO II IS SU'Miiii! M": VOL!"

*[P'sn'JAt usi ii."n-iiii'n'.ii.:!>vriiA'i.ii.ii.i

BEW, '-L.W0 tr:i *<V.i ey i'(-. || ii. -y: i(i

f.f snpv/N r(. fffivir r-uisim vanri

!': m i'

!":i

r i'