



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: Or2011-583, Version: 1

City Council . ^ Meeting Date: [prj ■)) Committee on Buildings
(signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:
(Contractor's name and address)

/7ol~? CO. /^^/X^ie, c77?_

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of
one face) at: (Business NAME & ADDRESS)

TvO/^A/eW WilfS ~# /OO 3 \$982.3

/Aa CJ- ?& STRtLzT_

Dimensions: Length 9 " Height_

Height above grade / roof to top of sign

TOTAL SQUARE FOOT AREA c773 3ff

Such sign(s) shall comply with all applicable provisions of TITLE 17 ofthe Chicago Zoning Ordinance
and all other applicable provisions of the Municipal Code of the City of Chicago governing the
construction and maintenance of outdoor signs, signboards and structures.

CITY OP CHICAGO

Sign Permit Application

APPROVAL NUMBER

B-40197

APPLICATION NUMBER

100389822

ANNUAL FEE

WORK CODE

DRAWINGS ATTACHED

| | YES

no

DATE OF APPLICATION

04/13/2011

ADDRESS OF SIGN

122 W 79TH ST. 60620-

ORJCHNAL PERMIT NUMBER

type of permit NEW CONSTRUCTION (SIGN)

PAYER OF ANNUAL INSPECTION

STREAHLE, CHRISTOPHER

1450 N CICERO AVE CHICAGO, IL 60651

(856)910-7122

SIGN MANUFACTURER

PHILADELPHIA SIGN CO.

ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION

TICKET NUMBER

RETNINSPECTION CONTROL NUMBER

TYPE OF SUPPORT FOR SIGN

BUILDING

SIGN BOARD SUPPORT MEMBERS

STEEL

ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE

Check # tor Zonula

200.00

200.00

Check # for DCAP

TYPE OF SIGN FLAT OR BOX

FT.
34
IN.

9

SQ.FT.
278

SIGN HEIGHT ABOVE GRADE/ROOF
LBS.

600
FT

20

SHAPE OF SIGN REGULAR
SIGN WILL READ

FORMAN MILLS

NO OF LAMPS 500 TOTAL WATTAGE 60

TYPE OF LAMP OTHER

NO. OF BALLAST/TRANSFORMERS 4 INPUT OF TRANSFORMERS 120

CONTRACTOR WILL INSTALL FEEDERS CUSTOMER LEADS

TYPE OF SWITCH

KNIFE

location of switch LISTED FLUSH TOGGLE

SIGN LOCATION

TO INSTALL FORMAN MILLS SIGN ON WALL

The undersigned certifies that the statement* in this application are true and correct and that all work done under the permit will conform to the requirements of the Official Code of Ordinances of the City of Chicago, Illinois, Chapter 4-12-001, Section 4-12-001-01, Article IV, Section 4-12-001-01-01, and the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01, and the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01, and the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01.

E12960

ELECTRICAL CONTRACTOR

LEROY ELECTRIC, INC.

ELECTRICAL

ADDRESS

P.O. BOX 553 MEDINAH, IL 60157-0553

SUPERVISOR SIGNATURE

N93883

SIGN ERECTOR

MODERN SIGNS INC

SIGNER

ADDRESS

1727 ARMITAGE CT ADDISON IL. 60101-

I hereby certify that the information provided in this application is true and correct and that all work done under the permit will conform to the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01, and the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01, and the applicable provisions of the Illinois State Building Code, 2018 Edition, Chapter 17, Section 17-01.

City of Chicago Richard M. Daley, Mayor

Department of Buildings

Richard Monocchio, Commissioner

ES_PERMAPP_WEB CEH010808

AP #: 100389822

Page 1 of 2

TYPE OF BUSINESS OTHER

Other: CL01 TUNG RETAIL

SIGN BOND REQUIRED?

YES

Name: FORMAN MILLS

COUNCIL ORDER REQUIRED

YES

LIC #:

is special permission required from chief electrical yes if request

Renewal Date:

Projects Over: Private Property Public Way Grant Permit

1 Planned Development/Manufacturing PMD/PD#: Zoning District: OTHER Other

TIME STAMP

PD338 TYPE OF SIGN: ADVERTISING ILLUMINATE MOVEABLE

BUSINESS FLASHING

TOTAL STREET FRONTAGE OF LOT (IN FEET) 493

TOTAL AREA OF NEW SIGN (SQ.FT.) 278

TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.) 261

HEIGHT OF SIGN ABOVE GRADE (TO TOP) 28ft in

DISTANCE OF CURB LINE OUTER EDGE (ft) 199

SIGN CLERK

APPROVED FOR PERMIT

DISTANCE OF STRUCTURE INNER EDGE (ft) 200

DISTANCE FROM (ft): A. PUBLIC PARK (OVER 10 ACRES) B EXPRESSWAY (IF LESS THAN 1,000 FT.) C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY) IF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ? Original Payee: REMARKS

Landmark Hold: | | Status:
ZONING (OFFICE USE ONLY)

ES_PERM_APP_WEB CEH010808
AP*100389822
Page 2 of 2
ENGINE6WN0 SHOP
VINYL) LAYOUT rol'timg; l'.NirF
35'-11 3/4"
UJ'-O "

WAREHOUSE

>11
72ft.WM<V'tg**u-FL<v^MTF^gP>>«^A^A^A^y-yj'?

2d'-7 3/4"
fV<- ins ■> Lis.ifss

BUILDING ELEVATION

SCALE: 1/8" = 1'-0"
34'-11"

Face: 3/16" Thk White #7328 Acrylic Face ■.!'< MMO - 53 Cardinal Red Vinyl Overlay
.063 Hunter Rod Returns r'SUiplod Constr.;i<on}

FRONT ELEVATION

SCALE: 1/8" = 1'-0"



PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED

■Vlrl.-l.00 r:t f'<ojml B<tttt&MI Coue and'Of dffS' .l'pal'Clth t-xylil ".f'i-a. Tlv, >■('<:->■, {,ro;sr .it.'t' l'°ff^A trimJlly l'ho S-y 1

FORM LETTERS

ELECTRICAL LOAD

(5.01 Amps @ 120 Volts ELECTRICAL REQ'MTS
11 20 Amu/121) Volt Circuits

MILLS WALL SIGN ELECTRICAL LOAD

113.64 Amps @ 120 Volts ELECTRICAL REQ'MTS
(11 20 Amu/120 Volt Circuits

STANDARD FILE JXEJ3iiC0E8;

- 1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
- 2. Letter To Letter Wiring & Finnl Primary I Imk-up Bv Sign Instllfir. Wrwie Allowed Bv L.-n.;il Cor Ins
- 3. Sign Shall Be U.L. Listnct.
- 4. Mounting Hardware By Sign Instnllur.
- 5. Full Sue Drillinti reiplnte Furnisireil Wilt" Sum.

Phibdcplii.i Sign

~ - II M F A W V
nc n; -/ .:iNc; -:--(.*.,
CUSTOMER:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 W*st 79th st Chicago, IL

PATE.

03/16/2011

PRAWN BY:

JLTH

SHEET:

1 OF 5

DWG NUMBED-

B-40197

F.NOINGEB 9/;>!.
MAX DFSIGN WIND SPCED 90 WPH MAX PFtsir.N WIND LOAD 20 LHnSQ. FT.
hypomiui". c

ENGINEERING SHOP

VINYL 1 LAYOUT POUTING / KNIPie

Designated Primary Powei Run To Vicinity Of Sign w/a Lockable Disconnect Switch For Service • (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Tom Cap to Br Jewelite 1". Wed

Letter Returns to Be .(MO Alum. Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs

Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VDC

UK Dia 2" Lg Coupling 7/fr Chase Nipple

Sloan Value Line White Long Modules
Letter Backs To Be .050 Procoat White Alum. Interior To Be Painted Spray-Lat Starhrite White (Light Enhancement Paint)
3/8" Dia Allthread Rod w/3/8" Thk Nylon Spacer. 3/6" Dia Fender Washer Anil Nui Secured on Backside Of Fascia
3/8" Dia Nutsert
Drain Holes In Rack 0(Letters As Peg d

SEC.ONDARY.COPY SECTION
SCALP- 1'-1/2" *fir
MonS_*J.▶rile.8*_Kl<IS

PERMITS WW

SECONDARY COPY
ELECTRICAL LQAB (2,0)
Amps@ 120Volls

ELECTRICAL REQ.MTS (t)
20 Amp/120 Vull Circuits

Nfite. This <lrjt is infntlod lo be inslartur in af.mrcd.nni.-e <http://af.mrcd.nni.-
e> with thr; r-equ'nmfint. -jt Ai-icln IKIO r.[Ilifi Na'nnaI Eliciction Corie and/or
oillcl npplr.nhle lor;3l cnrtff... l hiti i-;ljiffiB :fopli.f yrnuntirKl xruI bnndP!] nt tivj
sign.

#8 x 1/2" Pan head Screws Painted To Match Returns
Letter Trim Cap to Be Jewelite 1". Red
Letter Returns 10 Be .063 Alum. Exterior To Be Peintod Hunter Red
Return Stapled To Letter Backs
Designated Primary Power Run To ' Vicinity Of Sign w/a Lockable Disconnect Switch For Service - /By Others)
Face: 3/16" thk White #7328 Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay
Sloan Modular 60 Power Supply -2VDC 7/8" Dia 2" l.g Coupling
7/8" Chase Nipple
.063" Thk White Precoat Aluminium Insert Panel
Sloan Value Line White Long Modules Fabricated "2T" Bracket
Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starhnte White fLighl Enhancement Palm)
3/8" Ola Allthread Rod w/3/8" Thk Nylon Spacer, 3/8" Dia Fender Washer And Nui Secured on fackside Of Fascia
3/8" Dia Nutsert
Drain Holes In Back Of Letters As Regri
9" Lt. Return 5"

F.ORMAN LETTERS SECTION
SCALE: 1-i» '1'ir

PRIOR T^FABRJCATJON FIELD VERIFICATION ISJ^EQUIRED

EORJMAJLlEXtIRS ELECTRICAL LOAD
(5.0) Amps@ 120 Volts ELECIRICALJEqWIIS

(1)20 Amp/120 Volt Circuits

STANDARJ,ETTER_NO_TES;

1. Sifficient Primary Circuit In Vicinity Ot Stijn
By Others.
 - 2 Letter To Letlei Wiring A Final Pilmary Hciok-up By Sign Installer, Whore Allnwed By Inc;il Codes.
 - 3 Sign Shall Bo U.L. Listed.
- 1, Mounting Hardware By Sign Instatler.
li. Full Sizr Dnfiing lempinte Furnished Wtti Sign.

Philndclphin Sign

M t^ A N
M: nWr ■■'ri«v ...ml-ir <h< l;lmm <file://l;lmm>,,, \n, /,.,,.,., llslrl.l
CUSTOMFR:

FORMAN MILLS

JOB NUMBER:

FM017

SIGN TYPE:

Various

LOCATION:

122 West 79th St Chicago, IL

DATE:

03/16/2011

DRAWN BY:

JLTH

SHEET:

4 OF 5

OWG NUMBER:

B-40197

ENGINEER SEAL-

MAX OISIGN WIND SPF60 00 MPH MAX DRKHW WIND LOAD M IBS-SQ-I T EXPOSUHE C

CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING

SIGN SITE PLAN (ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

Site Address:

Sign Company: MoO.^irrt S, '^A/S Rep Name: &U I L^A^y

Phone \$(M) - EXT_

of applications

(Below: Building, streets and location of sign on lot/or structure) North

West

'.*- _S^* S ~

East

SIGN USE:

Bus. ID (On-premise)

Business Lice. #

Advertising (Off-premise)

PERMIT TYPE: New Construction Change of Face Previous Permit #

South

TYPE OF SIGN:

Flat Wall , j&J

Freestanding D

Awning D

Marquee

High Rise Building

Projecting Private Q

Projecting Public Way Public Way Use -Permit #

SIGN CHARACTERISTICS: Non- Illuminated Illuminated Changing Image Video Display Flashing

DISTANCE FROM:

Curb Line: Jrtn'

TOTAL SQUARE FOOTAGE: Square footage of this proposed sign <??7ff Gross areaproposed signs

<oSZ) Area of all existing signs

(not including proposed) on Zoning Lot &/

Expressway, Toll Roads or Major Route

(n/a if over 1000 ft)_

Park (over 10 acres)_

Residential Zone

Existing Off-premise on same side of street:

Signature ;

(Revised 4/10)