



# Office of the City Clerk

City Hall  
121 N. LaSalle St.  
Room 107  
Chicago, IL 60602  
www.chicityclerk.com

## Legislation Details (With Text)

**File #:** Or2015-14  
**Type:** Order  
**Status:** Passed  
**File created:** 1/21/2015  
**In control:** City Council  
**Final action:** 3/18/2015  
**Title:** Issuance of permits for sign(s)/signboard(s) at 5701 S Kedzie Ave  
**Sponsors:** Burke, Edward M.  
**Indexes:** SIGNS/SIGNBOARDS  
**Attachments:** 1. Or2015-14.pdf

Date	Ver.	Action By	Action	Result
3/18/2015	1	City Council	Passed	Pass
3/12/2015	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
1/21/2015	1	City Council	Referred	

### Committee on Zoning, Landmarks, and Building Standards

#### (Signs)

**ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to: (Contractor's name and address)**

OLYMPIC SIGNS INC.

1130 N. GARFIELD

— LOMBARD, IL 60148

**for the erection of a sign/signboard over 24 feet in height and/or over 100 square feet (in area of one face) at: (Business Name & Address)**

WENDY'S

5701 S. KEDZIE AVE.

CHICAGO, IL 60629

**Dimensions: Length 12'**

**Height i6'-6"**

**Height above grade/roof to top of sign 30-6"**

**TOTAL SQUARE FOOT AREA: 198**

Such sign(s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

**U0601-IA-WP171**

-CAMEOS MOUNT 8" ABOVE SIGN  
CABINET

*Wendy's*

**QUALITY  
IS OUR RECIPE.**

**3 LINES  
0F8"0H10"  
CHANGEABLE COPY:**

- WHITE ® SYMBOL  
SIGN CABINETS 313 DARK BRONZE

ENTIRE  
POLE COVER  
313 DARK BRONZE

ALL WIRING MEETS NEC 2008 SPECIFICATIONS.

SIGN TO BE WIRED TO A STANDARD 120 VOLT / 20 AMP CIRCUIT.

THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES. THIS INCLUDES PROPER GROUNDING AND BONDING OF THE SIGN.

#### COLORS SIGN SURVEY ARTWORK

-10' SA ALUMINUM CABINET PAINTED 313 DARK BRONZE. I DOUBLE FACE - .150 PAN FORMED EMBOSSED SOLAR GRADE I ILLUMINATED POLYCARBONATE FACES.

- FORMED A.B.S. POLE COVER PAINTED 313 DARK BRONZE. ■ FLUORESCENT ILLUMINATION.

I GROUND CAMEOS - FORMED POLYCARBONATE WITH PRINTED GRAPHICS SECOND SURFACE WITH LED ILLUMINATION.

- ALUMINUM RETURNS AND BACKS PAINTED 313 DARK BRONZE.

■ 313 DARK BRONZE H PMS186 RED

□ WHITE

13 PMS 186 RED HAR

■ MM MOWN\* m PMS 299 BLUE

□ PMS 698 PINK

■ PMS 439 BROWN

• FACE TRIMS

• FASCIA COLOR

• RADIUS DIM.

• BUILDING DIM

• FACADE ANGLE

• OTHER

H PROVIDED □ REQUIRED

R required cistern. 1" melde ClutonSign CHtec he wih Cjmntn mtij oriuumu'lllB dīrjul "b. Hrae contact your ndnpanon ■ DaUon Staff  
for IUUIIKJUDiffa tJULh

V,../. .

3200 VbFJeyview Drive PH 614-271M700

Columbus, OH 43204 FX. 614-278-7525

FILENAME:U0S01-IA-WP171 DATE:1/1/13 REV.OATE:

REV# SCALE: 3/16"-1 DGNR: RTK SALES: T. SHEEHY

Appro'al Signature\* Htqurtd to insure thai CUSTOMER'  
(I spelling, colors, aid speotkatirjns for sgn(s)

DATE'

rendered meets customer & lando'd approv'l]. LANDLORD:

DATE: \_

This origin.il <http://origin.il> design and all information herein are lns property of

Cusinrti Sign Cunter, Inc. Artwork i" suhject lo return if not purcha.pd.

Any unauthorised use il forbidden.

Zajfi" .n: uī't, \*r-ivJ

## WENDY'S SITE #08507 1246 HOPPLE STREET CINCINNATI, OH 45225

### STANDARD INSTALLATION DETAIL DESIGN CRITERIA

90 M.P.H. WIND LOAD / EXPOSURE B / 2011 OBC SOIL COMPACTNESS=2,000 PSF

CONCRETE FOUNDATION=3,000 PSI-5 BAG, 28 DAY MIN. (IF LOCAL CONDITIONS REQUIRE ADJUSTMENTS TO THE ABOVE CRITERIA IT IS THE RESPONSIBILITY OF THE SIGN INSTALLER TO OBTAIN ADEQUATE ENGINEERING SPECIFICATIONS)

LAMPS AND BALLASTS 4 - 672 BALLASTS 2 - LED POWER SUPPLIES 24 - CWH072 LAMPS

3" X 5" X .375" WALL SQUARE STEEL TUBE

BOLT TOP CABINET TO BOTTOM CABINET

4" X 8" X.5" WALL STEEL TUBE

(4 PIECES) 2"X2" STEEL ANGLE WELDED TO FRONT AND BACK OF STUB.

10" X 10" X .5" WALL SUPPORT STEEL

### FINISHED GRADE

SIZE. 11 1/2"X18"X1/2"THK QTY. 1 REQUIRED LOCATION: OUTSIDE BOTTOM OF LOWER CABINET

(1) 4 1/8"X8 1/8" CENTER HOLE (4) 9/16"D. BOLT HOLES

8'-0"

12'-0"

NOTE: ENGINEER STAMP NEW PYLON CABINETS & CONNECTION ONLY CUSTOM SIGN CENTER, INC.  
3200 VALLEYVIEW DRIVE COLUMBUS, OHIO 43204 800-522-2934