



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2018-327
Type: Order **Status:** Passed
File created: 6/27/2018 **In control:** City Council
Final action: 6/27/2018
Title: Issuance of permits for sign(s)/signboard(s) at 2410 S Western Ave - northeast elevation
Sponsors: Solis, Daniel
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2018-327.pdf

Date	Ver.	Action By	Action	Result
6/27/2018	1	City Council	Passed	Pass
6/26/2018	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	
6/26/2018	1	Committee on Zoning, Landmarks and Building Standards	Direct Introduction	

CITY COUNCIL

COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

RE: Approval of sign over 100 square feet in area or over 24 feet above grade

i

ORDERED, that the City Council hereby approves the following sign application submitted by:

Applicant: Western; Bell, Inc. - dba: Taco Bell

(* The Applicant is the owner of the real property or the business tenant of the real property. Do not list the sign contractor, sign erector, sign company or advertising entity in the above space.)

This Order approves the following sign in accordance with Municipal Code of Chicago Section 13-20-680:

Address of Sign: 2410 S. Western Ave.

Chicago, IL 60606

B3-1 i

Zoning District: ;

DOB Sign Permit Application #: 1 1111 1 1111

Sign Details: v

1. On-premise OR Off-premise

X

2. Static sign OR Dynamic-image display sign

2

3. Number of sign faces

4. Projecting over the public way (Yes or No) If yes, Public Way Use

5. Dimensions: Length *fi* feet *11* inches Height *11* feet *7* inches

total square feet in area: feet ^ inches

6. Height above grade: feet ^ inches

7. Elevation (side of building or lot where the sign will be erected): Northeast

8. Name of Sign Contractor/Erector: Identity Services, LLC

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.

T>4 ≤Zfbht 25

Alderman i Ward

Pylon Sign - Breakfast - 75sf

10" [254mm]

n

SPECIFICATIONS

DESIGN PARAMETERS

- Structural adequacy shall be the manufacturer's responsibility using the following criteria:
- 90 MPH 3 second gust wind speed per ASCE 7-05 (115 MPH - ASCE 7-10). Category II, Exposure C.
- 150 PSF per foot of depth allowable lateral soil bearing pressure.
- Compliant with national building codes and standards (IBC 2009, IBC 2015, AISC 14th Edition, ASCE 7-05, ASCE 7-10, ACI & Aluminum Design Manual).
- Refer to written documentation for material specifications.

Cabinet

- Extruded aluminum frame, 10" [254mm] deep with 2" [51mm] retainer
- Aluminum painted fillers
- .167 [5mm] pan-formed SG polycarbonate face with debossed reinforcement at main ID face - 2nd surface digitally printed decal backed up with white
- .150 [4mm] pan-formed SG polycarbonate face at breakfast face
- Faces pinned into the retainer with mechanical fasteners as required
- Hingeable access for service

-SEE MATCH PLATE DETAIL

- 8"x8"x3/8" [203x203x10mm] STEEL TUBE ELECTRICAL/ PERFORMANCE SPECIFICATIONS

- UL & NEC approval required.
- 12V, Class II UL approved system.
- If alternate LED's are used.
 - 50,000 hour system where no greater than 30% lumen depreciation is experienced at 50K hours.
 - Thermally managed surface mount devices (SMD).

Cabinet:

LED(s): (324) AgiLight LS-PRO260-50K-2G3 White (5000K) LEDs (162 ft) or equivalent - pre-approval required mounted to both sides of 1"x1" [25mm x 25mm] alum. tube
Power Supply: (8) 12V/60W LED Power Supplies @ 0.9 amps ea.
Total Load: 7.2 amps
Circuits(s): (1) 20 amp-120V

ELECTRICAL CONDUIT

3'-0" [914mm] DIA.

2.36 CU.YDS. CONCRETE REQ'D
TACO BELL -1 GLEN BELL WAY, IRVINE, CA 92618 - 949.863.4500

LED LAYOUT CABINET

NOT FOR CONSTRUCTION

AUGUST 2017

1" [25mm] THK. A36 PLATE

(4) 3 1/2"x3 1/2" X1/2" [89x89x13mm] STEEL GUSSET HSS 5 563 O.D. x .280 (42ksi)[141 O.D. x 7mm]

2" [51mm]-ELECTRICAL ACCESS HOLE MATCH PLATE DETAIL

8"x8"x3/8" [203x203x10mm] STEEL TUBE 1 1/8" [29mm] DIA. HOLE (4 PLACES) FOR 1" [25mm] DIA. A325 BOLT

PARTICULAR CARE SHALL BE TAKEN TO PROVIDE SUFFICIENT PREHEAT OF THE THICKER ELEMENT FOR THE SOUNDNESS OF THE WELD. OTHERWISE, USE 5116" (emm) MIN. WELD

PANTONE

PMS 2603C PMS 2577C Pantone Black Pantone White

GRAPHIC & COLOR SPECIFICATIONS:

PAINT

3M 3630-20 SW2123

COLOR O Dark Purple © Light Purple O Black © White

@ TB Bronze Tiger Drylac 49-66230 C33