

Office of the City Clerk

City Hall 121 N. LaSalle St. Room 107 Chicago, IL 60602 www.chicityclerk.com

Legislation Details (With Text)

File #: O2018-6769

Type: Ordinance Status: Passed

File created: 9/13/2018 In control: City Council

Final action: 9/20/2018

Title: Grant(s) of privilege in public way for McDonald's No. 335

Sponsors: Burke, Edward M. Indexes: Grants of Privilege
Attachments: 1. O2018-6769.pdf

Date	Ver.	Action By	Action	Result
9/20/2018	1	City Council	Passed	Pass
9/13/2018	1	Committee on Transportation and Public Way	Recommended to Pass	
9/13/2018	1	Committee on Transportation and Public Way	Direct Introduction	

ORDINANCE MCDONALD'S #335 Acct. No. 424575 - 1 Permit No. 1134573

Be It Ordained by the City Council of the City of Chicago:

SECTION 1. Permission and authority are hereby given and granted to MCDONALD'S #335, upon the terms and subject to the conditions of this ordinance to maintain and use one (1) sign(s) projecting over the public right-of-way attached to its premises known as 5733 S. Kedzie Ave..

Said sign structure(s) measures as follows; along S. Kedzie Avenue:

One (1) at twenty (20) feet in length, twenty (20) feet in height and twenty-five (25) feet above grade level.

The location of said privilege shall be as shown on prints kept on file with the Department of Business Affairs and Consumer Protection and the Office of the City Clerk.

Said privilege shall be constructed in accordance with plans and specifications approved by the Department of Transportation (Division of Project Development) and Zoning Department - Signs.

This grant of privilege in the public way shall be subject to the provisions of Section 10-28-015 and all other required provisions of the Municipal Code of Chicago.

The grantee shall pay to the City of Chicago as compensation for the privilege #1134573 herein granted the sum of three hundred (\$300.00) per annum in advance.

A 25% penalty will be added for payments received after due date.

The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs associated with damage, relocation or removal of private property caused by the City performing work in

File #: O2018-6769, Version: 1

the public way.

Authority herein given and granted for a period of five (5) years from and after Date of Passage.

Alderman

Edward M. Burke 14th Ward

Page 1

(Page 6 of 7)
SERVICE WORUAWJr
ARCH SECHOH
LAMPS. 80F-3SH0/W BO F-tB HO/CW SO F-M HO/CW
BAUAST 40 £ f6C3753
Uain Section-lamps 70 f-mho/c*
160 F-6< HO/CW BALLAST <0 C£ fBGSm

i shroud w/ saws roR ram Assaar

111 DO NOT ASSEMBLE SIGN AND ARCHES AND LIFT AS ONE UNIT "

```
ALL JOUR H 9GN TO ARCH AND ARCH TO ARCH TO BE CAUUEI Br SGN (SECTOR III
             awn MA*.
ma uolokgs removable for sower.
SPREADER ANGLE. REMOVE AFTCR ARCH IS BOLTED TO THE SKH.
EACH END OF SK» KJNCED FOR SERVICE CENTER SECTION OF FACE HNGED FOR SERVICE.
DCC&E NUTS-(6ALV>
       1 I/* UOUHTINC BOLTS
       UETAL SHROUO HSTALLED
 ' aoi Enteral
(PO-077800)
9 anchor bolt projection 10 J2 B AMPS (120V 2DA dROIT) UAH SGN 20 IOBC AUP3 ()20V ISA CSCUT)
JUJJTRICAL PER CODE
I 1/2 HA X 66 IC ANCHOR BOLTS (SC-860-J) 10 RECTO
AFTER FOE IEriEVEIID AND 88JED MD PLACE. FILL ENTIRE AREA QHOEH HATE WITH EUBECO fSH R0H-W8K UETAUC NON-RUST O10UT
(7) P REBARS Ea SPACED (

fS REBARS 0 15 OC LONG WAY
ft REBARS 0 18 OC. SHORT WAY
                 EVERBRITE TO FURHSH- NS. AND T.S.
ZZ3
CONDUIT
                           DESIGN SPEdFIATIONS. JCCO PSJ. CONCRETE 118 CU YDS.
                           OQCN NOTES: SGN POLE AND CONCRETE AND BASE ARE DESIGNED TO WTHSIAM) AW) OF 20 PS/
CONCRETE BASE OESGHED IBM A

SOIL BEARING PRESSURE OF 52000 PSF

-A**-. II (5) ft REBARS f THESE SO. CONDITIONS 00 NOT T-I--1 CO. SPACED EXIST IT 6 THE ERECTOR'S RESPONS-]

SOL CCHKTIOHS BY A UCENSED STRUCTURAL ENC94EER.

D33JTY TO HAVE A NEW BASE DESKKED FOR THE EXISTING
                   I 20 X f-2 DJ SKM SKIPPED IN ONE PECE. 1HUM ARCHES SHIPPED N TWO PICES. 1 UOUHTNC POLE MTH BREAKER BOX 4 ANCHOR 80.TS AND NUTS.
```

File #: O2018-6769, Version: 1

5. HANQNC UAIEHAL 7 ARCH FACES

tf-6

tf-6
C~5
INSTALLER TO fUWOSH I CONCRETE BASE.
2. ALL ELECTRICAL OttlPONENTS RBMREO.
i nsiiARr wres frcu bulomc (or source) to and mum the connection to the

SIGN KKHT 2750 LBS POLE HEIGHT 3025 IBS.
PCU UOUNTED BREAKER BOX. «. INSTALLER TO BE SURE SIGNS ARE PROPERLY CONNECTED AND GROUNDED.

MOTE. SOIL CONSULTANT TO VERIFY

- SIGN ³ TRENTATXM

SOIL BEFORE POURING FOUNDATION