



# Office of the City Clerk

City Hall  
121 N. LaSalle St.  
Room 107  
Chicago, IL 60602  
www.chicityclerk.com

## Legislation Details (With Text)

**File #:** Or2011-581  
**Type:** Order **Status:** Passed  
**File created:** 6/8/2011 **In control:** City Council  
**Final action:** 7/28/2011  
**Title:** Issuance of permits for sign(s)/signboard(s) at 122 W 79th St - 154 sq. ft.  
**Sponsors:** Thomas, Latasha R.  
**Indexes:** SIGNS/SIGNBOARDS  
**Attachments:** 1. Or2011-581.pdf

Date	Ver.	Action By	Action	Result
7/28/2011	1	City Council	Passed	Pass
7/12/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
6/8/2011	1	City Council	Referred	

City Council ) H Meeting Date: U Q' > Committee on Buildings (signs)

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to:  
(Contractor's name and address)  
*Arn/Ttxgf, CT.*

for the erection of a sign / signboard over 24 feet in height and / or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Dimensions: Length cJV ?" Height C> ' 3"

Height above grade / roof to top of sign ^ / 3 ^7 TOTAL SQUARE FOOT AREA / 5 9 Fr Such sign (s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

?rffih, ;^Ward

## Sign Permit Application

APPROVAL NUMBER

B-40197

APPLICATION NUMBER

100389823

ANNUAL FEE

WORK CODE

DRAWINGS £3 <sup>YES</sup> ATTACHED J-] m

DATE OF APPLICATION

04/13/2011

ADDRESS OF SIGN

122 W79TH ST, 60620-

BUUMNG

ORK3NAL PERMIT NUMBER

TYPE OF PERMIT

NEW CONSTRUCTION (SIGN)

PAYER OF ANNUAL INSPECTION

STREAHLE, CHRISTOPHER 1450N CICERO AVE CHICAGO, IL 60651

(856)910-7122

SIGN MANUFACTURER

PHILADELPHIA SIGN CO.

ADDRESS WHERE SIGN CAN BE SEEN PRIOR TO ERECTION

TICKET NUMBER

REINSPECTION CONTROL NUMBER

TYPE OF SUPPORT FOR SIGN

BUILDING

SIGN BOARD SUPPORT MEMBERS

STEEL

ANNUAL FEE CONSTRUCTION FEE 1017 B FEE TOTAL FEE AMOUNT PAID BALANCE DUE

Check # for Zoning

200.00

200.00

Check U for DCAP

TYPE OF SIGN PLAX OR BOX

FT.

24

rs. 7

SQ.FT.

154

FT.

6

I SIGN HFIJGHT ABOVE GRADE/ROOF

200

15

SHAPE OF SIGN REGULAR

SIGN WIU READ

FORMAN MILLS

NO. OF LAMPS 90

TOTAL WATTAGE 60

TYPE OF LAMP OTHER

NO. OF BALLAST/TRANSFORMERS 1

INPUT OF TRANSFORMERS 120

CONTRACTOR WTLL INSTALL In! feeders | V| CUSTOMER LEADS

TYPE OF SWITCH

KNIFE

location of swttoi LISTED FLUSH TOGGLE

SIGN LOCATION

TO INSTALL MENS LADIES KIDS SIGN ON WALL

The undersigned certify that the s

% m ttn\* annbcirioti are tout: and correct and that all work done under the nmnnrd nerrrit will conform to the temdranenf of the Oricago MunicmaJ Code

EI2960

ELECT CONTR

LEROY ELECTRIC. INC.

ELECTR

ADDRESS

P.O. BOX 553 MEDINAH, IL 60157-0553

SUPERVISOR SIGNATURE

N93883

SIGN ERECTOR

MODERN SIGNS INC

SIGNER

.ADDRESS

1727 ARMITAGE CT ADDISON IL. 60101-

SIGN AT IIB F

The permit issued on this ipptcaooo will smbonzc only siigns here applied for if oilier signs are io be erected they miKi be covered by addjDeoai peiitun

City of Chicago Richard M. Daley, Mayor

Department of Buildings

Richard Monocchio, Commissioner

ES\_PERM\_APP WEB CEH010808

AP #100389823

Page 1 of2

.USTNESS cffir

Other. CLOTHING RETAIL

SIGN BOND REQUIRED?

{xj YES

&sz FORMAN MILLS

COUNCIL ORDER REQUIRED

| | YES

JC#:

is special permission required from chief electrical ☐  
letter of request

y' Renewal Date;

Projects Oven fY| Private Property iNIPublic Way

Grant Perm it #:

1	1 Planned I^velopment/Manxiiatfujmg PMD/PDS: Zoning District	TIME STAMP
OTHER	Other PD338	
TYPE OF SKIN:	ADVERTISING jx] ILLUMINATE FJ MOVEABLE fx]	
BUSINESS	("1 FLASHING	
TOTAL STREET FRONTAGE OF LOT ON FEET) 493		
TOTAL AREA OF NEW SIGN (SQ.FT.) 154		
TOTAL AREA OF ALL SIGNS ON LOT (SQ.FT.) 261		
HEIGHT OF SIGN ABOVE GRADE (TO TOP) 21ft 3 in		
DISTANCE OF CURB LINE OUTER EDGE (ft) 199 DISTANCE OF STRUCTURE INNER EDGE (ft) 200		SIGN CLERK
DISTANCE FROM (ft): A. PUBLIC PARK (OVER 10 ACRES) a EXPRESSWAY (IF LESS THAN 1,000 FT.) C. RESIDENCE DISTRICT (ADVERTISING SIGNS ONLY)		APPROVED FOR PERMIT
EF REPLACEMENT SIGN OR CHANGE OF FACE, WHAT DOES THE EXISTING SIGN READ?		REMARKS
Original Payee:		
I-andmarfc Hold:    Status:		
ZONING (OFFICE USE ONLY)		
ES PERM APP WEB CEH010808		
AP #100389823		
Page 2 <		
ENGINr.rRING SHOP		
VINYL / LAYOUT ROUT]M<i; KM]P(t		
Pare; "MW ihk White «732B---		
Am ylia w/ «.<630 - 53 !.'fijliniij] Uclr Vinyl Overlay		
MM C'tn<H l-'lom Frit'.io 0( Acrylic l in 'A'lutM n.jrrl«>.		
- .040 Hunter Red Returns iSlaplRrj Const) notion j		
3t."-11 3(8"		

m %z0 W&m

FRONTELEVATION SECONDARY COPY

SCALE: IM - iJT  
Face 3/16" lhk White tf.\32S - Acrylic Face w/ #3<S30 - S3 Cardinal Rod Vinyl Overlay  
3/4" Offset From Edge O' Ar-i For White Border.  
.040 Hunter Red Returns (Stapled Cfnr.tructi'.-'n.i

SE\_CJir^ARY..CQPY ELEC.r.RICAL.LOAD.  
(4.01 Amps ft) 120 Volts ELECTRICAL REQ-MTS  
(11 20 Amp/ '.20 Vc-ft Circuit?

SECONDARY COPY

ELECTRICAL.LOAD  
(2.0) Amps @ 120 Volts ELECTRICAL RETVMTS  
(1)20 Amp; i 20 Volt Circuits  
i'l'tn n l-w<lulj ty i,tatimi ir. uorncjancdi i,u,h ttvj -ttft,i,fmwi,t-i tS'IO +l- N (l,o-i,t] tHC'r'l<;,al Cfj(tB ott. «f ff'iii <aU« bc,il <http://bc.il> cMr.s.  
rj:<f"; i,l'; :<- y[.;,M:n>vi .tr,t l'nv,iif[ g] jji thr. ^17(1  
'^TAN\_QAJRDJ,ETTER,jlLQTES;  
1. Suffticieni Primaiv Civcnit! In Vicinitv O'Sirin By Others.  
2. Letter Tip Letter Wiring & Fmnl Primnrv Hook-up By Sign Installer. Where Allowed By Loral C""l'm--  
3. Sign Shall Be U.L. Listed.  
4. Mounting Hnrdwnre By Skjr. Instntler.  
5. Full Si7u Di'llmtj TeiniAue r-iirishc.».l With Si7™

Philadelphia Sign

CUSTOMER:  
FORMAM MILLS  
JOB NUMBFR:  
FM017  
SIGN TYPE  
Various  
LOCATION: 122 West 79th St Chicago. IL  
DAIE:  
03/16/2011  
DRAWN BY:  
JLTH  
SHEET  
2 OF 5  
DWG NUMBER:  
B-40197  
EMGIMIER ST-AI :  
lav 0ESIC.M WIND LOe.0 la L". ' \*U FT  
F.xposnrr. c.  
EHGINEEmNO  
shop  
vin 'l/ layout noui'Mi\*,' KMirn  
35'- ll 3/B"

ID'-O -  
24'. 7 3/4"  
. P-ans^?"tables: Kids  
**BUILDING .ELEVATION**  
scale- inc."- i -o"  
34'-[j'

Face: 3/16" lhk White #732't Acyilii: Face V,'/ «f..W - "3 C^tctinnl Red Vinyl Ovoihy  
.063 Hunter Peri Reiu--n«. (Stripled Cu:'slni..t«v>)

#### FRONT ELEVATION

SCALE: IM'- 1-0"

#### PRIORJO FABRICATION FIELD VERIFICATION IS REQUIRED

>,"^1 b-1 r^:ion)l Elor.ti irAl Cudf ilh'fmi ottie« »mp! f;:l)lfr In-^ Cff'-s.

#### FORMAN LETTERS MILLS WALL SIGN

#### ELECTRICAL LOAD (5.0) ELECTRICAL LOAD

Amps @ 120 Volls 113.64) Amps @ 120

#### ELEfJTRICALJREQIMTS i Volt? ELECTRICAL

1! 20 Ainp'! 20 Volt Circuits REA'MTS 11! 20 Amy/120

Volt Ciu.uils

#### STANQA&P. fcEmR NaTE\$;

1. Susfiniont Priinorv Circuit In Vicinity Ot Sinn By Others.
2. Letter To Letter Wiring & Finn! Primary Honk-up Bv Sign Installer. Where Allowed Bv L-. 'ral Coils
3. Sign SMI Be U.L. Listed.
4. Mounting Hardware By Sinn Instnllei.
5. Full '±lzir Dulling Template t'-urni'-;-]-eH Wit'. Sinn.

#### Philadelphia Sign

E: <> m f j\ M v

CUSTOMER-

#### FORMAN MILLS

JOB NUMBER:

**FM017**

SIGN (VPh:

#### Vnrlons

LOCATION: 122 West 71th St Chicago. II.

m\T6. 03/16/2011

DRAWN EY:

**JLTH**

SHE EI:

**10F5**

di/vo Nuwar.rc B-40197

r.MmttrER am

MILX DPStjN WIND 90 WPH

w.ly ocstnu wind load 311 crs-sci. r r

LMGSLIIP. C

1

ENGINEERING SHOP

VINYL / LAYOUT ROUTING / KNIFE

Designated Primary Power Run To -.....

Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

#8 x 1/2" Pan head Screws Painted To Match Returns

Letter Trim Cap to Be Jewelite 1". Red

Letter Returns to Be .040 Alum. - -Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs -

Face: 3/16" thk White #7328 --" Acrylic Face w/ #3630-53 Cardinal Red Vinyl Overlay

Sloan Modular 60 Power Supply 12VOC

7/8" Dia 2" Lg Coupling .....

7/8" Chase Nipple - ....."

Sloan Value Line White Long Modules -

Letter Backs to Be .050 Precoat White Alum. Interior To Be Painted Spray-Lat Starhrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk -.....

Nylon Spacer. 3/8" Dia Fender Washer And Nut Secured on Backside 0( Fascia

3/8" Dia Nutsert.....

Drain Holes In Back Of Letters As Req'd

#### SECONDARY COPY' SECTION

SCALE' 1-1/2" =10"

Mens - Ladles • Kids

#### SECONDARY COPY

#### ELECTRICAL LOAD (2.0)

Amps @ 120 Volts

#### ELECTRICAL REQ'MTS (1) 20

Amp/120 Volt Circuits

Note: This sign is intended to be installed in accordance with the requirements

ol Article 600 ol lho National Electrical Code and/or other applicable local

codes. Tliis inclLides proper grounding and bonding of the sign.

#8 x 1/2" Pan head Screws Painted -To Match Returns

Letter Trim Cap to Be Jewelite 1". Red

Letter Returns to Be .063 Alum. -Exterior To Be Painted Hunter Red

Return Stapled To Letter Backs -----

Designated Primary Power Run To - -Vicinity Of Sign w/a Lockable Disconnect Switch For Service - (By Others)

Face: 3/16" thk White #7328 .....

Acrylic Face w/ #3630-53 Cardinal Red Vinyl Oveday

Sloan Modular 60 Power Supply 12VDC 7/8" Dia 2" Lg Coupling

7/8" Chase Nipple -----

.063" Thk White Precoat Aluminium Insert Panel

Sloan Value Line White Long Modules - -Fabricated "Z" Bracket ~.....- .....

Letter Backs to Be .063 Precoat White Alum. Interior To Be Painted Spray-Lat Starbrite White (Light Enhancement Paint)

3/8" Dia Allthread Rod w/3/8" Thk .....

Nylon Spacer, 3/8" Dia Fender Washer And Nut Secured on Backside Of Fascia  
3/8" Dia Nutsert  
Dra -, Holes In Back Of Letters - -  
As Req'd  
' Ltr. Return

FORJVIANJ^TTERS^XCtION

SCALE: 1-1/2" = 1'-0"

**PRIOR TO FABRICATION FIELD VERIFICATION IS REQUIRED**

**FORMAN LETTERS**

**ELECJBLCALLOAD.**

**(5.0) Amps@ 120 Volts ELECTRICAL REQ'MTS**

(1) 20 Amp/120 Volt Circuits

**STANDARD LETTER NOTES:**

1. Sufficient Primary Circuit In Vicinity Of Sign By Others.
2. Letter To Letter Wiring & Final Primary Hook-up By Sign Installer, Where Allowed By Local Codes.
3. Sign Shall Be U.L. Listed.
4. Mounting Hardware By Sign Installer.
5. Full Size Drilling Template Furnishnd With Sign.

**Philadelphia Sign**

7117 UVs/ Spring r.iuila S/rct fWii.'i/fii, \Vir l,-i\*,-u fjN/i.l

CUSTOMER:

**FORMAN MILLS**

JOB NUMBER:

**FM017**

SIGN TYPE:

**Various**

**LOCATION: 122 West 79th St Chicago. IL**

DATE:

**03/16/2011**

DRAWN BY:

**JLTH**

REVISION:

SHEET:

**4 OF 5**

OWG NUMBER:

**B-40197**

ENGINEER SEAL:

WAX DESIGN WIND SPEED 50 MPH MAX DESIGN WIND LOAD 30 LBS/SQ. FT. EXPOSUREC

this 15 an Gntcl.'iAi uti'u"iii:Hr[" ["is'.wy,

fPFAlin PV iISO II IS SU\*Miiii" M": VOL"i"

\*["sn'JAt usi ii."n-iiii'n",il.-!;>vriiA'i:ii:u:ii

BEW, '-L.W0 tr:ii \*<V,i ey i'(-, || ii.-y: i(i

f.f snpv/N r(. fffivir r-uisim vanri

!": m i'

i"i i

r i'