



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Details (With Text)

File #: Or2011-756
Type: Order
Status: Passed
File created: 7/28/2011
In control: City Council
Final action: 9/8/2011
Title: Issuance of permits for sign(s)/signboard(s) at 3302 W Belmont Ave - 179 sq. ft.
Sponsors: Colón, Rey
Indexes: SIGNS/SIGNBOARDS
Attachments: 1. Or2011-756.pdf

Date	Ver.	Action By	Action	Result
9/8/2011	1	City Council	Passed	Pass
9/1/2011	1	Committee on Zoning, Landmarks and Building Standards	Recommended to Pass	Pass
7/28/2011	1	City Council	Referred	

CITY COUNCIL July 28, 2011 COMMITTEE ON BUILDINGS (Signs)

Ordered, that the Commissioner of Buildings is hereby directed to issue a sign permit to:
Shaw Electric Sign Company 356 Prairie Mist Dr Round Lake IL 60073
for the erection of a sign/signboard over 24 feet in height and/or over 100 square feet (in area of one face) at:
3302 W. Belmont Chicago, IL 60618

Dimensions: Length: 35'. 10" Height: 5'.0"

Height above grade/roof to top of sign: 27' Total Square Foot Area: 179 Sq Ft

Such sign(s) shall comply with all applicable provisions of Title 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code for the City of Chicago governing the construction and maintenance of outdoor signs, signboards, and structures.

1

CITY OF CHICAGO

DE F»/ARTIVI IE IMT

Sign Permit Application

I00398288

ANNUAL n-1:

OKAWiSfcs

"ATTACHED

3W^WrBEL^^0&^t.A.v.E.^o«i»1"^^•

'NEW GdM'WU.CTIONifSieN')

;5S5:B0!s'DS'nREL?i: ("*47-V520-t"2S5-.

KIEKEER

iwa;T.»i)iiHi(it'

0'

TW,%^wrWsto.-! BUILDING

st<a'j»MK>;i[j]>*R('i.ili«L.C'!.V- STEEL

ANNUA!* f-Eg

!CONSTR OGTIOtylrEE

TOTAirFEE AMOUM1 !»AI!>:

Chi.-cJi'rV fiir7onin>>

200.00

200,5(1 ... Chms ummAP,

rm*#m ^LAtf\$OR m»
vomit rr; •35' w'; 10 ■ •IfiilOfl. re; ■5 w 0.

jbj itr,
i.7?:
US-
400'
f.r 27
siwBiocBOB- REGULAR
samimx-trnm KIVE BELOW'
tin ta lamps
275
.fl'^iVr) ilW, .OTHER

E1

.CUSTOMS MiMK
KNIFE
INSTALL ONE (05'-0" X"35^!0*" REMOTE LEPdHANNEL LETTERSm FRCIOT'EliEVAT.ION
E76997
Arranges
•3;5|r|i^lRIB-MIS'KiI3R= ROWNDIbA'KE. iL 60073-
N92870
^ ^u<^K^ir!«>ji
:si^iA\V:EtEerrRiG
SIGNER
rtumm-
356-;pr^llUE;MISri3R ROUND liAKBIL. 60073
"City of Chicago
Rahm Emanucl.^Vlayor

Department of Buildings Michael Merchant, Commissiixifr
•AP r.1M39B238
Page.i of 2
-i.-COMSaERCIALi
Oihtr: RETAIL
'•ttnme;- Bt.y.E:BE»&W
Renewal Date;
l?rt)j£ctsiOven; |x]Public-Way
'Gr^rteTriifS:
.CWRcfet Ij .QRIJfji REQUI RH>
LXIIfVES
tS'SKUOAS. 'mttfiSSION •REOfetREO^R^M^EFEi.ECnijjCAr.
□ vies
^V\^a^_f^d£t^MaBur^ti^ PMIMPDs: Pis) 1.7.1 :ZoT%pfetrctci; .OTHER: Otto; PP1.7/.1-
TIMIt STAMP
TYPEOBSItSNr
Pl.ADvekirsiNO ; fxl husini-,,s.s
1X1 ILLUMINATE
MOVEABLE
IM5
TOTAL AREA ORNfcW SKIN. (SQ.FIYI
179
1179
HKIGirr.OFSIOKAJK>yEORADE(TO'raRj
32iV. Oin
distance erey Kn'tii ne oijte r< npge.x a j
600;
600

"APPROVtaJ.FORjfiEHIMIT
DISTANCE. FROM.(ft):
A. mfBLIC'RARfC (OVERJOACRES) Bi KPRrSSWAYfJlVlBS-TT'iAN' lloQoTTjj '&,RKS!;OBN"GE-OIS-i:RKarfAOVERT)SING;SIG«SO'NL
REMARKS
iigii^!>M^«©fr^C!« otf.RwjicK op itacr'.wiut-dok tub exkono sign
.OrfejiaLr^ayei;'
Landmurk Hold:
Statu*:

zoning: joraieirusE onev >

AP«:i003¥8>88

'Rage2 of3

;Site: Address: 3302 W, Belmont Ave.

.6fc-.:2 appii^tions

ISigh Company: Kieffer & Go.

Rename: ^^araccidjo

Phone (; 847j620-1255

EXT

'bw: BuUiUngitstrei&.imdrh^ North

West

East

SIGN 'USE:

Bu& 10 (Oi-premise),

Business Lice. #

II!

,^dyertii5^T {0if?prenuse); O

Li

South

T¥PEOPSIGN: FlatWaJl , S

freestaHdkg Q. Awning

/Proj!»tiEg Private

iProy ectijig Public Way Q

PuhUclWayVse. -Permit 0

SIGN:;Cffl^OIA^RIBtlC:S: 'jfon- Hhanihated? ' 9,; HlutnSriated' ®! Ghang^s|rnag<s: • J3*; Vidfe.Disp% •

.DISTANCE FR®M:

Primes Permit

IfoTAL SQUARE^FOOTAGE: ^Sojaareilbotage of this proposed sign 179 (Jross area of all proposed signs 1^9

Area of all existing signs (not including proposed) on Zoning Lot_

Expressway Toll .;Roads, or Majior RBute

__ ajif W l&ta) __

"Park (bwr'iQiaciysk R^ideatial Zone

EMslih;©ffip^mp;6n.: samesideiofstreet:.

Signature:;_. Dafe?_

OF BUILDINGS

Alder manic Ackno wledg ment Letter

TQ: pepartment^of Building^ DATE: to __, 20.

121 North LaSalle Sireet, Room 900 Chicago, IL 60602

I am, aware -o} the application' for-a building, permit at the--following:'address. I have no objection to its

issuance,
Address¹: .
Date: of Application: ____-__-____
Type of Permit: 6j bK- 2 f^H \< & ICVQ ^ ^fi/irft^^__..
Signed;

Richard M. Daley, Mayor City of, Chicago
OW OP CHICAGO
©EBMTMEMOF- ZOWG AND £ AND USE PMNlp^
SIGN SITE PLAN INFORMATION k f^ ^ ^ LEGIBLE)
Site Address: 33Q^^:>Beimpritj^e.,
2 of '-%■ • applications
Sign Company: KtetTer & Gos
Rep Name: ^anyCaracciolo.
Phonef ^84Zj520^255--
EXT
(Below: Building, sbx^imd'IScMo^.pf^ n on} tofbrstrudure) North
West

East
South
SIGN USE;
Bus. T-P (On=piremtse)
Business Lice. #
jPERMIT TYPE:
^<few Construction ®
Change of Face
Prfiyious;Permit;M Q
TYPE OF SIGN: FlatWaJI
A willing
uee.
High:RiseBniiding P'rojecting; Priyafe Proje^ng.P^blio Way Public Way Use-Permit #

□

○

Q

Q

SIGN CHARACTERISTICS:

Non-.flf^inat&i O Wuminated © Ghai^Lng;Wage' Video Display O Flashing Q

DISTANCE FROM

Curb Line: 20*

TOTAL SQUARE FOOTAGE: Square footage of;this proposed sign ^CSb'ss'-area of all proposed signs 191
Area of ail existing signs (Hqtiin0^g0bjp^s^ onJZoning Lot
191

Expressway, Toll Roads qrMajor^RoutM (h/a: if oyerff)

Park |oyer 10 acres^ _

Residential Zone:

Existing Offrprehiiseorr

JsameisideSf-lrreefe- .. _-

Sijgpatore

(RetjsedilAO)

or
as** imm1 >°i


m

Illuminated REMOTE Channel Utteri
0 '48" l|t|fnatly Illuminated REMOTE ChannelUtsre w/ TasJlne Cahnel
Not to Scale
Site Plan

Kennedy Plaza, Gnicagp, IL

y,i.< wte^sw'ra.gvaBj mivtunm-uH'miiunmiiui

MMUijJ M9j^~
ami]
Seiv« atom eoMptopj,
LISTED mri
fttririlum
Mo _



B61039

mmmm

Site Identification
Frorit-'Eifevation

~~~~~g nzrvnz&j s  
Submitted l.tD  
"Storefront to b© ttelorfnln«l pot  
tha.Rvo Betow'pfohs  
•Facads To Be Pofritod  
•SWJgSS? Blus'by Tenant  
•Catwpy.UBHlng PravUrt km) Installed by Tpnant

;&anIEl££flüQ'.

CHAHH£t,LEH£fi:SET •REMOTE; inference irart^

Kennedy, Plaza, Chicago,- IL

, Uti'ir31trntiUjuhtUf.tl ittM' fI0»Irfll)(SyO IIC »tl,11(7)110-1\*4)  
iuuvh JUS\_

[BiuuiiitK 'tm](#)

c©us

LISTED

cowuiMfou,

««ittlu«».....\_

M#< '■ - - -

431 -'.....

•W -\_ ->e> --

-5 \

B61039>

(in" futi-irttillj- lltmmiittliitl flhaniit'ltMi-.r\*

Ri'Miale

LetterSet Layoul

BtBERftISWCIFiCiTiOWS

COLOBSPeCIfJCaTiOMS

Milaia^':iM(t,iiS&, •

-9,\*

Smsttfttrm.n'

bid

~v<r

■A- -

tceiMi: liffiS.

IJllial<:J- -

iiutufc Ji8\_-

.tun J4£\_ll\_

~

u

3

tiwvidulirectomml Um\_

\_i\_\_\_\_\_||i'!';;i!

'\_\_\_\_S\_\_\_\_3EEE" \_HB\_\_b\_\_\_\_

1

rr^i , -:r.r =.jv ; ~ " -\_PT.i

2S--8'

fiV6 BEL°W

■Site. Idehtification Side Elevation

.Siapia\_\_\_\_-

Roof<sup>5</sup>- i\_\_W\* remit tl hmm>

'Pacodo To Bo fi •SW S6950 Btita"

CHANMEtEtEtERSCTW.TsjlInliC'aiinet-REfflOfE Referenca Drawing ^BSloaSCfofOBcotalfoffandSpocHfsatlans

iu,i.»-»rf-ir  
w>l:liiiMi,rim>iu.ii>ll>-iMi  
■uum£ tiiiiitifim.i  
Mil; . Vi'UM  
cmmm  
• lasntmiiMinm ■  
iltigittw\*  
4» ■

# -Bite

4§" Internally Illuminated Channel Letters w/Tagline  
Remote

Letter Set Layout

hoi stuff, cool prices.

22MT  
\$Mfi':3/,r-\*SM\*  
GENERALjSPECIFICATtoHS;  
:tate%s!iy talirfnfle. user 'SB w/ teaa'aiuiJiiuiTi'Tig uw Box Sign,' Mtnfeum Bb \$tljr to \_c ; iwifaciirea tisinc om'<a tarmoa '.iDO'nlniilin) wHlVrouiad'hipy  
lar ttskm 8« tiayfr.Oio • S'»^1oro\fe os^pniww 2\* wits iotmst (tiwjsi, wS a.»,«t'<ijjiK %V. Fats aie '{OWtJalumHfl) anil tacWwISi Wlrts Au»fe panel; Gackw  
anil i»» lu few\$!niiri1inS\*;  
WwSPECfCALiDffi. Inismat illufniiBtion mi\*M\firmm JSowsraM  
Elecirfcu!  
COLOR ■SPECIFICATION'S'  
;vi) m 03830.-1S7 Brfghl Blue  
fwj fa PihiiBt) BrusScd AUimimja'  
© -CD  
© -  
FOE  
i9l  
'•Kennedy'flaza>'Chicago; IL  
Mil! jaSiiiL  
SS' c©us  
«\*~m-oa»-\*B»<\*. ' LISTED-  
«5» .  
\* » » » » \* » > i .

I5E\_ l>fe'n:-»-|-

Illumination Details

ftUOMSCBIl"  
—\*—@  
»fl\_1mm w-a"m"fa--g - a--^  
+-i-> " Big"-  
ir-stia \_>'^f5\_a=\*\_\*  
!M\_~^>--\_ ^» \_>>\_■

- ss?. r IP\*

Kennedy Rlaza/CiJcago, IL

.. lliiMil'ill-Uatt\_1,U MM«  
em\_wM  
-e(ilio«riiX  
IM«t»V <toftt?l»» tHljf.H . MUIKUS\_EL  
ccvHtis.niii  
J LISTED  
'fWIKWIMHlllin ll«tti6..» \_

J.>> - - -  
-te:  
.(«> "  
B61039C

## Product Belief its

^NiGhia Sihgije Bin SfvIT LED- for Maximum Reliability and Color Consistency

### ^Protective Optieal Lens^

- New epical Lens creates a wide viewing angle which maximizes light coverage.
- Protects LID from lumen degradation and environmental damage
- Nichia has agreed to supply us customer-specific color bins for each of the options in the AgiLight SignRayz product lines. These customer-specific color bins have smaller sizes than standard ANSI color specs, which will result In a better color and brightness uniformity for signage applications. Our agreement with Nichia also allow us to be able to ship individual color corrected temperatures in high volumes to support large custom signage programs.

### i 'Constant Current Technology

- \*CCT keeps consistent curent levels, •eliminating current change due to forward voltage variation in many LED lighting systems.*
- CC? provides uniform light output throughout the entire installation, While also preventing damage from overdriving of the LEDs.*
- CCf allows for wiring in parallel or series without complicated load balancing.*

Confidential

## AgiLight SignRayz® Series Product Benefits

(continued)

## **Over-ftMdeo! Housing Design-**

- Designed to protect components from moisture,, damage, and corrosion
- Utilizes a new double sided circuit board with "thermal vies" to double the surface area for heat dissipation.. Allocs us; to rate product for environments of -4P<sup>9</sup>C to +70°C which is +10° G higher than other manufacturers.
- Continuous wire through module uses iDG connectors vs. soldering for maximum strain relief
- Reinforced mounting holes for #6 & #8 screws or pop rivets. Also 3M VHB tape pre-app)ied to each module

## **Standard 12 Volt DC system**

**Minimum: 50,000 ho;ur rated to the L70 life**

**5-Year Warranty on LED and Power Supplies**

**UL Listed for New Signs and Retrofits.**

**Confidential**

## ***imrotfucing: AgiLight \$ignMayz®***

**Confidential**

s wire through l as IDC connec  
GenLEO

## **AgiLight SignRayz® Series**

### **3 Output levels with various color temperatures**

- BASE - 70+ Lumens/Ft
- Dplo^Temperatures ir^i White \$5P0l< &75dOK:)
- The new standard in everyday signage applications
- Available in colors - Clear Red- Ruby Red, Orange, Amber, Yellow,, Green, &
- CORE - 110+ Lumens/Ft.
- Color Temperatures in White ff\*iOO.K, 3\_0DK,4500K,56O0K,6500K,75
- Ideal for all Letters from 8" deep to as thin as .2:25"

- Maximum Light output for all signage types
- Colors available for Large Programs and Custom Signage

## APEX - 215+ Lumens/Ft

- Color Temperatures in White (6500K & 7500K)
- Maximum impact for Large Letters and Hi-Rise Signage

Confidential