



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: O2015-7599, **Version:** 1

ORDINANCE

Kenmore Eastlake Condominium Association Acct. No.
396816-1 Permit No. 1117627

Be It Ordained by the City Council of the City of Chicago:

SECTION 1. Permission and authority are hereby given and granted to Kenmore Eastlake Condominium Association, upon the terms and subject to the conditions of this ordinance to construct, install, maintain and use one (1) Manhole(s) under the public right-of-way adjacent to its premises known as 2035 N. Kenmore Ave..

Said Manhole(s) at N. Kenmore measure(s):

One (1) at five (5) feet in length, and five (5) feet in width for a total of twenty-five (25) square feet.

The location of said privilege shall be as shown on prints kept on file with the Department of Business Affairs and Consumer Protection and the Office of the City Clerk.

Said privilege shall be constructed in accordance with plans and specifications approved by the Department of Transportation (Office of Underground Coordination) and Department of Water Management.

This grant of privilege in the public way shall be subject to the provisions of Section 10-28-015 and all other required provisions of the Municipal Code of Chicago.

The grantee shall pay to the City of Chicago as compensation for the privilege #1117627 herein granted the sum of four hundred (\$400.00) per annum in advance.

A 25% penalty will be added for payments received after due date.

Michele Smith 43rd Ward

Page 1

The permit holder agrees to hold the City of Chicago harmless for any damage, relocation or replacement costs

associated with damage, relocation or removal of private property caused by the City performing work in the public way.

2 of 5)

^enmore. £^s4-Wc-. Cor&^rr\Lf*
JOB ADDRESS: a035 N. fon^/W*.

- A) Eveready «T Balanced Stainless Steel Valve
- B) 2" 1/2 H.P. ejector pump
- C) 18x24 sump pit
- D) forecast manhole with steps .

Er) 2" schedule 40 discharge pipe H) nonshear femco couplers

7

Pipe, (ine .

IN ill i^acefwttton °f Pr* under systeM