



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: Or2018-149, Version: 1

CITY COUNCIL COMMITTEE ON ZONING, LANDMARKS AND BUILDING STANDARDS

COUNCIL ORDER

RE: Approval of sign over 100 square feet in area or over 24 feet above grade ORDERED, that the City Council hereby

approves the following sign application submitted by:

Applicant*: Cook County Bureau of Asset Management

(* The Applicant is the owner of the real property or the business tenant of the real property. Do not list the sign contractor, sign erector, sign company or advertising entity in the above space.)
ance wnn municipal i_uue ot v_nitagu section ij-zu-oo;

/^5Q(M . PoilL^h]caR0-IL606__12

This Order approves the following sign in accordance with Municipal Code of Chicago Section 13-20-680:

Address of Sign: _J_

Zoning District: PD"30

DOB Sign Permit Application tt: 1Q0753164

Sign Details: '

1. On-premise OR Off-premise.

2. Static sign Y OR Dynamic-image display sign

1

3. Number of sign faces

No

4. Projecting over the public way (Yes or No) If yes, Public Way Use tt:

33 4 11 0

5. Dimensions: Length feet inches Height feet inches

366f 6 . u

Total square feet in area: feet inches

130 11

6. Height above grade: feet inches

7. Elevation (side of building or lot where the sign will be erected): ^O^h

8. Hamgo, Si.nCont.acWErec.o.: SOUth Water Signs / Adrian MoiS

To be legal, such sign shall comply with all provisions of Title 17 of the Chicago Municipal Code ("Zoning Ordinance") and all other

provisions of the Municipal Code governing the permitting, construction and maintenance and removal of signs and sign structures. Failure of the applicant and the applicant's successors to comply shall be grounds for invalidation or revocation of the sign permit.

Alderman

| \ Ward

>-Z

8<

oLU

0

u

CJJCN ^ _I
c c o ~1
iZ, a 0-O <U™ . .O)

_j ° o Z - o
c c co

JZ

o

lo
00 CN CO CN

o

00 if

oS

o

op

B31

X0**

0512
£ a 0 C

ⁿ
T

>
cd >

O

CQ
CD
a
■ii

<y o < °

cd co

cd o

£ ro co o x: >, O o E°-

||

- 2
s £

a ^ Lb co

cd

W CO

= 3
S
S . ^
CD
o a. cd ro 2 o a. w
- C
u TM cd
O CD S-S J J C >
CD CD ' CD ^ » S CD S
? Zr, ES E c co _ £ S J= \$ € .2 > to
' £
Q- In CD re Q. C O Q.

T-1 T CD

o
2 x ^ £
f ro o
X
£ x o CD

W T) CD to
-1 £ W £
CD 3 ro £
1 e > S

2 S S*
t CD C O C D
m S £ U
? € O
= J ?! CC

2 CD- CS o

3 > o g co°-
tig

X

o
X
O o

c %

3 ■»

pC 00
||

+→
D O
u0.

s>
∞
CO

|