



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: Or2011-680, Version: 1

Committee on Buildings (signs)

ORDERED, That the Commissioner of Buildings is hereby directed
to issue a sign permit to:

Chi-Town Signs 1231 Channahon Rd. Rockdale, IL. 60436

for the erection of a sign/signboard over 24 feet and / or over 100 square feet (in area of one face) at:

Family Dollar 6190 S. Archer Ave. Chicago, Illinois 60638

Dimensions: length 29ft. 6 in. height 4ft. 0 in.

Height above grade / roof to top of sign 16 ft. 0 in.

TOTAL SQUARE FOOT AREA 278 sq. ft.

Such sign(s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance
and all other Applicable provisions of the Municipal Code of the City of Chicago Governing the
construction and maintenance of outdoor signs, signboards and structures.

City Council Meeting July 8, 2011

Michael R. Zalewski 23rd Ward, Alderman

<

CITY OF CHICAGO

DEPARTMENT OF BUILDINGS

Sign Permit Application

Arj'KOVAl NIIMOIit

APPLICATION NUMUEK 100378278

ann'ai m.r.

WORK CODE

D1MWINCS Q^{YES} ATTA
<http://ATTACHP.II>

miiujirm

OMKINAI. PIMMIT N<IMIIL:H

typpm-pkkm'i Nc-W CONSTRUCTION (SIGN)

>Mr. P-i* rtrijLA'F'N

01/10/2011

Aitniiirw or .shin

6190 S ARCHER AVh, Mf>3H-

r'rvifu ill A.NNUAI. INST'ir.TIIN

CARDLNAS, CRSAtt. 1231 CHANNAHON ROCKDALfc, 11.60436 (815)710-9555

MK.N MarVui ACITTE<(((

ALLfcN INDUSTRIES

Al))KIC>> Wli>.m:rl((INCANIIL;:-Hi-M'II'On TOI-KIM/II"

1U.MII mimiuc<

iu:INHIT("tioN (.iINiitni. NiiMnru

.>iH..(n:s.iPPom pokkkin ROOF STRUCTURE

SI<INm>rtdM>IT"IM MI-MMhRS STFTI

ANNUALFEt CONSTRUCTION FRF 1017 B I-tti TOTAL PCF AMOUNT HAIL) rVW.ANCK DUE

Check " lor Znnini;

200.00

200.00

Check # for DC'AP

rvrroisuiN ROOK

IT.

2V

ire 6

MJ. IT I I it

iHtmiiitiinAwivi.tinAni-.invv)'

/SO

n, 12

xnA'i; oi mi.n REGULAR

,N/IN ttIU. KKAI

'family DOLLAR

ran Hi: L^MIS
17
TOTAL WA1 YMW
60
wivi.ami' FLUORESCENT
NO. 01* 1)A1:AVrmiANSKikMik*
UWJAL-ItMt:WJJ.J JNVFAJ.L
input or ■itANvrmn mkki
LmTUMI-R.LTAIVS
KNIFE
LOCATION OI'XWUCI
OUTSIObsICN
SHJNLUIAIOM
INSTALL FAMILY DOLLAR PACKAGE
The wntfor>...* ■(«) thl tlo stlt«P<«iij« iliii onolienfivn «>« line find correcl jiu) 't'»■ »H wwk <Vsnl l'n'J' iVi-o.'ftnv.od wmi will -^iOtm "K« mumvincnt; of t^ rViivj.wo Municipal O'«
E92792
lr.PCT COWK
PALOMINO CONSTRUCTION. INC.
P.LECTK
Al«>ECIV1?<
554C. W. WINDSOR ST. CHICAGO, IL 60630-
.tui'nivi.init .SH-NA IUIII;
N93998
SKiNlimirpn
CHI-TOWN SIGNS
SIGNt.K
A||»Hr>H
1231 CHANNAHON RD ROCKDALE IL, 60436
.IUNATV/KI!
Tj«p«rtti(fued on bit jplltutid) umI nmlwize wly siyji. lioc Applied for If oftiur n^rs (vrc lobo 0ract«(I IfCy 't'uil bo covered by h.JJtwnniil ptrmls
City of Chicago Richard M. Ualey, Mayor

Department oi Building*
Richard Monocthio, Commissioner
tS i'ERM app wr.n ctioiows
APft: 100378278
Puge l of 2
frO:ei.'U-80-90
TYPE OK BUSINGS
COMMbRCIAL Nome _
ur:##:
Ollier:
Renewal Dale:
l'rojccLi Over: 0PT^"lx Property
[^Public Way Gram Permil//:
\ I Planned De*elopmcnl/Manuracmrg PMU/HU//: _____
Zoning District: JJ3_ Other: B3-1
TVPP or SIGN: |-1 AnVP.RTISING
fx! BUSINESS
I.I.IIMINATP. MOVr.ABI.li <http://MOVr.ABI.li>Q CLASHING
TOTAL STRPF.T FRONTAGE OP LOT (IN KEPT)
77
TOTAL AREA or NI-.W SIGN (SQ.FT.)
118
TOTAL AKKA OP ALL SIONS ON LOT (sg.K'l.)
278
rniiGHT or siun above c;hadl o o top)
OISTANCr. Or CURB LINE OirrTI EDGE (0) OIS' ANCE OP STRUCTURE INNP.R LDGt (ft)
1611 Oin
DiS i ANCE moM (ft):
A. PUBLIC PARK (OVER 10 ACRP.S)
H. EXPRESSWAY (IT LESS THAN 1.000 H.I
C. RESIDENCE DISTRICT (AOVERTISINM SIGNS ONLY)
IF KhPLACMTINT Stw OK CHANCOOF FM K, WHAT DOES THK I'.XISTINO SKjn WF.AU7
SION BONO REOUJHfcj)?

(xj^ts

COUNCIL ORDER IibOUIRhr)



YtS
IS SPECIAL PERMISSION KEQUIRLD KKOM (MULT KLP.CTRIC AL

[x]Yrs

IF YES. ATTACH i.r.ri LH OF RHJWtST

TIMt STAMP

SKIN (.UiKN.

Al'PROVF.n TOI< PERMIT

REMARKS

1 C 2011

Original Payee:

Landmark Huld: T~\ Statu*:

ZONINO (OKHcf. USE ONLY)

Thl» Appwyaf of Application for signs alwtt net to hold to permit or be on approval of lfi* provlnlrmld.

FEB 24 2011

Cf (ho Chicago Zoning Ordinance, or any other rsqulrgmiMits of ths Munldpla Cods of tr,s City of Chicago ZONING ADMINISTRATOR
PS PPRM .AW_ WEB mmoi08«8

Il h #

AP#: 100378278

: IZZZI^ZLLX

Tagc 2 of2

\>0'£!l 1-80-90

1J/09/?010 02:43

IM608 P. 002/002

December 17, 2010 Re: Family Dollar proposed dlgnage

6190 S. Archer Ave. Chicago, IL 6063R

Dear Sir:

Family Dollar has notified Allan Induntrlos thai a new etora ls planrwd for the abovo referenced locallon. Allon heo had thb opportunity to survey the spaoe, check local sign codes, and recommend a standard sign package to Family Dollar. Drawings for the proposed sign package are allachod.

propqrti

Wo understand thot often inquire if the signage propoBed Tor lhl Criteria. We would approcloto your a< renderings by signing below.

Thank you for your consideration and

Approval

(La---

ies have their own apcolflo elan criteria, and would liko to etoro may bo affected by erty such Master Signage taiowlodfjernernt of receipt of thin letter end signage

MopemUon.

Date: J^QUA^i^ ^ L?£?i£.

Landlord/Landlord Roprosorttotlvojs SlgneUm

Name:

Company:

Address:

Phone:

Note:

Please sign end return to Allen Industries, Inc. via facsimile (330) 606-2010.

Christa Wozriiak i

Allen Industries, Inc |

6434 Burnt Poplar Road I

Greensboro, NC 27409 ,

(800) 967-2553 ext. 3024 j

(336) 668-2791 ext. 3024 | (336) 605-2010 Fax

11/5 #

W:Ci 111-80-90

*r

Query/Selection Results

Page I of 1

ZONE Classification	Ordinance Number	Ordinance Date B3-1			
Building Id From Add To Add Dir Street Type Stories Units Built Sq.Ft. Condition Vacancy	486663	6177	6177		
S ARCHER AVE 1	1962 2200 SOUND				
Map Index	Page Number i2-M 138B				
P,N	AdTess ISdress	Dir Street TVe Suff.X	Cook County Assessor 1	Cook County Recorder of	
Deeds CNT	61/7	6177	S ARCHER AVE 19083320090000		
Ward Alderman	Phone Address 23	MICHAEL R. ZALEWSKI	773-582-4444		
6247 S ARCHER AVE					

[Close Window]

u^.-^..n ----<"-»■..'-.....-,./.,,v^..1«f/^..^ um uwrnon ricriinur>?<5pn/i/>r>r\IniiiiH=7nnina 1/10/2011

11 79 # • ZmZ.qULi '. frO:ei-'Ll-80-90

Map Output

Zoning

| | Business
[S] Commercial | | Manufacturing [| Residential |Planned Development [1 Planned Manufacturing UII Downtown Core | | Downtown Service | | Downtown Mixed
[| Oowntown Residential
Transportation MI Parks & Open Space Zoning BojndErtea
Historic Preservation CHICAGO LANDMARKS j^jj Chicago Landinsrxa | Landmark Districts
Chicago Historic Resources Survey - Buildings subject to Demolition-Delay Ordinance □ Red
| [Orange
m[Forest Preserve Taxi Street Names | | Municipalities
Lakefront ^£ Pedestrian Streets

Buildings | | Parcels ^/ Streets '■. Curbs (7JJ Water §3| Cemetery [~~] City Boundary
nformation provided on the City of Chicago web site should not be used ab a substitute for legal, accounting, real estate, business, tax. or jfher
proleas/onul advice. The City ol Chicago assumes no liability for any damages or loss of any kind that might arise from the use of, n misuse of. or the
Inability to use the City web site and-or the materials contained on the web site. The City of Chicago also assumes no liability for Improper or Incorrect
use of materials or Information contained on te web site. All materials that appear on the City Of Chicago rweb site are distributed and transmitted as is.
without warranties of any kind, either express or implied, and subject to the terms and conditions stated in this disclaimer. __MM -
• .. " •r.t.:-----~/-----u_wlr*<.r\O<it*r\iit-0'\ctrnf*=vi\r\rr[O 1/1 0/201 1

IL # : ItZZMZLLl '■ t>0:£I HI-80-90

*EXHFJVD STAINLESS 3T?ft ■ fASreXERS miVTEQWKTE. SATV" rIVBH
<UUBSE3G*SKE7
r oey «« formed L**»
*ACE--i^***
=472JQALL*MI.VU«
S.VET NUT-
75DI_BE
O-AfC SJWTS--1
FRQWJTV VEW / LIHEAR CiqUP- MH>ALLION SLEVATWU
GENERAL SPECIFICATIONS:
CiauDfORkUTLCGOiVOHVIJO* ANO WORD FORMS AS PER FIN*UZE0 "PP?(C^D DRAWINGS 9ASE|> Ov THE 43" CLCUOS ILLUoRATED. CLCUDJHYAAf SMALL EKCCwPaSSTVIE _DQO MEDALLOXAXOTHETAMILY D31LMT
STAROAto LOGO FORIISALLO'WxOTKE USE OF T-12IHQ'D7LUOR=SCl«T IAAIPKSSYSTeATrL LAMPS. SOCKETS. WRETSAYS «iO ELECTRONIC BALLASTS U.L. APPROVED.CLOUD SIGVSSHAL'. B<AS3EV.3LEOFrW.Z2IIRHICXA--S
BACKS ANO R^URIS. FACr. SHALL BE FORMED .177" TMJCK SOLA*GRAOE POCYCA-IBO<ArE. WTTW AU. COLORS APPUED SECOU> SURFACE. FACE 15 HfIOVV.TH FASTENERS THROUGH THE IVTRLGAL WJXD UP.
MOUNT.IVG PROVIDE) VIA TWO -.7l S7S OF OOKnvUOUS 2 PART 12 SA. STISLT 3AR UOUNr.SJG BRACKET ATTACK EC WITH HA. SS. THRU BOLTS.
LOGO MEOALJO" *s*37 UMCJIE R=0 [LACRvj. fWNG. ■IF^VS]. ANDIrthne TRAMSLLCrKT" FAVMC- M3UMQUERED<LACBV> 00--LAR- <I«. O-IXGE PVLSI
9ACXKER3UKD BORDER" FLANGE * WS.TETRANSLUCENT -S--COAN6E (PVIS% TVT- *« 0 RANGE ;PMSI RETURXS < BACKS wHire
AILCVOIO FACE MTC SCRE?// HIAOS TO BE W-TrH

=ACE MTG. DETAIL
AICt ELINAT*N • &SCALE f^TS
IKTG,3tVaa_ T

rOUCRRCSACL-CSOVslts
AfM. fcW«-wROft5e= ~bJO»G fJ-C ".u^4&AfK) »A^P. fSOt CCD
SECTION VIEW

Proicci Info?malion
Family Point
SVM 3. Andrei Ave. cagacL_
Home
SC
MP
Date ■ Description
iD.Wi» |J-j-itt| Data
Client Review SWus
>L.la roiorz r^3L*£eK A^cvxtaMn fc=arjit£. l»M*-K.L-*p--t-. ■.ia'i--m-vi^Tr%pBf^ne%
«Hv e»>rij»v>T>ojti -ajrus: xaacvertusr
_FACE MATERIAL BURN HATE: | UL>4R^M CLASS RATINO&4V-2
SCALE BASED ON TABLOID SIZE PAPER
■X^fes-r-M-rt-ft*

Industries

3.3 AMPS TOTAL
«v u.\0En<VKrrtR5
ILASOBATOIUES /—JB -«
ELECTRICSIGN

Corporate Headcuartefs
Sl» aim Poptu Rmc, Oar-tax ic 7«K fror-£SW«)--a£3 Fn i^teMJ75
Because Image Is £reryttfn£"

793 Las.
■CaAD PCLY-C^NBCKJ-4^JE-- «TK 1** BEEF
FRONTVCW /LINEARCLOUD- MEDALLION ELEVATION
tcjc=-. -^r-1-r notei all wirs FcecsMwom wars to caowa
;«twc> wukji

3»U3C--4REaD PEA

FRO rtT VIEW J INTERIOR DETAIL
1K36. 1.3T

MEXHEAD SRUMLESS ST=E_-FA&TEVJERS. P*it=0 WHITE SATIN FIKGH
RJS6SR GASKET
2" OE:PIVWORvED
face-►
P4T720 ALUMINUM RI V If-A U T ---
FACE WTG. DETAIL
-V GATED *x
BTHSTAU. T-BrV. 3-REM

NC ICOC BSCS*. -AG. SORBIS ----WSWD «A*TS> WiSvDfi)

Ei

Project Information

familyDoBar
eiMS.AK-toAn.

San
House

SC

MP

Date f Description

Client Review Status

Crtfmca 34-pc is" tlttr "j"-Nue",*leMtn"

JUL

SECTION VIEW

GENERAL SPECIFICATIONS:

CLCUD FORMAT KOCOMEQAUJOA ANC WORC FORMS AS PERMALCECAFRCVESOFWUKSS 3ASS00V THE4S' ILCUdS ILLUSTRATED. CLCUO FORMAT SHALL EnOOMPASSTHELOGO VEDALLICn AND THEFAWY DOLLAR' STANOARO LOGO FORMS ALLOWING THE USE OF T- I2ti00
FI JORESCeVT LAMP>0 SYSTEM W LAAt-S. SOCKETS. WIRETSAYS ANOE"ECROMC BALLASTS U.L. APPTOVED. CLOUD SIGNS SHAU. BEASSEMBIEO FROM
22E-TNICTAss Backs and returns. face shall 9E
FORMED .ITT* THICK SOLAR GRACE POLYCARBOHATE. 'ATT HALL COLORS APPLEQ SrCOK-D SURFACE FACE IS HELOWITH FASTENED THROUGH THE IVTFIEGAL .VOLC6D LIP.
MOUNHL-NO FROVIDEDVU V2' OLA. S.S. THRU BOOS.
LOGO MEDALLOV 'LV UNISUJE RED -LACRYYL. aiSS ORA< GE(FMS) AAOWHITE TRAASLLCEVt FAMILY". MJJ -JNICUE it ED ILAC-PYv COLLAR «IESORAI-SE«F»S]
BACKGROUND BORDER & FIANSE- VHITE TRANSLUC:KT tr 1165 CMAN3E(=MS1 TVT. >I6S ORANGE (PUS) SETUR-4S & BACKS ■ WHITE
ALL CLOUDO FACE VTG. SCREW HEADS TO BE WHITE
tr-St%_tt. r-a.m.-B- <http://r-a.m.-B-> Ennla Tr***

[FACE MATERIAL BURN RATE:

I ULMFUAM CLASS RATKG-'MV-Z

SCALE BASED ON TABLOID SIZE PAPER

/JUen

aw McorpOfsta fits

3.3 AMPS TOTAL

foiptinMi-iA/Awan

Industries

■» UXOeUXVLLrmiLS I LABORATORIES

J-jj -■ a
LL5CT9 C SIGN

Corporate Headquarters

^ aurnlPtrlLhrratl Greerst-Dra, NC 27409

pi»r»aa4Lvr^33 fa x£mn;i Sscjbsb Image IsEwytbing-

CN

CO Co CO CN CO kO

CO I~~~

CO 0 i

CD

O

30 -6' BACKGROUND PANEL

U-W•FA•IL'V CLOUD

13 -rA" DOLLAR' OIOUP

air!

FAMILY

OVERALL Sa FT.= 117.00

TOTALSa FT.= 1727

GENERAL SPECIFKATLOMS: •

^LOUD FORMAT LOGO aiEDALUCA ArO VVCHD FOR US AS PEJ" F1KAUZE0 APPRCVIO DRmVMSS BASED a" "THE -IB" CLOUDS

trATEJ Cloud foawjshallencompass t"=-familyrx.Li^~sr"vi>i^LQLyD?OR^ali^wm.^ the liSEoPT-

IZHOJD FUUJORESCeVT LAMPINjG SY5TEV 'Vj L-V-JPS MfE TRAYS AND ILICTHO^JCFiRLLASTS U.L. APPROVED.

CLOUD SrOsS SHAU BC ASSP«LEO FROM^2C' WICK A3S 3ACX£ A.ND RETURIS FACE SHrUi BE ?0W«D ,177" TrCX SOLAR GRADE POLVCAIQOVATE. WTH ALXCOLCfS A?PLED -SURFACE, 7ACE IS HELD WITH ?
ASTE.IE»STHROUGH THE
INTEGRAL FOLDED UP.

OuDASIG^J U>JITS ATTACHED VC ALUMIMJM 2ACKEROLTIC FWt £l.y/IITH y^T 0IA. S-S THRU 301X5.

Project Information

Famgy Dollar
6190S. Axe tar Ave. Chte-ao, L_
f z r *D ■as a*** _

COLORS:

LOCOMEAOUOX A4J7 -AWUE SED(J»ERYUdCBOFU.VGS,GKIP FLEXL AV3VVH 'FJVJILV -Si">T UNIQUE RED (LACRYLJ 'DOLLAR' ■ A1SSORANGE iPUSI

BACKGROUND BORDER A FLANGE WHITE TRAI SLUCEXT ■C - s 166 DRAAGE<P.'B| RETURNS A BACKS - WHITE
ALL CLOUD --ACE W5. SCRE// HEAD3 TO EE WHITE
: TRANSLUCENT
S9'-0"

BUILDING ELEVATION

SCALE: NTS
FACE MATERIAL BURN RATE: UL 9" FLAM CLASS RATING- 9A/VJ
FACE KCUHTING DETAIL
Hous*
loaano te» flam
Algsclbrarar
KP

HiffliiWrffl.tir,M

ab-rar.iarfCulTAtM'L'Siru.lrc. It TdOW BW'r: 6i'f-r» -Js3> |UJC*tiC^F>r-AA'X^CA3>-l-npKa «r.bl= #
narar>(ar«r')^WrBtJU**.-c.-A«x)^A

industries

2.2 AMPS TOTAL
SCALE BASED ON TABLOID SIZE PAPER
UKDEKWEUT&ES
LAeORATOaiD
Cotporate HeattqutartErs
J>T»r*8f»«T2K3 Fa. 33S66S-7B75
Because Image Is Everything •

C--J CO CO CO OS CO LO CO

**L-
LVF SIGN ELEVATION**

scale. = sm"= r-cr
GVERALL5Q. FT. = 2S94
FACE MATERIAL BURN KATE: UL S4 FLAM CLASS RATIOHQ 94V-2
GENERAL SPECIFICATIONS:
Sign Cabinet: y-rixTJ' (!? deop)de"E>la-racs.d)jij:nR2Ceo3*?iatonal fnenutedLrtd from 17" dee? avrinwncaknelexruS'On &7 aluminum rels'ns- ex^oiTi. stanlvdAileft Ind. ax»vsons]
Illumination: i6J r48TT 2r-.OID FkiOfeoocmlamts pcuwTbc by tfedroric 3alE51 as rpojrad. CU:'yireEiEM.ftch"u1l3i fcxated st trwe" end sole of cabinet
Sign Pe.ce <http://Pe.ce>: {Z}aan rormad 2" deep., 177" Lhic" ponrzitionalefactawftn ITJ" embossed "FAMILY"DOLLAR"coat" and '.it'embosse" copy acrcer. 3egiueTBd markiorx nat (!^crvsttorraceancionjd
inn> 3' rarLir- synnm aid ringed for ssnodng Sign Colors: Gacircr& Retainer
(PMSJJI WHITE
InsnSsTjon- Bg-i to be msialed an enstnc. slaal t»jm serpen "WOTE" AjlooTpcnenD an) U.L.listXnidi U.L Lata".

END VIEW

SCALE: -3>V- I-O'
NOTE: PAINT POLE * READERBGARD CABINET WHITE
0209 UNIQUE RID JGRIP-GUARDI HUE RED ILACRYLI E165 CRAN.3E
2" x2" ALUMSNUM ANGLE STRUTS
■ (E) F^t12HO/O LAMPS i«" O.C
ELECTRONIC 2AILAST _
CO O
CD

LAMPING DETAIL VIEW
SCALE: NTS

WW.

5" HINGED RETAINER FACE
access ;one scei
electronic 9 "■llast as req'd"

12" WIDE ALLEN EXTSL0EO A4 Ur UMIU <http://A4 Ur UMIU> FRAMING SYSTEM
FORMED POLYCARBONATE (177") FACS VvrTH EM30SSED GRAPHICS ISEE FACE PR0F8.E DETAIL)
F4BT12HCVD FLUORESCENT LU/PS 4-OIA. INTERNA. STEEL SUPPORT
INTERNAL STEEL MATCH PLATE
EXTERNAL MATCH PUCES WELC-ED TO EXTERNAL STEEL SUPPORT
Project Liformation
Family DcTar
6190 S Archer Ave .Ctileaffx.IL <http://Ctileaffx.IL>
rTM518.CMTaao 1.4-1x7-« Cabinet
SC
ifcLi
House
Dale I C. escrialiar.
mn»m HanaDaru
PnaslJEnr*r IAP
SECTION VIEW