



Office of the City Clerk

City Hall
121 N. LaSalle St.
Room 107
Chicago, IL 60602
www.chicityclerk.com

Legislation Text

File #: Or2011-702, Version: 1

142- %^{ns}

Committee on Buildings

[signs]

ORDERED, That the Commissioner of Buildings is hereby directed to issue a sign permit to: (Contractor's name and address)

1^3,5 ?3nuoes> RootA_
Elcyo XV- 6013,3_

for the erection of a sign/signboard over 24 feet in height and/or over 100 square feet (in area of one face) at: (Business NAME & ADDRESS)

Un'ikJ A'*r\ines_
11 >H> VJftclm- DrWt_

Dimensions: length 50. height 5 ^
height above grade/roof to top of sign < TOTAL SQUARE FOOT AREA
sign 580'

Such sign(s) shall comply with all applicable provisions of TITLE 17 of the Chicago Zoning Ordinance and all other applicable provisions of the Municipal Code of the City of Chicago governing the construction and maintenance of outdoor signs, signboards and structures.

4i_
Alderman, Ward

CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING

SIGN SITE PLAN (ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

Site Address: "11 VJ . NdnftW ftfivf.

1 of^L applications

Sign Company: Sllf 6. Li^Wr ^ifl^ P-omOCLfi^_Rep Name:.

Phone (tMI)cQ\H - ^\5^5 .EXT (Below: Building, streets and location of sign on lot or structure)

West
PD,8_4,lJ

East

SIGN USE:

Bus. ED (On-premise) CS Business Lice. #

Advertising (Off-premise) ☐

PERMIT TYPE:

New Construction Change of Face Previous Permit #

South

TYPE OF SIGN:

Flat Wall . \$

Freestanding ☐

Awning D

Marquee D

High Rise Building 0

Projecting Private ☐

Projecting Public Way 81 Public Way Use -Permit #

☐

SIGN CHARACTERISTICS:

Non-Illuminated ☐ Illuminated ☐ Changing Image ☐ Video Display ☐ Flashing ☐

DISTANCE FROM:

Curb Line: 12'

TOTAL SQUARE FOOTAGE:

Square footage of this proposed sign <3~f5

Gross area of all proposed signs 550

Area of all existing signs

(not including proposed) on Zoning Lot QT

Expressway, Toll Roads or Major Route (n/a if over 1000 ft) y ,tt>Q Park (over 10 acres)^ i ftnt)

Residential Zone y /floes Existing Off-premise on same side of street: >51^

Signature:

(Revised 4/10)

Date: fa-S^-))

North Garvey Court / West Wacker Drive - Uoogte Maps

Kage I ot l

Google maps

Address North Garvey Court / West Wacker Drive

j Save trees. Go green! ^g

I Download Google Maps on your , phone at 900gle.com/gmm <http://900gle.com/gmm>

<http://maps.googlexoiTi/maps?f=q&source%5e> 6/29/2011

SIGN LAYOUT

mi.

-----i-:

MffiABDjfagittfjya^

SCALE: 1/32" = . V-0"

CLIENT APPROVAL

OA't:

LANDLCDR APPROVAL

National Signs

2611 EL CAMILLO HOUSTON, TEXAS 7705< TEL: 71 3.863.36C0 • F e: 71 3.863.7585 www.rJatlDnalStyn5.Ccm <http://www.rJatlDnalStyn5.Ccm>

PROJECT: UNITEDARLINES

LOCATION: 77 WEST WAKER DRIVE

CITY/STATE: CHICAGO, IL

SALES REP: GREGG HOLLENBERG

DATE : 6282011

DRAWN BY: O.U.N.

DRAWING*: NSIT 16763

u.uwxoi ..jlii tim

COPYRIGHT

IHS fit*DESIGN IS T:-E FSOPEIY OF j-Horj:L

signs, lid A'y PEPr:oDucio:: or E>nisutON a>

In'S OBA:'.>T, 15 WPiCTIY P*OHIPWID S?CU rWIONAi SIGNS.LIOSi RICHii SERVED.

i 20 VOI-T ELECIIVICAL SERVICE ciitfH :o psov.d? -v.I pn.\.:lo{ electrical

St«JVICISJO«tIG:JUf:U5SO:H5f.V.'>SEIFEC:FI«0.

@ UL INSTALLATION REQUIREMENTS @ I

>IS SK-U IS IfIEMOSD to JE IN S7 All £9 IN | ACCORDANCE V/TI-f IHE P=nu.CEVE."o C' AffiiCl.il <http://AffiiCl.il> I
aoO Of //(£ .vai.o.v-1 tLiCl-iC": cod- av>o? I
OIH*P IfFPIICWE LOCAL COToS. IH.S INCLUDES §
?.»0r£fRG50w^:GA.'OI30?-o:: G0F7^:sa3ri. f

SPECIFICATIONS

FABRICATE ANO INSTALL TWO SETS OF REVERSE
ILLUMINATED CHANNEL LETTERS AND TWO NON ILLUMINATED LOGOS
A REVERSE ILLUMINATED LETTERS READING UNITED*
• FACES: .125" ALUM. FINISH: PI
• RETURNS: 4" DEEP .063 ALUM. FINISH: PI
• BACKS: .15L3"CL£AJJ POLYCARBONATE
• IIWMNATION: WHITE LEDs
- REMOTE POWER SUPPLIES ON BACKSIDE OF WALL FOR FUTURE SERVICE
• MOUNTED: WDTVIDUALiy ON WALL WITH 2" STANDOFFS PAINTED PI USING MINIMUM 3/8" FASTENERS
WALL MATERIAL: GRANITE / CONCRETE
B NON ILLUMINATED LOGO:
• FACES: .125" ALUM FINISH: PI
• FACES ARE BUND STUD MOUNTED TO 2' X 2" X 3/16" ALUMINUM ANGLE FRAME
■ 6"DEEP .043 ALUM. FINISH: PI
• ALUMINUM BACKS
• "GLOBE" INDIVIDUALLY ROUTED. 125" ALUMINUM ELEMENTS TO BE STUD MOUNTED FLUSH TO LOGO MODULE FACE FINISH: P2

J

ELECTRICAL LOAD: 10 Amps \$ 120V
ELECTRICAL REQUIREMENT: ONE 20 Amp CIRCUIT el20V
FINISH SCHEDULE
PAINT COLORS ■ SATIN FINISH
P1:MAPSHVER JOB P2: DARK METALLIC SILVER APPROVED BY..._

SIGN LAYOUT

SCALE: 3/16"= 1'-0"
1SGMEP

Page 3 of 5

CLIENT APPROVAL
LANDLORD APPROVAL

sc*a>.
DATE.:

National Signs

. ' f 2411 ELCAMJKO * HOUSIOK. TEXAS 170H
iEL: 713.863.0600 • FAX: 713.863.758S www.Na.ic>naIS[gm.com <http://www.Na.ic%3enalS%5bgm.com>
j PROJECT: UNITED ARLINES
! LOCATION: 77 WEST WAKER DRIVE
CITY/STATE: CHICAGO. IL
j SALES REP: GREGG HOLLENBERG
6.28.2011
IDRAWN BY: O.U.N
j DRAWING*: NS11 16763
.hi.....wiilj i i i j i. i'uv'J.»v:wujj~»i»J~I.
• • AU-IABORfS
COPYRIGHT
IHiii f>.itibf.r.G thk ■»vo'iuirt oi- ti-:iC:|Ai
Si&L-S. iID. WI O-f>MMHO.'i' Qf
!>'.il DPAVMfIG IS STTfJCTU/ =PCKEHID Ctd!
rjlnor.'AL signs, lId m siG=ns rejecvko.
120 VOLT E.ECTRICA. SERVICE
Ct.JMI TQ PHOVICE ALL PRIVAtfif Elf C."RICA! SFRy;CESf0^1=S^5^■U^M^ISO^E?~^.'!^Eyl'C^FiiC.

i\$)
ULLVSTAUAT
ICW
REQUIREME
NTS ® s srK
fr { "ED TO EE i
lit i CCO A "E
1-MhE ECUCJ
". rAl £ 400 Of
H J F iC
<~ I CXF " ^O"
'01H"P:ArfMCA2
IC LOCAL
CODES " rr-
fi^WCiJJCS
PTOrE Gf ->
t &C OH C
LETTERS

POINT OF ATTACHMENT: 3/8" All THREAD ROD WUH 2" STAND OFFS
DOUBLE NUTS INSIDE LETTER AND NUT WITH OVERSIZED WASHER BEHIND WALL AS SHOWN SEE FOLLOWING PAGE FOR ALL ATTACHMENT POINTS
• RETURNS: d" DEEP .063 ALUM. FINISH: PI
2-DEEP GRANITE V SPACE
2" DEEP CONCRETE
REMOTE POWER SUPPLIES FOR FUTURE SERVICE
- ILLUMINATION: WHITE If Ds
BACKS: .ISO" CLEAR POLYCARBONATE FACES: .125" ALUM. FINISH: PI
PAINTED PI USING MINIMUM 3/6" FASTENERS WALI MATERIAL GRANITE ! CONCRETE
SECTION DETAIL 1 SECTION VIEW DETAILS

SCALE: V = 1'-0"
CLIENT APPROVAL
LANDLORD APPROVAL
LOGOS

«*S*i

SECTION DETAIL 2

-> POINT OF ATTACHMENT. 3/8" ALL THREAD ROD WITH 2" STAND OFFS
DOUBLE NUTS INSIDE LETTER AND NUT WITH
OVERSIZED WASHER BEHIND WALL AS SHOWN
SEE FOLLOWING PAGE FOR ALL ATTACHMENT POINTS
RETURNS: 6" DEEP
-> 2" DEEP GRANITE
-> 1/2" SPACE
-> 2" DEEP CONCRETE
-■ FACES: 125" ALUM. FINISH: P»
-> "GLOBE" INDIVIDUALLY ROUTED. 125" ALUMINUM ELEMENTS
TO BE STUD MOUNTED FLUSH TO LOGO MODULE FACE FINISH: P2
-■ 2" X 2" X 3/16" ALUMINUM ANGLE FRAME

Page 4 of 5

National Signs

2611 EICAMINO HOUSTON, TEXAS 7705.1 TEL: 713.663.0600 ■ FAX: 713.863.7565 www.NclonalSigns.com <http://www.NclonalSigns.com>
PROJECT: UNITEOARLINES
LOCATION: 77 WEST WAKER DRIVE
CITY/STATE: CHICAGO, IL
SALES REP: GREGG HOLLENBERG
6.28.2011
DRAWN BY: O.UJN.
DRAWING#: NSH 16763
HMMOMMwii.iigiv.iviiiiiu. ynm**<- i,«^u-ii,*
ON AU PAWS, AjiIABOR,-* Aji SIGNAGE:-

COPYRIGHT

:ms RtJJD-P.:TG IS IHE nvo^iFP* 01 rtAJiO.V-VL U&r., ltd. a^v PiPROOyc^Cf-t OS Em e;nOfi Of Mi DPA^AV.'G II SfrJCILV PPOH81UD. E?C11 fiATIONAL SIGN'S. LVD. ill RiGKIS PiSERVtO
120 VOLT ELECTRICAL SERVICE
Chen; io provee ah primary electriCai
@ UI INSTALLATION REQUIREMENTS @
1MIS SIG-: :s iint^OEO IO BE II. jJMUO I^J ACCO^OAN-t V.-JH JH; ^rCV:CUJ.t.f;\$ Of APEICIE CCC C+ IH(NATIONAL fiICI3JCAI COD: AIOOK? OIHIS AfiIJCABLE LOCAL COCE5. THS .VCIICIIS
r5or-c?c-c;ojjr.GiNGAr,o6a^-"»:'.!.'Got the sigk.

4- = POINT OF ATTACHMENT AS NOTED ON PREVIOUS PAGE

ATTACHMENT DETAILS LAYOUT

SCALE: 3/16" = 1'-0"

hiiiTOiBiassi;Hl^^-

Page 5 of 5

ON AU. PARTS, AU SIGNAGE. ;

UD. &Er)OduCION OC E^w^iIT:0j C^ Jrii DW;''JG ti SimCITY PPOHialTD <".Oii fiAT.C^:AE. SIG-^L1D.ALI ITIG-dS S-M&VTD.
120 VOL! ELECTRICAL SERVICE
C^JENU 10 iPO^JOE ALL i-MJ&i ELECTRICAL SERVICES IC THE SIGN UI^J SS OIH! RV.1SE IHOIM D.

CITY OF CHICAGO DEPARTMENT OF ZONING AND LAND USE PLANNING
SIGN SITE PLAN (ALL INFORMATION MUST BE COMPLETED AND LEGIBLE)

Site Address: 11 VJ . NKln flkp r ft r\ V P. _ J_ of ^L. applications

Sign Company: Sufg, Ui^MSifln C^fflpan^_Rep Name; fe^le. Millftf_

Phone (%m)<31H - ^\5S5 EXT \0Q (Below: Building, streets and location of sign on lot or structure)
West

I T« T

V **

ID

■S

■HBHr

East

SIGN USE:

Bus. ID (On-premise)

Business Lice. #

i _

Advertising (Off-premise) ☐

PERMIT TYPE:

New Construction Change of Face Previous Permit # ☐

South

TYPE OF SIGN:

Flat Wall , \$

Freestanding ☐

Avraing D

Marquee ☐

High Rise Building CS

Projecting Private ☐

Projecting Public Way 83 Public Way Use -Permit #

SIGN CHARACTERISTICS:

Non- Illuminated ☐ Illuminated ☐ Changing Image ☐ Video Display ☐ Flashing ☐

DISTANCE FROM:

Curb Line: 12J

TOTAL SQUARE FOOTAGE:

Square footage of this proposed sign ,3 "75

Gross area of all proposed signs 550

Area of all existing signs

(not including proposed) on Zoning Lot Of~

Signature:

(Revised 4/10)

Expressway, Toll Roads or Major Route (n/a if over 1000 ft) y ip^f> Park (over 10 acres) *•> \ &n ft

Residential Zone y /fiPCi Existing Off-premise on same side of street:

Date: ><-3.^-1)

North Uarvey Court / West Wacker Urive - Ooogle Maps

Page I ot I

Google maps

Address North Garvey Court / West Wacker Drive

Addrer>\$ H approximate

\ Save trees. Go greenly

\ Download Google Maps on your ; phone at google.com/gmm <http://google.com/gmm>

'J III

1 f

< Bill

<http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=> 6/29/2011

SIGN LAYOUT

pBy- - "J--'- -=■--. -

UPDATED NORTH
SCALE: 1/32" = f-O"

AUSTGNAGfci-
CLIENT APPROVAL
LANDLORD APPROVAL

SPECIFICATIONS

FABRICATE AND INSTALL TWO SETS OF REVERSE
ILLUMINATED CHANNEL LETTERS AND TWO NON ILLUMINATED LOGOS
A REVERSE ILLUMINATED LETTERS READING "UNITED."
• FACES: .125" ALUM. FINISH: PI
• RETURNS: d" DEEP .063 ALUM. FINISH: PI
• BACKS: .150" CLEAR POLYCARBONATE
• ILLUMINATION: WHITE LED
• REMOTE POWER SUPPLIES ON BACKSIDE OF WALL FOR FUTURE SERVICE
• MOUNTED: WDMUALLY ON WALL WITH 2" STANDOFFS PAINTED PI USING MWIMUM 3/r FASTENERS
WALL MATERIAL: GRANITE / CONCRETE
6 NON KLUMNAIEO LOGO: - FACES: .125" ALUM FINCH: PI
• FACES ARE BUNDSTUD MOUNTED TO 2" X 2" X 3/16" ALUMINUM ANGLE FRAME
■ 6" DEEP .043 ALUM. FINISH: PI
• ALUMINUM RACKS
• "GLOBE" LNDIVS5L1ALLY ROUTED. 125" ALUMINUM ELEMENTS TO BE STUD MOUNTED RUSH TO LOGO MODULE FACE FINISH: P2
ELECTRICAL LOAO: 10 Amps (»120V
EIECTKICAL REQUIREMENT. ONE 20 Amp CIRCUIT # 120V
FINISH SCHEDULE
PAINT COLORS - SATIN FINISH '5. Is PV.MAPSILVER
P2: DARK METALLIC SILVER APPROVED BY: _

SIGN LAYOUT
SCALE: 3/16" = l'-O"
SIGNED:

Page 3 of 5

CLIENT APPROVAL
K2L.
LANDLORD APPROVAL

NationalSigns

261 i EICAMINO HCUS'CK. IE/AS 770&S 1EL: 7U.at3.Otao <http://7U.at3.Otao> • .-AX: ?13.863.75S5 www.NationalSigni.com <http://www.NationalSigni.com>
i PROJECT: UNITED ARLINES
i LOCATION: 77 WEST WAKER DRIVE
i CITY/STATE: CHICAGO, IL
SALES REP: GREGG HOLLENBERG
i D ATE : 6.28.2011
[DRAWN BY: O.U.N.
r DRAWING #: NS11 16763
V AU.LABOR, ";
V AU SIGNAGE.
COPYRIGHT
iHii (?tf,DECI:..u ii n<t =vo?EE/rv o" ha-c;iai j
SSJ-.1 LED. AN7 PEPBOSUCtOf-i 03 E>h BfllOtt Gf i
>:-S DPA: MfIS IS S'4CW *SOE: iEO >-COH i
UAHOMAL S'GUS. LTD ALL fIS»fIS 08"0 "
ct:..ii["o movie" *a ppi'/Afit ctEcniCat \
© ULJNSIAIATION REQUIREMENTS © Si3» \ INJINDEO IO BE INVAiIEO f:1 ACCCPCMNCC V: tTH JhE HCUCf. *.iE". *IS 0' MUCK
«30Of rwj rwiC-JJAi FifiBICM coct at;3;or
QUIB ATHCASIC LOCAL CODES THIS IJICfai fS
LETTERS

1

|

fill

|

|

hi

• POINT OF ATTACHMENT; 3/8" All THREAD ROD WITH 2" STAND OF FS
DOUBLE NUTS INSIDE LETTER AND NUT WITH
OVERSKEID WASHER BEHIND WALL AS SHOWN
SEE FOLLOWING PAGE FOR ALL ATTACHMENT POINTS
• RETURNS: d" DEEP .063 ALUM. FINISH: PI
2" DEEP GRANITE V SPACE
2" DEEP CONCRETE
TO REMOTE POWER SUFIUES FOR FUTURE SERVICE
- ILLUMINATION: WHITE LEDs
■ • BACKS: .150- CLEAR POLYCARBONAJE ■ FACES: .125" ALUM. FINISH: PI
PAINTED PI USING MINIMUM J/S" FASTENERS WALL MATERIAL: GRANITE / CONCRETE
SECTION DETAIL 1 SECTION VIEW DETAILS_
SCALE: 1" = l'-O"
CLIENT APPROVAL

LANDLORD APPROVAL

LOGOS

• POINT OF ATTACHMENT. 3/8" ALL THREAD ROD WITH 2" STAND OF FS
DOUBLE NUTS INSIDE LETTER AND NUT WITH
OVERSIZED WASHER BEHIND WALL AS SHOWN
SEE FOLLOWING PAGE FOR ALL ATTACHMENT POINTS

• RETURNS: 6" DEEP

2" DEEP GRANITE V SPACE

2" DEEP CONCRETE

FACES: 125" ALUM FINISH: P>

• "GLOBE" INDIVIDUALLY ROUTED. 125" ALUMINUM ELEMENTS

TO BE STUD MOUNTED FLUSH TO LOGO MODULE FACE FINISH: F-2

• 2" X 2-X 3/16" ALUMINUM ANGLE FRAME

flfs

SECTION DETAIL 2

Page 4 of 5

NationalSigns

2611 CACAMINO HOUSIOM. ICXAS 7705-1 TEL: 713.663.0600 • FAX: 713.863.7586 www.NctionalSigns.com <http://www.NctionalSigns.com>

PROJECT: UNITED ARLINES

LOCATION: 77 WEST WAKER DRIVE

CITY/STATE: CHICAGO, IL

SALES REP: GREGG HOLLENBERG

DATE

6.28.2011

DRAWN BY: O.U.N.

DRAWING*: NS11 16763

AJX LABOR, •

l.:sm&Ok

COPYRIGHT

KSU't, 11? ASfCEPSCOUCILy-iOSEiHtinOfiOF *

ms opa'w.-t. « snucav pfpostsiuo t^n | nwiOM-u SiCro.LiO-AiL bigkis ?;stRVW) E

120 VOLI ELECTRICAL SERVICE j

CUiFi: TO PROVIDE All Pff/Wi* EIECTRCAl f - Sf.RV.CES <http://Sf.RV.CES> TO IHE C-LESSOIHS-tv.IIE JPSC^ED. E

@ 'JL INSTALLATION REQUIREMENTS

Stc: Is ir:wio to or it.'SUI'EC:- m ACCOnOASCE v.-.ih :m pecv CEi.*r,l> Of aprcle CCO C*.h? NATONA: (IfCTaCit. COOs AKCWK

o;nrtf A-rtiCAfi'-x :ocal cocsv ;ns LvauccS r;o.*-ERGROL-NDI.:iGA.;o-cs";o";GOf ihesjgjj.

4- = POINT OF ATTACHMENT AS NOTED ON PREVIOUS PAGE

r-6

ATTACHMENT DETAILS LAYOUT

SCALE: 3/16" = V-0"

Page 5 of 5

NationalSigns

26 H FICAVIMO HOUS1CN. IEXAS ? 705-1 1EU71 j.363.06CD • FAX: 713.863.7555 www.NalionclSigns.com <http://www.NalionclSigns.com>

PROJECT: UNITED ARUNES LOCATION: 77 WEST WAFIER ORIVE

CITY/STATE: CHICAGO, IL

SALES REP: GREGG HOLLENBERG

DATE : 6.28.2011

DRAWN BY: O.U.N.

DRAWING*: NS11 16763

Ail. LABOR/* i

CLIENT APPROVAL

imi.

LANDLORD. APPROVAL

COPYRIGHT 1

TH.S PEIOEPH-IG IS 1H: WSoFcSri 0* L'AT.O'J'-1. I MGJJS. 110, K.V OC l-u:5i'iOW CF j

iri.s lw-.".:i3 ii. !>Smc:iLY ppotnajiD <:'uh I

MA1:G*Al SiGrL.L'D.AU. GiGHTS SESIPvED. -j l 20 VOLT ELECTRICAL SERVICE |

c.ie:;i io fso'-oe m mtMt eieciscical

SES'KESIOrHESIGIUJ.-ISSOIK'B'r.SEWICIHio

@ UI INSTAllA.IION REOJIREfENTS @ 'WIS SIGii 15 l.-lEtICEO iC Cc ::5T':«D in ACCOCOAKCE \711H <file:///711H> lHe F'GV.?E:."N'5 Cr AKICU -MC Of m liWIO'KI iUCISICAI CODE AW 05 0:mIB Aff.CAU IOCAL-COOES MS

INCtuOSS

*fi<n'ERGi;G-M;i'JGA'«eo. ^);;,-GCFrr-c5:G:-.